The price list Effective October 2023

ALL



\$18,999

\$13,999

\$10,999

\$13,999

\$12.999

EB 333 oven



Ovens 400 series



EB 333 111 Q

Oven 90cm wide, 83 litres, 17 heating methods, TFT touch display, core temperature probe, rotisserie spit and baking stone function, automatic programs, pyrolytic self-cleaning, front-hinged door with 90° door opening angle, stainless steel, Home Connect

BO 480 112 - right hinged **Q** BO 481 112 - left hinged **Q**

Oven 400 series, 76cm wide, 110 litres, 17 heating methods, TFT touch display, rotisserie spit, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect



BO 470 112 - right hinged **Q** BO 471 112 - left hinged **Q**

Oven 400 series, 60cm wide, 76 litres, 17 heating methods, TFT touch display, rotisserie spit, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect

Combi-steam ove	ens 400 series
-----------------	----------------











(Refer to page 6-7 for accessories)

2

BS 484 112 - right hinged **Q** BS 485 112 - left hinged **Q**

Combi-steam compact oven 400 series - plumbed, 76cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect

BS 474 112 - right hinged Q	
BS 475 112 - left hinged Q	

Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect


BS 470 112 - right hinged Q (Special order only*)	\$12,999
BS 471 112 - left hinged Q (Special order only*)	
Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect	

BS 454 111 - right hinged Q (Special order only*) BS 455 111 - left hinged Q (Special order only*)	\$12,499
Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank, stainless steel, for proud-mounted installation, Home Connect	

BS 450 111 - right hinged Q (Special order only*)	\$12,499
BS 451 111 - left hinged Q (Special order only*)	
Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch	

Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, 1F1 touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank, stainless steel, for proud-mounted installation, Home Connect

Price inc GST



(Refer to page 6-7 for accessories)

Baking

Ovens 200 series		Price inc GST
	BOP 250 102 - right hinged Q BOP 251 102 - left hinged Q	\$8,999
	Oven 200 series, 60cm wide, 76 litres, 13 heating methods, TFT touch display, core temperature probe, automatic programs, pyrolytic self-cleaning, side door opening with handle, Gaggenau anthracite, for flush installation, Home Connect	
010	BOP 250 112 - right hinged Q BOP 251 112 - left hinged Q	\$8,999
-	Oven 200 series, 60cm wide, 76 litres, 13 heating methods, TFT touch display, core temperature probe, automatic programs, pyrolytic self-cleaning, side door opening with handle, Gaggenau metallic, for flush installation, Home Connect	
010	BOP 220 102 - right hinged Q BOP 221 102 - left hinged Q	\$7,499
	Oven 200 series, 60cm wide, 76 litres, 9 heating methods, TFT touch display, pyrolytic self-cleaning, side door opening with handle, Gaggenau anthracite, for flush installation, Home Connect	
0.0	BOP 220 112 - right hinged Q BOP 221 112 - left hinged Q	\$7,499
-	Oven 200 series, 60cm wide, 76 litres, 9 heating methods, TFT touch display, pyrolytic self-cleaning, side door opening with handle, Gaggenau metallic, for flush installation, Home Connect	
Combi-steam ovens 200 series		
	BSP 270 101 - right hinged Q BSP 271 101 - left hinged Q	\$10,999
	Combi-steam compact oven 200 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, side door opening with handle, Gaggenau anthracite, for flush installation, Home Connect	
	BSP 270 111 - right hinged Q BSP 271 111 - left hinged Q	\$10,999
-	Combi-steam compact oven 200 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, side door opening with handle, Gaggenau metallic, for flush installation, Home Connect	
• 10	BSP 250 101 - right hinged Q BSP 251 101 - left hinged Q	\$10,499
	Combi-steam compact oven 200 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, drying and descaling program, side door opening with handle, removable 1.7 litre water tank, Gaggenau anthracite, for flush installation, Home Connect	
010	BSP 250 111 - right hinged Q BSP 251 111 - left hinged Q	\$10,499
-	Combi-steam compact oven 200 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, drying and descaling program, side door opening with handle, removable 1.7 litre water tank, Gaggenau metallic, for flush installation, Home Connect	

(Refer to page 6-7 for accessories)

Combi-microwave ovens 200 series

\$7,999

\$7,999

\$4,499

\$4,499



BMP 250 100 - right hinged BMP 251 100 - left hinged

Combi-microwave compact oven 200 series, 60cm wide, 36 litres, 4 heating programs, TFT touch display, 5 microwave levels up to 1000W, single operation and combination of microwave, grill and oven, side door opening with handle, Gaggenau anthracite, for flush installation



BMP 250 110 - right hinged BMP 251 110 - left hinged

Combi-microwave compact oven 200 series, 60cm wide, 36 litres, 4 heating programs, TFT touch display, 5 microwave levels up to 1000W, single operation and combination of microwave, grill and oven, side door opening with handle, Gaggenau metallic, for flush installation

Microwaves 200 series



BMP 224 100 - right hinged BMP 225 100 - left hinged

Microwave compact oven 200 series, 60cm wide, 21 litres, 10 automatic programs, TFT touch display, 5 microwave levels up to 900W, single operation and combination of microwave and grill, handleless/automatic side door opening, Gaggenau anthracite, for flush installation



BMP 224 110 - right hinged BMP 225 110 - left hinged

Microwave compact oven 200 series, 60cm wide, 21 litres, 10 automatic programs, TFT touch display, 5 microwave levels up to 900W, single operation and combination of microwave and grill, handleless/automatic side door opening, Gaggenau metallic, for flush installation

Espresso machines 200 series



CMP 250 102 - left hinged Q

Fully automatic espresso machine 200 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, Gaggenau anthracite, for flush installation, Home Connect



CMP 250 112 - left hinged Q

Fully automatic espresso machine 200 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, Gaggenau metallic, for flush installation, Home Connect

O

\$7,499

\$7,499

Home network integration for digital services (Home Connect) either

via cable connection LAN (recommended) or wireless via WiFi. For further information please check: home-connect.com

Baking

|--|

Culinary warming drawers 200 s	series	
	WSP 222 102 Q	\$2,999
	Culinary warming drawer 200 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking, keep meals warm, warming ovenware, cups and plates warming, direct temperature control, 16 additional programs via Home Connect, push-to-open system, Gaggenau anthracite, for flush installation	
2	WSP 222 112 Q	\$2,999
	Culinary warming drawer 200 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking, keep meals warm, warming ovenware, cups and plates warming, direct temperature control, 16 additional programs via Home Connect, push-to-open system, Gaggenau metallic, for flush installation	
	WSP 221 102 Q	\$2,499
	Culinary warming drawer 200 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking, keep meals warm, warming ovenware, cups and plates warming, direct temperature control, 16 additional programs via Home Connect, push-to-open system, Gaggenau anthracite, for flush installation	
-	WSP 221 112 Q	\$2,499
	Culinary warming drawer 200 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking, keep meals warm, warming ovenware, cups and plates warming, direct temperature control, 16 additional programs via Home Connect, push-to-open system, Gaggenau metallic, for flush installation	
Vacuum drawers 200 series		
	DVP 221 100 (Special order only*)	\$5,999
	Vacuum drawer 200 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, push-to-open system, Gaggenau anthracite, for flush installation	
-	DVP 221 110 (Special order only*)	\$5,999
	Vacuum drawer 200 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, push-to-open system, Gaggenau metallic, for flush installation	

Oven accessories	EB 333 and 400	series	BO 480 / 481	BO 470 / 471	BX 480 / 481	EB 333	
-	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100 and 65mm. Used for ovens with BA 018 or BA 016 pull-out system and combi-steam ovens. Heating element sold separately. Includes wire rack for use with pull-out system BA 018 / 016	•	•	•	•	\$899
\Box	BA 018 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame	•		•	•	\$999
1	BA 016 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame		•			\$899
	BA 058 133	Baking stone including baking stone support and pizza paddle (heating element BA 058 115 must be ordered separately). Cannot be used in combination with pull-out system	•		•	•	\$599
	BA 056 133	Baking stone including baking stone support and pizza paddle (heating element BA 056 115 must be ordered separately). Cannot be used in combination with pull-out system		•			\$449
	BA 058 115	Heating element for baking stone and Gastronorm roaster	•		•	•	\$229
	BA 056 115	Heating element for baking stone and Gastronorm roaster		•			\$119
•	BA 090 100	Black rotary knobs for EB 333, set of 2				•	\$299

Baking accessories

Price inc GST

			BS 484 / 485	BS 470 / 471	BS 474 / 475	BS 450 / 451	BS 454 / 455	
-	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100 and 65mm. Used for ovens with BA 018 or BA 016 pull-out system and combi-steam ovens. Heating element sold separately		·	·		·	\$899
	BA 010 301	3 level telescopic pull-out rack, compatible with combi-steam ovens	•	•	•	•	•	\$499
	BA 020 381	Cooking container, non-stick, unperforated, 46mm deep, 5.4 litre capacity	•	•	•	•	•	\$399
	BA 020 390	Cooking container, non-stick, perforated, 40mm deep, 5 litre capacity	•	•	•	•	•	\$399
A	CL S10 040	Cleaning cartridges (set of 4) to suit combi-steam ovens	•	•	•	•	•	\$99

Oven and combi-ste	eam oven access	sories 200 series	BOP 250 / 251	BOP 220 / 221	BSP 270 / 271	BSP 250 / 251	
	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100 and 65mm. Used for ovens with BA 016 pull-out system and combi-steam ovens. Heating element sold separately. Includes wire rack for use with pull-out system BA 016	·	·	·	·	\$899
1	BA 016 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame	•	•			\$899
	BA 056 133	Baking stone including baking stone support and pizza paddle (heating element BA 056 115 must be ordered separately). Cannot be used in combination with pull-out system					\$449
	BA 056 115	Heating element for baking stone and Gastronorm roaster					\$119
	BA 010 301	3 level telescopic pull-out rack, compatible with combi-steam ovens			•	·	\$499
	BA 020 381	Cooking container, non-stick, unperforated, 46mm deep, 5.4 litre capacity			•	•	\$399
	BA 020 390	Cooking container, non-stick, perforated, 40mm deep, 5 litre capacity			•		\$399
égé	CL S10 040	Cleaning cartridges (set of 4) to suit combi-steam ovens			•		\$99

Induction cooktops 400 series







Induction cooktops 200 series



CI 292 102 Q

CX 492 101 Q

Flex induction cooktop 200 series, 90cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 5 cooking zones (2 flex zones and 1 triple circuit zone), professional cooking function, frying sensor function, residual heat indicator, frameless, for flush installation, total 11.1 kW, Home Connect

Full surface induction cooktop 400 series, 90cm wide, 17 power levels, TFT touch display, free positioning

CI 292 112 Q

Flex induction cooktop 200 series, 90cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 5 cooking zones (2 flex zones and 1 triple circuit zone), professional cooking function, frying sensor function, residual heat indicator, stainless steel frame, for surface installation, total 11.1 kW, Home Connect



Cl 262 105 Q

Flex induction cooktop 200 series, 60cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect



Cl 262 115 Q (Special order only*)

Flex induction cooktop 200 series, 60cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, stainless steel frame, for surface installation, total 7.4 kW, Home Connect

Price inc GST

\$12,499

of up to 6 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect	
CX 492 111 Q	\$12,499
Full surface induction cooktop 400 series, 90cm wide, 17 power levels, TFT touch display, free positioning of up to 6 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, for seamless combination with the 400 series vario range, total 7.4 kW, Home Connect	
CX 482 111 Q	\$11,499
Full surface induction cooktop 400 series, 80cm wide, 17 power levels, TFT touch display, free positioning of up to 5 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, for seamless combination with the 400 series vario range, total 7.4 kW, Home Connect	
01 000 100 0	#0.000
CI 292 102 Q	\$6,999
Elex induction coakton 200 carica, 00cm wide, 17 newer levels, Twict Pad control with removable magnetic	

\$6,999

\$4,999

\$4,999

(Refer to page 12-13 for accessories)

Gas cooktops 200 series

\$6,999



VG 295 250 AU

Gas cooktop 200 series, 90cm wide, 5 brass burners, illuminated control knobs, 1 x 18 MJ/h multi-ring brass wok burner, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan supports, stainless steel control panel, total 61.2 MJ/h*

*Suitable for natural gas and LPG connection, LPG conversion kit upon request



Cooking

Vario cooktops 400 serie			
	VI 462 115 Q		\$5,999
	up to 30cm, frying sensor and booster fun	Ocm wide, 12 power levels, 4 cooking zones (2 flex zones) wi ction, residual heat indicator, stainless steel frame, ss combination with the 400 series vario range, choice of co ne Connect	
	CKI 440 010 – set of fo	our stainless steel control knobs for VI 462	\$999
	CKI 440 000 – set of fo	our black steel control knobs for VI 462	\$999
	**Must be ordered and installed with cor	stral knobs	Total price [#] \$6,998
	must be ordered and installed with cor	itrol knobs.	Total price [#] \$6,998
	VI 422 115 Q		\$5,399
	•	8cm wide, 12 power levels, 2 flex zones of up to 38cm, frying steel frame, for surface or flush installation, choice of contro Connect	
10.42 - 58 101	CKI 420 010 – set of tw	vo stainless steel control knobs for VI 422	\$599
	CKI 420 000 – set of tv	vo black steel control knobs for VI 422	\$599
	**Must be ordered and installed with cor	ntrol knobs.	Total price [#] \$5,998
Station of Concession, Name	VG 425 215 AU		\$5,399
X	with precise flame size, simmer function, re	2 heat-resistant brass burners, 1 x 14 MJ/h high output burr esidual heat indicator, cast-iron pan supports, stainless stee control knob set must be ordered separately,** total 20.5 MJ/	l,
	CKG 420 010 – set of t	wo stainless steel control knobs for VG 425	\$599
And the second	CKG 420 000 – set of t	wo black steel control knobs for VG 425	\$599
	**Must be ordered and installed with cor	trol knobs.	Total price [#] \$5,998
and the second se	VG 415 215 AU		\$5,399
	12 power levels with precise flame size, sir	vide, 1 x 18 MJ/h heat-resistant brass wok multi-ring burner v nmer function, residual heat indicator, cast-iron pan support trol knob set must be ordered separately,** total 18 MJ/h*	
	CKG 410 010 – set of c	one stainless steel control knob for VG 415	\$399
	CKG 410 000 – set of c	one black steel control knob for VG 415	\$399
	**Must be ordered and installed with cor	trol knobs.	Total price [#] \$5,798
	VR 414 115		¢5.000
	Vario electric grill cooktop 400 series, 38c	m wide, 12 power levels, 2 separately controlled zones, half grill (lava stones included), stainless steel frame, for surface d separately,** total 3.0 kW	•
	- CKR 420 010 – set of t	wo stainless steel control knobs for VR 414	\$599
	CKR 420 000 – set of t	wo black steel control knobs for VR 414	\$599
	**Must be ordered and installed with cor	ntrol knobs.	Total price [#] \$5,998
2	VP 414 115 Q		\$5,399
	Vario Teppan Yaki cooktop 400 series, 380	rm wide, 2 cooking zones, exact temperature control up to 2 rface, for surface or flush installation, choice of control knob	40°C, keep warm setting,
and the second	CKP 420 010 – set of t	wo stainless steel control knobs for VP 414	\$599
	CKP 420 000 – set of t	wo black steel control knobs for VP 414	\$599
	**Must be ordered and installed with cor	ntrol knobs.	Total price [#] \$5,998
			10101 piloe 40,990

(Refer to page 12 for accessories)

Vario cooktops 200 series

\$3,999

\$3,499

\$3,999

\$3,499

\$3,499

\$4,399



VI 262 120

Vario flex induction cooktop 200 series, 60cm wide, 9 power levels, illuminated control knobs, 4 cooking zones (2 flex zones), boost and frying sensor functions, residual heat indicator, stainless steel with black anodised aluminium control panel, for seamless combination with the 200 series vario range, total 7.4 kW

- 11

VI 232 121

Vario flex induction cooktop 200 series, 28cm wide, 9 power levels, illuminated control knobs, 2 flex zones, booster and frying sensor functions, residual heat indicator, stainless steel with black anodised aluminium control panel, total 3.7 kW



VG 264 220 AU

Vario gas cooktop 200 series, 60cm wide, 4 burners, illuminated control knobs, 2 x 10.8 MJ/h high output burners, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, stainless steel with black anodised aluminium control panel, for seamless combination with the 200 series vario range, total 35.2 MJ/h*



VG 232 220 AU

Vario gas cooktop 200 series, 28cm wide, 2 burners, illuminated control knobs, 1 x 10.8 MJ/h high output burner, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, stainless steel with black anodised aluminium control panel, total 17.6 MJ/h*



VG 231 220 AU

Vario gas wok cooktop 200 series, 28cm wide, 1 x 18 MJ/h multi-ring brass wok burner, illuminated control knobs, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, stainless steel with black anodised aluminium control panel, total 18.0 MJ/h*



VR 230 120

Vario electric grill cooktop 200 series, 28cm wide, 9 power levels, illuminated control knobs, 2 separate zones with joint function, open cast grill (lava stones included), residual heat indicator, stainless steel with black anodised aluminium control panel, total 3.0 kW



VP 230 120

Vario Teppan Yaki cooktop 200 series, 28cm wide, allows cooking directly on surface, illuminated control knobs, exact temperature control up to 240°C, keep warm setting, residual heat indicator, stainless steel with black anodised aluminium control panel, total 1.8 kW

\$4,399

Cooking accessories

Price inc GST

VR 414 VP 414 VG 425 VG 415 VI 422 VI 462 CX 482 CX 492	
VA 420 004 Connection strip for flush installation,	\$259
VA 420 010 Connection strip for surface installation,	\$259
AA 414 010 Air baffle for VL 414 installation next to gas appliances • •	\$149

Cooktop accessories	400 series										
			VR 414	VP 414	VG 425	VG 415	VI 422	VI 462	CX 482	CX 492	
The second secon	VA 440 010	Stainless steel appliance cover with mounting strip and hinges, for all 38cm Vario 400 cooktops in a separate cutout	•	•	•	•	•				\$649
	GN 232 110	Teppan Yaki plate for both CX 482 and CX 492 induction cooktops							•	•	\$899
0	WP 400 001	Wok pan Ø36cm				•					\$399
	GP 900 004	Stainless steel frying sensor pan, non-stick coating, for Ø28cm cooking zone					•	•			\$299
6	GP 900 003	Stainless steel frying sensor pan, non- stick coating, for Ø21cm cooking zone					•	•			\$199
0.	CA 060 300	Cooking sensor for temperature regulation							•	•	\$299



Price	inc	GST
-------	-----	-----

Cooktop connection strips and air baffle 200 series										
			VR 230	VP 230	VG 232	VG 231	VG 264	VI 232	VI 262	
Contraction of the local division of the loc	VV 200 010	Connection strip to suit Vario 200 series cooktops, (stainless steel)	•	•	•	•	•	•	•	\$259
- Contraction of the Contraction	VV 200 020	Connection strips for Vario 200 cooktops (black)	•	•	•	•	•	•	•	\$259
	LS 041 001	Air baffle for VL 200 installation next to gas appliances			•	•	•			\$99

Cooktop accessories 200 series

Cookiop accessories 2			VR 230	VP 230	VG 232	VG 231	VG 295	VI 232	VI 262	CI 262/292	
	VD 200 020	Appliance cover to suit black anodised aluminium	•	•	•	•		•			\$699
2	CA 051 300	Teppan Yaki made of multi-ply material						•	•	•	\$699
	CA 052 300	Griddle plate in cast aluminium, non-stick						•	•	•	\$499
	WP 400 001	Wok pan Ø36cm				•	•				\$399
	GP 900 004	Stainless steel frying sensor pan, non- stick coating, for Ø28cm cooking zone								•	\$299
	GP 900 003	Stainless steel frying sensor pan, non- stick coating, for Ø21cm cooking zone						•	•	•	\$199
	CA 230 100	Optional black magnetic control knob								•	\$299



Ventilation

	AL 400 122	\$8,999
-	Telescopic table ventilation 400 series, 120cm wide, 3 power levels plus 1 intensive mode, run-on function, grease filter saturation indicator, dishwasher-safe filters, dimmable warm white surface LED light, stainless steel, for surface or flush installation, motorless*	
	AL 400 192 (Special order only*)	\$8,49
-	Telescopic table ventilation 400 series, 90cm wide, 3 power levels plus 1 intensive mode, run-on function, grease filter saturation indicator, dishwasher-safe filters, dimmable warm white surface LED light, stainless steel, for surface or flush installation, motorless*	
	*Must be installed and ordered with Gaggenau BLDC remote fan unit	
elescopic table ventilation 200	series	
	AL 200 190 Q	\$7,49
	Downdraft table ventilation 200 series, 90cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run-out function, air extraction up to 833m ³ /h, BLDC motor operating at 43dB/65dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters with grease drip tray, clear glass with Ambient lighting through the glass edges, for flush installation (requires additional installation accessory), Home Connect	
Downdraft ventilation 400 series	\$	
	VL 414 115 Q	\$3,99
	Vario downdraft ventilation 400 series, 15.5cm wide, 3 power levels plus 1 intensive mode, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, stainless steel, for surface or flush installation, motorless**, choice of control knob set must be ordered separately**, Home Connect	40,00
	CKV 410 010 – set of one stainless steel control knob for VL 414	\$39
	CKV 410 000 – set of one black steel control knob for VL 414	\$39
	**Must be ordered and installed with control knobs and Gaggenau BLDC remote fan unit Total price*	\$4,39
Downdraft ventilation 200 series	S	
Downdraft ventilation 200 serie:	s VL 200 120	\$3,29
Downdraft ventilation 200 serie:		\$3,29
Downdraft ventilation 200 series	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease	\$3,29
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit	\$3,29
Downdraft ventilation 200 series	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit	
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit	
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit 1 200 series AR 401 142 Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 910m³/h,	\$3,29 \$2,69 \$2,29
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit 1 200 series AR 401 142 Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 910m³/h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200	\$2,69
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit 1 200 series MR 401 142 Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 910m³/h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200 AR 403 122 Remote fan unit 400 and 200 series, air extraction (inside), up to 890m³/h, BLDC motor technology,	\$2,69 \$2,29
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit d200 series AR 401 142 Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 910m³/h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200 AR 403 122 Remote fan unit 400 and 200 series, air extraction (inside), up to 890m³/h, BLDC motor technology, 1 x DN 150 air intake, plinth installation (10cm high), suits AL 400, VL 414 and VL 200	\$2,69 \$2,29
	VL 200 120 Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, illuminated control knobs, black anodised aluminium body and control panel, motorless** **Must be installed and ordered with Gaggenau BLDC remote fan unit #200 series AR 401 142 Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 910m ³ /h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200 AR 403 122 Remote fan unit 400 and 200 series, air extraction (inside), up to 890m ³ /h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200 AR 403 122 Remote fan unit 400 and 200 series, air extraction (inside), up to 890m ³ /h, BLDC motor technology, 1 x DN 150 air intake, plinth installation (10cm high), suits AL 400, VL 414 and VL 200 AR 413 122 Remote fan unit 400 and 200 series, air recirculation (inside), up to 760m ³ /h, BLDC motor technology,	\$2,69

[#]Total price includes one cooktop and one set of control knobs.

Wall mounted rangehood 200 series

\$3,999

\$2.699

\$2,299

\$2,399

\$1,999



AW 240 191 Q

Wall mounted hood 200 series, 90cm, 3 power levels plus 1 intensive mode, touch control operation, air extraction up to 970m³/h, BLDC motor operating at 44dB/64dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filter, 3 dimmable LED lights, stainless steel with glass control panel in Gaggenau anthracite, Home Connect

Slide out rangehoods 200 series



AF 210 192

Slide out rangehood 200 series, 90cm, 3 power levels plus 1 intensive mode, air extraction up to 965m³/h, BLDC motor operating at 42dB/57dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filters, 3 dimmable LED lights, patented lowering frame*, stainless steel



AF 210 162

Slide out rangehood 200 series, 60cm, 3 power levels plus 1 intensive mode, air extraction up to 953m³/h, BLDC motor operating at 41dB/57dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, patented lowering frame*, stainless steel

*Patented lowering frame available as an accessory

Integrated rangehoods 200 series



AC 200 191

Integrated rangehood 200 series, 86cm wide, 3 power levels plus 1 intensive mode, air extraction up to 800m³/h, BLDC motor operating at 41dB/64dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, stainless steel and glass

AC 200 161

Integrated rangehood 200 series, 52cm wide, 3 power levels plus 1 intensive mode, air extraction up to 730m³/h, BLDC motor operating at 44dB/64dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, stainless steel and glass



(Refer to page 16-17 for accessories)

Remote fan unit accessories

Remote fan unit accesso	ries 400 and 200) series	Price inc GST
	AA 010 410	Air exhaust grill stainless steel colour for plinth installation, 90cm, optional to suit model AR 413 122	\$599
E	AD 700 051	Wall outlet, stainless steel, DN 200 round duct, for use with telescopic wall-duct AD 702 052; for connection of flat duct use AD 852 042	\$499
	AD 702 052	Telescopic wall duct connection piece DN 200 round, for use with wall outlet AD 700 051 or remote fan unit AR 401	\$599
050	AD 750 054	Wall outlet connection for optimal temperature insulation, weatherproof stainless steel louvres, magnetic opening and closing, for round duct connection DN 150 to suit AR 403; for connection of flat duct DN 150 use AD 857 042, DN 150	\$499
Ø	AD 704 040	Pipe adapter DN 200/150 round, metal zinc plated, reduce DN 200 connection to DN 150 connection. If used with AD 702 052 DN 200 and AR 403 / AR 413 DN 150 remote fan unit	\$349
000	AD 704 050	Air collector box, flat duct DN 150 to connect AL 400	\$399
	AD 751 010	Aluflex pipe round, DN 150	\$129
	AD 853 011	Flat duct system flex pipe, plastic, DN 150 flat, 1000mm long (for AL 400)	\$119
	AD 857 010	Flat duct, DN 150, length 1000mm	\$129
	AD 857 041	Flat duct adaptor round, DN 150	\$79
1	AD 857 042	Flat duct adaptor round 90°, DN 150	\$79
	AD 857 031	Flat duct bend 90° horizontal, DN 150	\$79
	AD 857 030	Flat duct bend 90° vertical, DN 150	\$79
(AD 857 033	Short flat duct bend 90° vertical, DN 150	\$79
11-	AD 857 050	Plinth diffusor for flat duct DN 150 recirculation configurations	\$79
	AD 857 040	Flat duct pipe connector, DN 150, for combination 2 flat ducts	\$39
0	AD 990 090	Adhesive tape for sealing ducts	\$29

Ventilation accessories

Telescopic table and do	wndraft ventilati	on accessories				Price	inc GST
reneesepie table and as			AL 400 192/122	AL 200 190	VL 414	VL 200	
Passessenta Vananarat	VA 200 090	Installation accessory for AL 200 190 & cooktop in a single cutout (flush installation)		•			\$499
N N	AA 200 900	Installation kit surface mounting for AL 200		•			\$99
MAT .	AA 200 910	Installation kit for remote motor installation for AL 200		•			\$499
	AA 200 890	Air recirculation module for AL 200 190		•			\$499
	AA 200 892	Regenerable air recirculation module for AL 200 190		•			\$999
	AA 409 401	Furniture support for table ventilation AL 400, 90cm	•				\$399
	AA 409 431	Furniture support for table ventilation AL 400, 120cm	•				\$449
00	AD 754 049	Necessary connecting piece for 2 x DN 150 round duct, can be fitted on front or back side of AL 400	•				\$149
00	AD 854 050	Necessary connecting piece for 2 x DN 150 flat duct, can be fitted on the bottom side of AL 400 (comes in 2 pieces)	•				\$149
0	AD 851 041	Connection piece for extra deep worktop for VL 200			•	•	\$799
	AD 410 040	Flexible connection piece for VL 200 and AD 724 042			•	•	\$799
	AA 414 010	Air baffle for VL 414 installation next to gas appliances			•		\$149
	LS 041 001	Air baffle for VL 200 installation next to gas appliances				•	\$99

Wall rangehood ventilation accessories 200 series

		AW 240 191	
AD 200 322	Stainless steel chimney extension 100cm, suits AW 240	•	\$1,099
AA 200 812	Recirculation module with charcoal filter, suits AW 240	•	\$599
AA 210 110	Active charcoal filter to suit AA 200 812 recirculation module	•	\$179

Slide out and integrated rangehood ventilation accessories 200 series

			AF 210 192	AF 210 162	AC 200 191	AC 200 161	
	AA 211 812	Patented air recirculation module (including 1 active charcoal filter)	•	•	•	•	\$599
	AA 210 110	Active charcoal filter to suit AA 200 812 recirculation module	•	•	•	•	\$179
	AA 210 492	Lowering frame for AF 210, 90cm	•				\$499
<u>N</u>	AA 210 460	Lowering frame for AF 210, 60cm		•			\$399
11	AA 210 491	Assembly kit for 90cm upper cabinet	•				\$99

Price inc GST

\$22,999

\$21,999

\$20.999



RY 492 505 Q

Vario fully integrated fridge-freezer combination 400 series with ice maker, 552 litre total volume, TFT touch display (incl. sabbath mode), cooling (386l) compartment from 0°C to +8°C, freezing/ice maker (166l) from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, cooling section with two doors and one fully extendable freezing drawer, stainless steel interior with solid anthracite aluminium elements, 3.5 star energy rating with 451 kWh per year, cabinet niche 213.4cm high / 91.4cm wide, Home Connect

RB 492 504 - right hinged (reversible) Q

Vario fully integrated fridge-freezer combination 400 series with ice maker, 555 litre total volume, TFT touch display (incl. sabbath mode), cooling (389I) compartment from 0°C to +8°C, freezing/ice maker (166I) from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, cooling section with one door and one fully extendable freezing drawer, stainless steel interior with solid anthracite aluminium elements, 5 star energy rating with 336 kWh per year, cabinet niche 213.4cm high / 91.4cm wide, Home Connect

RC 492 504 - right hinged (reversible) Q

Vario fully integrated refrigerator 400 series, 579 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4 star energy rating with 221 kWh per year, cabinet niche 213.4cm high / 91cm wide, Home Connect

\$19,999

\$18,999



RC 472 504 - right hinged (reversible) Q

Vario fully integrated refrigerator 400 series, 467 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4.5 star energy rating with 179 kWh per year, cabinet niche 213.4cm high / 76cm wide, Home Connect

RC 462 504 - right hinged (reversible) Q

Vario fully integrated refrigerator 400 series, 357 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4 star energy rating with 173 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect



(Refer to page 20-22 for accessories)

O Home Connect.

Vario cooling 400 series

\$18,999

\$18,999

Price inc GST

\$18,999



RF 461 305 - left hinged (reversible) Q

Vario fully integrated freezer 400 series with ice maker, 344 litre total volume, TFT touch display (incl. sabbath mode), temperature adjustable from -14 °C to -24 °C, open-door assist for handleless furniture front (optional), LED lights, nofrost technology, integrated ice maker with fixed inlet water connection, dynamic cold air distribution, 4 glass shelves and 2 fully extendable drawers with transparent front, stainless steel interior with solid anthracite aluminium elements,

ODC

Vario wine climate cabinets 400 series

RW 466 365 - right hinged (reversible) Q

Vario fully integrated wine cabinet 400 series, 371 litre total volume/99 bottles, TFT touch display (incl. sabbath mode), exact temperature control for 3 independent climate zones between 5°C to 20°C, LED lights with 5 lighting scenarios for individual wine presentation, UV-protection glass and low-vibration operation, humidity control, open-door assist for handleless furniture front (optional), dynamic cold air distribution, automatic defrosting with defrost water evaporation, activated charcoal air filter, stainless steel interior with fully expendable bottle trays in oak wood and solid anthracite aluminium elements, cabinet niche 213.4cm high / 61cm wide, Home Connect

\$17,999



RW 414 365 - right hinged (reversible) Q

Vario fully integrated wine cabinet 400 series, 272 litre total volume/70 bottles, TFT touch display (inc. sabbath mode), exact temperature control for 2 independent climate zones between 5°C to 20°C, LED lights with 5 lighting scenarios for individual wine presentation, UV-protection glass and low-vibration operation, humidity control, open-door assist for handleless furniture front (optional), dynamic cold air distribution, automatic defrosting with defrost water evaporation, activated charcoal air filter, stainless steel interior with fully expendable bottle trays in oak wood and solid anthracite aluminium elements, cabinet niche 213.4cm high / 45cm wide, Home Connect

4 star energy rating with 273 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect

RF 463 505 - left hinged (not reversible) Q

Vario fully integrated freezer 400 series with ice maker and water dispenser, 304 litre total volume, TFT touch display (incl. sabbath mode), temperature adjustable from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, integrated ice and water dispenser with fixed inlet water connection, dynamic cold air distribution, 4 glass shelves and 2 fully extendable drawers with transparent front, stainless steel interior with solid anthracite aluminium elements, 3 star energy rating with 313 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect

\$6,999

\$6,999



RB 289 500 – right hinged (reversible)

Vario fully integrated fridge-freezer 200 series, 223 litre total volume, digital display with touch keys, cooling (156l) compartment from +3°C to +8°C, freezer (67l) from -14°C to -24°C, dynamic cold air distribution, LED lights, cushioned door opening system, fully extendable shelves and drawers set in aluminium profiles, no-frost technology, 3.5 star energy rating with 260 kWh per year, cabinet niche 177.2cm high / 55.8cm wide, Home Connect



RC 289 500 - right hinged (reversible)

Vario fully integrated refrigerator 200 series, 289 litre total volume, digital display with touch keys, cooling compartment from +3°C to +8°C, including three fresh cooling drawers at close to 0°C, dynamic cold air distribution, LED lights, cushioned door opening system, fully extendable shelves and drawers set in aluminium profiles, no-frost technology, 4 star energy rating with 155 kWh per year, cabinet niche 177.2cm high / 55.8cm wide, Home Connect

\$6,999

Price inc GST

\$8,999



RF 287 500 – left hinged (reversible) Q

Vario fully integrated freezer 200 series, 212 litre total volume, digital display with touch keys, temperature adjustable from -14°C to -24°C, dynamic cold air distribution, LED lights, cushioned door opening system, fully extendable shelves and drawers set in aluminium profiles, no-frost technology with fast freezing, 4.5 star energy rating with 195 kWh per year, cabinet niche 177.2cm high / 55.8cm wide, Home Connect

Wine climate cabinet 200 series



RW 404 264 - right hinged (reversible)

Under bench wine cabinet 200 series, 94 litre total volume/34 bottle capacity, exact temperature control for 2 independent climate zones between 5°C to 20°C, automatic defrosting for optimum convenience, UV protection, humidity control, LED lighting, lockable door, stainless steel with framed glass, cabinet niche 82cm high / 60cm wide

Cooling accessories

Wine climate cabinet a	accessories 200 se	ries		e inc GST
			RW 404 264	
	RA 097 600	Accessory for side-by-side installation of two under-counter wine climate cabinets		\$499

(Refer to page 20-22 for accessories)

Cooling accessories

Price inc GST

											Price	e inc GST
Vario coolin	g accessories 400 series RA 421 611 - left hinge RA 421 612 - right hinge	Stainless steel door panel with handle (19mm)	RY 492	RB 492	RC 492	RC 472	RC 462	RF 461	RF 463	RW 466	RW 414	\$1,949
	RA 421 111 - left hinge RA 421 112 - right hinge	Stainless steel door panel with handle (19mm)									•	\$1,849
	RA 421 911	Stainless steel door panel with handle (19mm)										\$1,699
	RA 421 910	Stainless steel door panels with handles (19mm)		•								\$1,669
	RA 421 710	Stainless steel door panel with handle (19mm)										\$1,499
	RA 421 610	Stainless steel door panel with handle (19mm)					•	•				\$1,449
•	RA 422 610	Stainless steel door panel with handle (19mm, left hinge)										\$1,449
	RA 421 912	Stainless steel door panels with handles (19mm)	•									\$1,449
-	RA 428 910	Stainless steel door panels handleless (19mm)		•								\$1,299
ji)	RA 428 911	Stainless steel door panel handleless (19mm)			·							\$1,299
	RA 428 710	Stainless steel door panel handleless (19mm)				•						\$1,099
	RA 428 610	Stainless steel door panel handleless (19mm)					•	•				\$999

Cooling accessories

Price inc GST

Vario cooling	accessori	es 400 series										Price	inc GST
	,			RY 492	RB 492	RC 492	RC 472	RC 462	RF 461	RF 463	RW 466	RW 414	
	RA 428 9	12	Stainless steel door panels handleless (19mm)	•									\$999
	RA 428 6	11	Stainless steel door panel frame handleless (19mm)								•		\$999
	RA 428 1	11	Stainless steel door panel frame handleless (19mm)									•	\$899
	RA 428 8	10	Stainless steel door panel handleless (19mm)							•			\$999
	44 11	RA 460 013	Side heating element required if humidity in installation niche may exceed 65%. Not required if appliances are installed more than 160mm apart from each other		•	•	•			•	•		\$999
	> F	RA 492 660	Removable shelf with oak wood frame for 61cm appliances								•		\$499
	4.8 W	RA 460 000	Side by side installation (handle to handle)	•	•	•	•	•	(•)*	(•)*	(•)*	(•)*	\$299
		RA 425 110	Handle bar, stainless steel, long. With 3 mounts, length 1131mm, drilling distance between each mount 554mm					•	•		•	·	\$299
			Handle bar, stainless steel, short. For RY & RB 492 models, with 2 mounts, length 810mm, drilling distance between each mount 787mm.	•	•								\$199
		RA 430 100	Storage container with lid	•	•	•	•	·					\$129
1.1.1.1		RA 423 140	Side trim			•	•	•	•	•	•	•	\$89
11111		RA 423 340	Side trim	•	•								\$89
		RA 460 030	Connecting element for vertically split fronts	•	•								\$49
		RA 460 020	Connecting element for vertically split appliance fronts (flush front)			•	•	•	•	•			\$39
e e e e e e e e e e e e e	•	RA 430 000	Screw hole cover set 8 pieces (anthracite)								•	•	\$24

\$5,199



Dishwasher 200 series



DF 481 500F Q

Fully integrated dishwasher 400 series, 86.5cm high with flexible hinges, 14 place setting capacity, TFT display, 8 wash programs with aqua sensor and 4 options, 43dB, LED lights for perfect illumination, pushto-open door, lateral InfoLight, Zeolith drying technology, cutlery drawer, flexible basket system with smooth running rails, 4 star energy rating, 5 star WELS rating (WELS D02544), 11.5 litres water consumption per wash, Home Connect

DF 210 500 **Q**

\$3,299

Fully integrated dishwasher 200 series, 81.5cm high, 15 place setting capacity, TFT display, 6 wash programs with aqua sensor and 3 options, 40dB, InfoLight, stainless steel handle as optional accessory, cutlery drawer, flexible basket system, 4 star energy rating, 5.5 star WELS rating (WELS D02545), 11 litres water consumption per wash, Home Connect

Dishwashing accessories

Dishwasher accessories				Pri	ce inc GST
			DF 481 500F	DF 210 500	
	DA 045 061	3rd rack with smooth running rails. For small bowls, cups and cooking utensils. With removable knife shelf.	·		\$299
~	GH 045 010	Stainless steel bar handle, 450mm length	0		\$149

O = optional due to push to open mechanism.

The difference is Gaggenau.

Gaggenau Melbourne

192-196 Coventry Street South Melbourne Victoria 3205 +61 3 9690 3123

Gaggenau Sydney

543 Crown Street Surry Hills New South Wales 2010

Gaggenau is proudly manufactured and distributed by BSH Home Appliances Pty Ltd. For general enquiries, please call 1300 170 552 or visit www.gaggenau.com.au

The information for all products is current as at the date of publication. Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications and pricing without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication. Please note that the appearance and/ or inclusions of products may change from those displayed in these materials. The appliances are for household use only.