

Extractors

The table ventilation 200 series




GAGGENAU

All you see is clarity.

The open kitchen concept, whereby the kitchen and living space become one, demands exceptional ventilation to prevent steam, heat and vapour permeating the open plan setting. However, a large extractor doesn't necessarily fit the design aesthetic of your entertainment space.

The table ventilation 200 series is the solution. Embedded within the counter, it is discreetly placed along the top edge of your large induction cooktop, the black appliances blending into one. Unseen until it emerges, the extractor's discretion continues; it is utterly transparent. Clearing the air and the view of the cooktop, it even enlightens with ambient illumination.



Extracting, recirculating, guiding the air.

The table ventilation utilises Guided Air technology; additional air flow behind the screen that captures more vapour in front of the screen. This innovation increases the air extraction, from pans anywhere on the cooktop.

Available in 80 cm and 90 cm width, it is flush-mounted and harmonises with our large, frameless, induction and full surface induction cooktops. Home Connect enabled, controllable via the cooktop, it can be set to automatically detect and remove vapour, even after cooking, allowing you to concentrate on the cuisine.

Valuable drawer space is saved and installation is simplified as only one cut-out is needed. When in re-circulation mode, we can guarantee the efficient removal of odours using activated charcoal filters. For maintenance, these and the dishwasher-safe grease filters, are easily removable from the top.

We highly recommend the regenerative re-circulation odour filter, available as a special accessory. These long-life odour filters are regenerated in the oven and have a lifespan of up to 10 years, benefitting the consumer and the environment.



Extractors 200 series



Table ventilation

Type reference

AL 200 180

AL 200 190



Width

AL 200 180, 80 cm

AL 200 190, 90 cm

Colour

Gaggenau Black

Installation

Flush mounting

Features

Guided Air Technology

Cooktop-based ventilation control

Home Connect enabled

Mode

Air recirculation & air extraction

If choosing air recirculation, please add a recirculation filter module in your order for the AL 200 180:

AA 200 880 air recirculation module

AA 200 882 regenerable air recirculation module

Compatible cooktops

AL 200 180: CX 482 / CI 283 / CI 282

AL 200 190: CX 492 / CI 292

* On an energy-efficiency class scale from A+++ to D.

We offer a Ventilation Service to architects, designers and homeowners, providing support and detailed technical solutions to the potentially complex issue of ventilation. Please contact your sales representative for details.

The difference is Gaggenau.

For further information

- ▶ Models & Dimensions
- ▶ www.gaggenau.com