Cooling

The Vario cooling 400 series



GAGGENAU



## Contents

Fridge-freezers	2
Refrigerators	ξ
Freezers	6
Wine climate cabinets	8
Home Connect	11

### Fridge-freezers







#### Type reference RY 492



Niche width 91.4 cm
Niche height 213.4 cm
Handleless option
Cushioned door closing system
Fresh cooling close to 0 °C
Integrated ice maker in freezer
compartment
Warm white, glare-free LEDs
Net volume 552 I

#### Type reference RB 492



Niche width 91.4 cm Niche height 213.4 cm Handleless option Cushioned door closing system Fresh cooling close to 0 °C Integrated ice maker in freezer compartment Warm white, glare-free LEDs Net volume 555 I

#### **Type reference** RB 472



Niche width 76.2 cm Niche height 213.4 cm Handleless option Cushioned door closing system Fresh cooling close to 0 °C Integrated ice maker in freezer compartment Warm white, glare-free LEDs Net volume 452 l

### Refrigerators







Type reference RC 492



Niche width 91.4 cm Niche height 213.4 cm Handleless option Cushioned door closing system Fresh cooling 0 °C Warm white, glare-free LEDs Net volume 579 I Type reference RC 472



Niche width 76.2 cm Niche height 213.4 cm Handleless option Cushioned door closing system Fresh cooling 0 °C Warm white, glare-free LEDs Net volume 467 I Type reference RC 462



Niche width 61 cm Niche height 213.4 cm Handleless option Cushioned door closing system Fresh cooling 0 °C Warm white, glare-free LEDs Net volume 357 I

#### Freezers







# **Type reference** RF 463



Niche width 61 cm Niche height 213.4 cm Handleless option Cushioned door closing system Illuminated ice and water dispenser with proximity sensor Warm white, glare-free LEDs Net volume 304 l

#### Type reference RF 471



Niche width 76.2 cm Niche height 213.4 cm Handleless option Cushioned door closing system Integrated ice maker Warm white, glare-free LEDs Net volume 445 I

#### Type reference RF 461



Niche width 61 cm Niche height 213.4 cm Handleless option Cushioned door closing system Integrated ice maker Warm white, glare-free LEDs Net volume 344 l

## Freezers (continued)





#### Type reference RF 411



Niche width 45.7 cm Niche height 213.4 cm Handleless option Cushioned door closing system Integrated ice maker Warm white, glare-free LEDs Net volume 240 l

# **Type reference** RF 410



Niche width 45.7 cm Niche height 213.4 cm Handleless option Cushioned door closing system Warm white, glare-free LEDs Net volume 240 l



### Wine climate cabinets





#### Type reference RW 466



Niche width 61 cm Niche height 213.4 cm Three climate zones Glass door, handleless option Cushioned door closing system Five preset lighting scenarios Warm white, glare-free LEDs Capacity 99 bottles

#### Type reference RW 466



Niche width 61 cm Niche height 213.4 cm Three climate zones Solid door, handleless option Cushioned door closing system Five preset lighting scenarios Warm white, glare-free LEDs Capacity 99 bottles

## Wine climate cabinets (continued)





#### Type reference RW 414



Niche width 45.7 cm Niche height 213.4 cm Two climate zones Glass door, handleless option Cushioned door closing system Five preset lighting scenarios Warm white, glare-free LEDs Capacity 70 bottles

#### Type reference RW 414



Niche width 45.7 cm Niche height 213.4 cm Two climate zones Solid door, handleless option Cushioned door closing system Five preset lighting scenarios Warm white, glare-free LEDs Capacity 70 bottles

### The extraordinary, becomes connected.

Gaggenau and Home Connect\*



#### The difference is Gaggenau.

This is the beginning of the future of cooking. Aided by a digital device, the private chef can, for instance, preheat the oven, turn on ventilation, start the dishwasher, download digital user manuals and have a technician run a diagnostic check, all remotely.

Integrating into different home managements systems ensures the kitchen remains the heart of the digital home. The private chef can ask Amazon Alexa to prepare a cup of coffee and turn on the ventilation while checking remaining time of the oven.

# \*The use of the Home Connect functionality depends on the Home Connect services, which are not available in every country. For further information please check: home-connect.com.

#### - Connect:

Remotely control\*\* and monitor. Enable remote diagnosis by an online technician.

#### Access:

Download user manuals and utilise our partnering network.

#### Integration:

Compatible with different home management systems.

This is just the start, explore the possibilities at home-connect.com.

<sup>\*</sup>Not applicable for cooktops, cooktops are not intended for unattended use – cooking process must be supervised.

The difference is Gaggenau.

#### For further information

- ▶ Models & Dimensions
- www.gaggenau.com

