# THE PRICE LIST

Effective January 2025

11

1-10

.



### BAKING

EB 333 oven

#### Price inc GST

\$20,999

# \_

### EB 333 111 **Q**

.

c.

Oven 90cm wide, 83 litres, 17 heating methods, TFT touch display, core temperature probe, rotisserie spit and baking stone function, automatic programs, pyrolytic self-cleaning, front-hinged door with 90° door opening angle, stainless steel, Home Connect

#### Ovens 400 series



#### BO 480 112 - right hinged **Q** BO 481 112 - left hinged **Q**

Oven 400 series, 76cm wide, 110 litres, 17 heating methods, TFT touch display, rotisserie spit, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect



#### BO 470 112 - right hinged **Q** BO 471 112 - left hinged **Q**

#### \$11,999

\$11,999

\$9,999

\$14,999

Oven 400 series, 60cm wide, 76 litres, 17 heating methods, TFT touch display, rotisserie spit, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect



#### BO 470 102 - right hinged **Q** BO 471 102 - left hinged **Q**

Oven 400 series, 60cm wide, 76 litres, 17 heating methods, TFT touch display, rotisserie spit, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation, Home Connect



BO 450 102 - right hinged **Q** BO 451 102 - left hinged **Q** 

Oven 400 series, 60cm wide, 76 litres, 13 heating methods, TFT touch display, core temperature probe, automatic programs, pyrolytic self-cleaning, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect

(Refer to pages 8-9 for accessories)

#### Price inc GST

\$14,999

\$13,999

\$13,999

\$13,999

\$13,999

\$12,999


\$12,999

\$12,999

\$12,999

		Pr
Combi-steam ovens 400 series	BS 484 112 - right hinged <b>Q</b> BS 485 112 - left hinged <b>Q</b>	
	Combi-steam compact oven 400 series - plumbed, 76cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect	
-	BS 474 112 - right hinged <b>Q</b> BS 475 112 - left hinged <b>Q</b>	
	Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect	
Contractory of the	BS 474 102 - right hinged <b>Q</b> BS 475 102 - left hinged <b>Q</b>	
•••	Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation, Home Connect	
010	BS 470 112 - right hinged <b>Q</b> (Special order only*) BS 471 112 - left hinged <b>Q</b> (Special order only*)	
-	Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation, Home Connect	
515	BS 470 102 - right hinged <b>Q</b> (Special order only*) BS 471 102 - left hinged <b>Q</b> (Special order only*)	
	Combi-steam compact oven 400 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED lights, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation, Home Connect	
-	BS 454 111 - right hinged <b>Q</b> (Special order only*) BS 455 111 - left hinged <b>Q</b> (Special order only*)	
	Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank, stainless steel, for proud-mounted installation, Home Connect	
	BS 454 101 - right hinged <b>Q</b> (Special order only*) BS 455 101 - left hinged <b>Q</b> (Special order only*)	
	Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank, Gaggenau anthracite, for proud-mounted installation, Home Connect	
	BS 450 111 - right hinged <b>Q</b> (Special order only*) BS 451 111 - left hinged <b>Q</b> (Special order only*)	
-	Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank, stainless steel, for proud-mounted installation, Home Connect	
0.0	BS 450 101 - right hinged <b>Q</b> (Special order only*) BS 451 101 - left hinged <b>Q</b> (Special order only*)	
	Combi-steam compact oven 400 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, handleless/automatic side door opening, removable 1.7 litre water tank. Gaagenau anthracite, for proud-mounted installation. Home Connect	

removable 1.7 litre water tank, Gaggenau anthracite, for proud-mounted installation, Home Connect



### BAKING

Combi-microwave ovens 400 series		Price inc GST
	BM 484 110 - right hinged (Special order only*) BM 485 110 - left hinged (Special order only*)	\$8,999
	Combi-microwave compact oven 400 series, 76cm wide, 36 litres, 4 heating methods, TFT touch display, 5 microwave levels up to 1000W, automatic programs, single operation and combination of microwave, grill and oven, handleless/automatic side door opening, stainless steel, for proud-mounted installation	
	BM 450 110 - right hinged BM 451 110 - left hinged	\$8,499
-	Combi-microwave compact oven 400 series, 60cm wide, 36 litres, 4 heating methods, TFT touch display, 5 microwave levels up to 1000W, automatic programs, single operation and combination of microwave, grill and oven, handleless/automatic side door opening, stainless steel, for proud-mounted installation	
	BM 450 100 - right hinged BM 451 100 - left hinged	\$8,499
	Combi-microwave compact oven 400 series, 60cm wide, 36 litres, 4 heating methods, TFT touch display, 5 microwave levels up to 1000W, automatic programs, single operation and combination of microwave, grill and oven, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation	
-	BM 454 110 - right hinged BM 455 110 - left hinged	\$8,499
	Combi-microwave compact oven 400 series, 60cm wide, 36 litres, 4 heating methods, TFT touch display, 5 microwave levels up to 1000W, automatic programs, single operation and combination of microwave, grill and oven, handleless/automatic side door opening, stainless steel, for proud-mounted installation	
The second second	BM 454 100 - right hinged BM 455 100 - left hinged	\$8,499
¢_\$	Combi-microwave compact oven 400 series, 60cm wide, 36 litres, 4 heating methods, TFT touch display, 5 microwave levels up to 1000W, automatic programs, single operation and combination of microwave, grill and oven, handleless/automatic side door opening, Gaggenau anthracite, for proud-mounted installation	
Espresso machine 400 series		
	CM 450 112 - left hinged <b>Q</b> (Special order only*)	\$7,999
	Fully automatic espresso machine 400 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, handleless/automatic side door opening, stainless steel, for proud-mounted installation, Home Connect	



### CM 450 102 - left hinged **Q** (Special order only\*)

Fully automatic espresso machine 400 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, handleless/automatic side door opening, Gaggenau anthracite, for proudmounted installation, Home Connect

Price inc GST


\$7,999

	WS 482 110	\$3,999
	Warming drawer 400 series, 76cm wide, 21cm high, 4 power levels for defrosting, dough proving, keep meals warm and slow cooking, handleless drawer, stainless steel, for proud-mounted installation	
	WS 462 112 <b>Q</b>	\$3,499
	Culinary warming drawer 400 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking, keep meals warm, ovenware warming, cups and plates warming, direct temperature control, handleless drawer, stainless steel, for proud-mounted installation, additional programs via Home Connect	
	WS 462 102 <b>Q</b>	\$3,499
	Culinary warming drawer 400 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking, keep meals warm, ovenware warming, cups and plates warming, direct temperature control, handleless drawer, Gaggenau anthracite, for proud-mounted installation, additional programs via Home Connect	
	WS 461 112 <b>Q</b>	\$3,299
	Culinary warming drawer 400 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking, keep meals warm, ovenware warming, cups and plates warming, direct temperature control, handleless drawer, stainless steel, for proud-mounted installation, additional programs via Home Connect	
	WS 461 102 <b>Q</b>	\$3,299
	Culinary warming drawer 400 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking, keep meals warm, ovenware warming, cups and plates warming, direct temperature control, handleless drawer, Gaggenau anthracite, for proud-mounted installation, additional programs via Home Connect	
0 series		
	DV 461 110 (Special order only*)	\$6,299
	Vacuum drawer 400 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer, stainless steel, for proud-mounted installation	
	the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer,	\$6,299
	the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer, stainless steel, for proud-mounted installation	\$6,299
	the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer, stainless steel, for proud-mounted installation <b>DV 461 100 (Special order only*)</b> Vacuum drawer 400 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer,	\$6,299
95	the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer, stainless steel, for proud-mounted installation <b>DV 461 100 (Special order only*)</b> Vacuum drawer 400 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, handleless drawer,	\$6,299

Double oven 400 series, 76cm wide, 110 litres per oven, 17 heating methods per oven, TFT touch display, rotisserie spit, core temperature probe, pyrolytic self-cleaning, side door opening with handles, stainless steel, for proud-mounted installation



### BAKING





#### BSP 270 101 - right hinged Q BSP 271 101 - left hinged Q

Combi-steam compact oven 200 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, side door opening with handle, Gaggenau anthracite, for flush installation, Home Connect



#### BSP 270 111 - right hinged **Q** BSP 271 111 - left hinged **Q**

BSP 250 101 - right hinged Q BSP 251 101 - left hinged **Q** 

Combi-steam compact oven 200 series - plumbed, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, fully automatic self-cleaning system, side door opening with handle, Gaggenau metallic, for flush installation, Home Connect

Combi-steam compact oven 200 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, drying and descaling program, side door opening with handle, removable 1.7 litre water tank, Gaggenau





#### BSP 250 111 - right hinged Q BSP 251 111 - left hinged **Q**

anthracite, for flush installation, Home Connect

Combi-steam compact oven 200 series - water tank, 60cm wide, 50 litres, 13 heating methods, TFT touch display, sous-vide function, LED light, full surface grill behind ceramic glass, core temperature probe, automatic programs, drying and descaling program, side door opening with handle, removable 1.7 litre water tank, Gaggenau metallic, for flush installation, Home Connect

#### \$10,999

\$11,999

\$11,999

\$10,999

### (Refer to pages 8-9 for accessories)

Q Home Connect.

#### Price inc GST

\$7,999

\$7,999

\$5,999

\$5,999



Combi-microwave ovens 200 series

### BMP 250 100 - right hinged

BMP 251 100 - left hinged

Combi-microwave compact oven 200 series, 60cm wide, 36 litres, 4 heating programs, TFT touch display, 5 microwave levels up to 1000W, single operation and combination of microwave, grill and oven, side door opening with handle, Gaggenau anthracite, for flush installation

#### BMP 250 110 - right hinged BMP 251 110 - left hinged

Combi-microwave compact oven 200 series, 60cm wide, 36 litres, 4 heating programs, TFT touch display, 5 microwave levels up to 1000W, single operation and combination of microwave, grill and oven, side door opening with handle, Gaggenau metallic, for flush installation

#### Espresso machines 200 series



#### CMP 250 102 - left hinged **Q**

Fully automatic espresso machine 200 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, Gaggenau anthracite, for flush installation, Home Connect



#### CMP 250 112 - left hinged **Q**

Fully automatic espresso machine 200 series - water tank, 60cm wide, 12 types of beverages, TFT touch display, 8 personalised coffee settings, continuous flow heater, automatic cleaning and descaling program, removable 2.4 litre water tank, Gaggenau metallic, for flush installation, Home Connect



Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi. For further information please check: home-connect.com

### BAKING

warming drawers 2	00 series	
	WSP 222 102 Q	\$3,099
	Culinary warming drawer 200 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking,	
	keep meals warm, ovenware warming, cups and plates warming, direct temperature control, push-to-open	
	system, Gaggenau anthracite, for flush installation, additional programs via Home Connect	
	WSP 222 112 Q	\$3,099
	Culinary warming drawer 200 series, 60cm wide, 29cm high, 5 preset power levels for slow cooking,	
	keep meals warm, ovenware warming, cups and plates warming, direct temperature control, push-to-open	
	system, Gaggenau metallic, for flush installation, additional programs via Home Connect	
	WSP 221 102 Q	\$2,899
	Culinary warming drawer 200 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking,	
	keep meals warm, ovenware warming, cups and plates warming, direct temperature control, push-to-open	
	system, Gaggenau anthracite, for flush installation, additional programs via Home Connect	
	WSP 221 112 <b>Q</b>	\$2,899
	Culinary warming drawer 200 series, 60cm wide, 14cm high, 5 preset power levels for slow cooking,	
	keep meals warm, ovenware warming, cups and plates warming, direct temperature control, push-to-open	
	system, Gaggenau metallic, for flush installation, additional programs via Home Connect	
00 series		
	DVP 221 100 (Special order only*)	\$5,899
1	Vacuum drawer 200 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber,	
	for sous-vide cooking, marinating, flavouring and extended storage, push-to-open system, Gaggenau anthracite, for flush installation	
	DVP 221 110 (Special order only*)	\$5,899

Vacuum drawer 200 series, 60cm wide, 14cm high, 3 levels each for vacuuming inside and outside the chamber, for sous-vide cooking, marinating, flavouring and extended storage, push-to-open system, Gaggenau metallic, for flush installation

Oven accessories	EB 333 and 400	series					
			BO 480 / 481	BO 470 / 471	BX 480 / 481	EB 333	
-	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100mm and 65mm. Used for ovens with BA 018 or BA 016 pull-out system and combi-steam ovens. Heating element sold separately. Includes wire rack for use with pull-out system BA 018 / 016	•	•	·	•	\$769
$\Box$	BA 018 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame	•		•	•	\$829
1	BA 016 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame		•			\$649
	BA 058 133	Baking stone including baking stone support and pizza paddle (heating element BA 058 115 must be ordered separately). Cannot be used in combination with pull-out system	•		•	•	\$599
	BA 056 133	Baking stone including baking stone support and pizza paddle (heating element BA 056 115 must be ordered separately). Cannot be used in combination with pull-out system		•			\$499
	BA 058 115	Heating element for baking stone and Gastronorm roaster	•		•	•	\$299
	BA 056 115	Heating element for baking stone and Gastronorm roaster		•			\$249
	BA 090 100	Black rotary knobs for EB 333, set of 2				•	\$299

## BAKING ACCESSORIES

							Price	inc GST
Combi-steam over	n accessories 4	00 series	BS 484 / 485	BS 470 / 471	BS 474 / 475	BS 450 / 451	BS 454 / 455	
~	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100mm and 65mm. Used for ovens with BA 018 or BA 016 pull-out system and combi-steam ovens. Heating element sold separately	•	•	•	•	•	\$769
	BA 010 301	3 level telescopic pull-out rack, compatible with combi-steam ovens	•	•	•	•	•	\$699
444	CL \$10 040	Cleaning cartridges (set of 4) to suit combi-steam ovens	•	•	•	•	•	\$139

Oven and	combi-steam	oven	accessories	200	series

			BOP 250 / 251	BOP 220 / 221	BSP 270 / 271	BSP 250 / 251	
-	GN 340 230	Gastronorm roaster in cast aluminium, non-stick, height 165mm. Lower and upper part can also be used separately as casserole or pan, height 100mm and 65mm. Used for ovens with BA 016 pull-out system and combi-steam ovens. Heating element sold separately. Includes wire rack for use with pull-out system BA 016	•	•	•	•	\$769
5	BA 016 105	Pull-out system. Fully extendable telescopic rails and enamelled cast-iron frame	•	•			\$649
	BA 056 133	Baking stone including baking stone support and pizza paddle (heating element BA 056 115 must be ordered separately). Cannot be used in combination with pull-out system	•	•			\$499
ATT D	BA 056 115	Heating element for baking stone and Gastronorm roaster	•	•			\$249
	BA 010 301	3 level telescopic pull-out rack, compatible with combi-steam ovens			•	•	\$699
<b>à</b> g <b>à</b> à	CL \$10 040	Cleaning cartridges (set of 4) to suit combi-steam ovens			•		\$139

### COOKING

#### Induction cooktops 400 series







Full surface induction cooktop 400 series, 90cm wide, 17 power levels, TFT touch display, free positioning of up to 6 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect

#### CX 492 111 **Q**

Full surface induction cooktop 400 series, 90cm wide, 17 power levels, TFT touch display, free positioning of up to 6 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, for seamless combination with the 400 series vario range, total 7.4 kW, Home Connect

#### CX 482 101 **Q**

Full surface induction cooktop 400 series, 80cm wide, 17 power levels, TFT touch display, free positioning of up to 5 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect

#### CX 482 111 Q

Full surface induction cooktop 400 series, 80cm wide, 17 power levels, TFT touch display, free positioning of up to 5 pots, cooking sensor, dynamic and professional cooking function, Teppan Yaki and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, for seamless combination with the 400 series vario range, total 7.4 kW, Home Connect

Induction cooktops 200 series





#### CI 292 112 Q

CI 282 102 Q

CI 292 102 O

Home Connect

Flex induction cooktop 200 series, 90cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 5 cooking zones (2 flex zones and 1 triple circuit zone), professional cooking function, frying sensor function, residual heat indicator, stainless steel frame, for surface installation, total 11.1 kW, Home Connect

Flex induction cooktop 200 series, 90cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 5 cooking zones (2 flex zones and 1 triple circuit zone), professional cooking function, frying sensor function, residual heat indicator, frameless, for flush installation, total 11.1 kW,





(Refer to pages 16-17 for accessories) **Q** Home Connect. Home Connect

Flex induction cooktop 200 series, 80cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW,

#### CI 282 112 **Q**

Flex induction cooktop 200 series, 80cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, stainless steel frame, for surface installation, total 7.4 kW, Home Connect

\$5,999

\$9.999

Price inc GST

\$10,999

\$10,999

\$9,999

\$6,999

\$6,999

\$5,999

Price inc GST

Induction cooktops 200 series		Price inc GST
	CI 262 105 <b>Q</b>	\$4,999
anne thank an an <b>Der C</b> arton de	Flex induction cooktop 200 series, 60cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect	
	CI 262 115 <b>Q</b>	\$4,999
	Flex induction cooktop 200 series, 60cm wide, 17 power levels, Twist-Pad control with removable magnetic knob, 4 cooking zones (2 flex zones) with automatic extension of up to 30cm, frying sensor and booster function, residual heat indicator, stainless steel frame, for surface installation, total 7.4 kW, Home Connect	
Gas cooktop 400 series		
	VG 491 215 AU Vario gas cooktop 400 series, 90cm wide, 5 brass burners, 1 x 18 MJ/h multi-ring brass wok burner,	\$10,999
	12 power levels with precise flame size, simmer function, precision crafted 3mm stainless steel, residual heat indicator, solid smooth surface cast-iron pan supports, for surface or flush mounting, for seamless combination with the 400 series vario range, choice of control knob set must be ordered separately**, total 61.2 MJ/h*	
	CKG 450 010 set of 5 stainless steel control knobs for VG 491	\$1,299
	CKG 450 000 set of 5 black steel control knobs for VG 491	\$1,299
	**Must be ordered and installed with control knobs. Total price#	\$12,298

#### Gas cooktop 200 series



# VG 295 250 AU\$6,999Gas cooktop 200 series, 90cm wide, 5 brass burners, illuminated control knobs, 1 x 18 MJ/h multi-ring<br/>brass wok burner, 9 power levels with precise flame size, residual heat indicator, solid smooth surface<br/>cast-iron pan supports, stainless steel control panel, total 61.2 MJ/h\*

#### \*Suitable for natural gas and LPG connection, LPG conversion kit upon request



 ${}^{\#}\mbox{Total}$  price includes one cooktop and one set of control knobs.

### COOKING

#### Vented flex induction 200 series

Sec.	

\$7,999

\$7,999



CV 282 111 Q

CV 282 101 Q

installation, total 7.4 kW, Home Connect

Flex induction cooktop with integrated ventilation system 200 series, 80cm wide, 12 power levels, 4 cooking zones (2 flex zones), with 2 automatic extensions of up to 30cm, air extraction up to 636m<sup>3</sup>/h, air extraction or air recirculation possible, frying sensor and booster function, residual heat indicator, frameless, for flush installation, total 7.4 kW, Home Connect

Flex induction cooktop with integrated ventilation system 200 series, 80cm wide, 12 power levels, 4 cooking zones (2 flex zones), with 2 automatic extensions of up to 30cm, air extraction up to 636m<sup>3</sup>/h, air extraction or air recirculation possible, frying sensor and booster function, residual heat indicator, frameless, for flush

#### Vented flex induction accessories

Vented nex induction	uccessories		CV 282	
	CA 082 112	Optional air recirculation kit	•	\$199
	CA 082 061	Recirculation kit with short 90° bend		\$479
	CA 082 071	Recirculation kit with standard 90° bend		\$479
	CA 084 010	Accoustics filter	•	\$149
٥.	CA 060 300	Cooking sensor for temperature regulation	•	\$349
	CA 052 300	Griddle plate in cast aluminium, non-stick		\$399
	CA 051 301	Teppan Yaki made of multi-ply material		\$349
	CA 050 300	Flex Pan set, 3 pieces Non-stick coating	•	\$449
	CA 055 300	Flex Pan large Non-stick coating	•	\$349

### doking

Price	inc	GST

Total price#

Total price#

\$5,698

\$5,099

\$5,498 \$5,099




Vario cooktops 400 series

VI 462 115 <b>Q</b>	\$6,999
Vario flex induction cooktop 400 series, 60cm wide, 12 power levels, 4 cooking zones (2 flex zones) with automatic extensions of up to 30cm, frying sensor and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, for seamless combination with the 400 series vario range, choice of control knob set must be ordered separately,** total 7.4 kW, Home Connect	
CKI 440 010 - set of four stainless steel control knobs for VI 462	\$999

CKI 440 000 - set of four black steel control knobs for VI 462		\$999
Must be ordered and installed with control knobs.	Total price <sup>#</sup>	\$7,998
I 422 115 <b>O</b>		\$5.099

Vario flex induction cooktop 400 series, 38cm wide, 12 power levels, 2 flex zones of up to 38cm, frying sensor and booster function, residual heat indicator, stainless steel frame, for surface or flush installation, choice of control knob set must be ordered separately,\*\* total 3.7 kW, Home Connect





\*\*M

VL.

Vario gas cooktop 400 series, 38cm wide, 2 heat-resistant brass burners, 1 x 14 MJ/h high output burner, 12 power levels with precise flame size, simmer function, residual heat indicator, cast-iron pan supports, stainless steel, for surface or flush installation, choice of control knob set must be ordered separately,\*\* total 20.5 MJ/h\*

-0	CKG 420 010 - set of two stainless steel control knobs for VG 425					
-0	CKG 420 000 - set of two black steel control knobs for VG 425	\$599				
**Must be orde	ared and installed with control knobs. Total price"	\$5,698				
VG 415 215 A	U	\$5,099				
wok support,	c cooktop 400 series, 38cm wide, 1 x 18 MJ/h heat-resistant brass wok multi-ring burner with cast-iron 12 power levels with precise flame size, simmer function, residual heat indicator, cast-iron pan supports, I, for surface or flush installation, choice of control knob set must be ordered separately,** total 18 MJ/h*					
•0	CKG 410 010 - set of one stainless steel control knob for VG 415	\$399				
-0	CKG 410 000 - set of one black steel control knob for VG 415	\$399				

\*\*Must be ordered and installed with control knobs.

\*\*Must be ordered and installed with control knobs.




Vario electric grill cooktop 400 series, 38cm wide, 12 power levels, 2 separately controlled zones, half size cast pan
for simultaneous frying and grilling, open cast grill (lava stones included), stainless steel frame, for surface or flush
installation, choice of control knob set must be ordered separately,** total 3.0 kW



VR 414 115

Ó	CKR 420 010 - set of two stainless steel control knobs for VR 414	\$599
Ð	CKR 420 000 - set of two black steel control knobs for VR 414	\$599

\*\*Must be ordered and installed with control knobs.



\*\*Must be ordered and installed with control knobs.

Total price# \$5,698

(Refer to page 16 for accessories)

	VP 230 120
	Vario Teppan Yaki cooktop 200 series, 28cm wide, allows cooking directly on surface, black anodised alumini control panel with illuminated knobs, exact temperature control up to 240°C, keep warm setting, residual he indicator, total 1.8 kW
(Refer to page 17 for accessor	ies)
*Suitable for natural gas and LPG of	connection, LPG conversion kit upon request

#### Vario cooktops 200 series



#### VI 262 120

VI 232 121

Vario flex induction cooktop 200 series, 60cm wide, 9 power levels, black anodised aluminium control panel with illuminated knobs, 4 cooking zones (2 flex zones), boost and frying sensor functions, residual heat indicator, for seamless combination with the 200 series vario range, total 7.4 kW

Vario flex induction cooktop 200 series, 28cm wide, 9 power levels, black anodised aluminium control panel with illuminated knobs, 2 flex zones, booster and frying sensor functions, residual heat indicator, total 3.7 kW \$3,699

Price inc GST

\$4,499

\$4,499

\$3,699



VG 264 220 AU

Vario gas cooktop 200 series, 60cm wide, 4 burners, black anodised aluminium control panel with illuminated knobs, 2 x 10.8 MJ/h high output burners, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, for seamless combination with the 200 series vario range, total 35.2 MJ/h\*



#### VG 232 220 AU

Vario gas cooktop 200 series, 28cm wide, 2 burners, black anodised aluminium control panel with illuminated knobs, 1 x 10.8 MJ/h high output burner, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, total 17.6 MJ/h\*



#### VG 231 220 AU

Vario gas wok cooktop 200 series, 28cm wide, 1 x 18 MJ/h multi-ring brass wok burner, black anodised aluminium control panel with illuminated knobs, 9 power levels with precise flame size, residual heat indicator, solid smooth surface cast-iron pan support, total 18.0 MJ/h\*



#### VR 230 120

Vario electric grill cooktop 200 series, 28cm wide, 9 power levels, black anodised aluminium control panel with illuminated knobs, 2 separate zones with join function, open cast grill (lava stones included), residual heat indicator, total 3.0 kW



\$3,999



\$3,999

# COOKING ACCESSORIES

Dut	•	001
Price	Inc	621

Cooktop connection strips and air baffle 400 series											
			VR 414	VP 414	VG 425	VG 415	VI 422	VI 462	CX 482	CX 492	
	VA 420 004	Connection strip for flush installation, width 2mm	•	•	•	•	•	•	•	•	\$249
animmum and a	VA 420 010	Connection strip for surface installation, width 3mm	•	•	•	•	•	•	•	•	\$249
	AA 414 010	Air baffle for VL 414 installation next to gas appliances			•	•					\$149

accessories	

			VR 414	VP 414	VG 425	VG 415	VI 422	VI 462	CX 482	CX 492	CV492	
-	VA 440 010	Stainless steel appliance cover with mounting strip and hinges, for all 38cm Vario 400 cooktops in a single cutout	•	•	•	•	•					\$799
	GN 232 110	Teppan Yaki plate for both CX 482 and CX 492 induction cooktops							•	•		\$699
	WP 400 001	Wok pan Ø36cm				•						\$429
۰	CA 060 300	Cooking sensor for temperature regulation							•	•		\$349
	CA 052 300	Griddle plate in cast aluminium, non-stick					•	•	•	•	•	\$399
T T	CA 051 301	Teppan Yaki made of multi-ply material					•	•	•	•	•	\$349
	CA 050 300	Flex Pan set, 3 pieces Non-stick coating					•	•	•	•	•	\$449
8	CA 055 300 📕	Flex Pan large Non-stick coating					•	•	•	•	•	\$349



										Price inc GST
Cooktop connection	strips and air ba	Iffle 200 series	_							
			VR 230	VP 230	VG 232	VG 231	VG 264	VI 232	VI 262	
Contraction of the local division of the loc	VV 200 010	Connection strip to suit Vario 200 series cooktops, (stainless steel)	•	•	•	•	•	•	•	\$349
and the second s	VV 200 020	Connection strips for Vario 200 cooktops (black)	•	•	•	•	•	•	•	\$349
	LS 041 001	Air baffle for VL 200 installation next to gas appliances			•	•	•			\$149

Cooktop accessories 200 series

			VR 230	VP 230	VG 232	VG 231	VG 295	VI 232	VI 262	CI 262/ 282/292	
	VD 200 020	Appliance cover to suit black anodised aluminium	•	•	•	•		•			\$599
	CA 051 301	Teppan Yaki made of multi-ply material						•	•	•	\$349
	CA 052 300	Griddle plate in cast aluminium, non-stick						•	•	•	\$399
	WP 400 001	Wok pan Ø36cm				•	•				\$429
٥.	CA 060 300	Cooking sensor for temperature regulation								•	\$349
	CA 230 100	Optional black magnetic control knob								•	\$399
	CA 050 300	Flex Pan set, 3 pieces Non-stick coating				•			•	•	\$449



### VENTILATION

#### Telescopic table ventilation 400 series





### AL 400 122

Telescopic table ventilation 400 series, 120cm wide, 3 power levels plus 1 intensive mode, run-on function, grease filter saturation indicator, dishwasher-safe filters, dimmable warm white surface LED light, stainless steel, for surface or flush installation, motorless<sup>\*\*</sup>

Price inc GST

\$8,999

\$8.499

\$8,999

\$7,999

\$2,999

#### AL 400 192

Telescopic table ventilation 400 series, 90cm wide, 3 power levels plus 1 intensive mode, run-on function, grease filter saturation indicator, dishwasher-safe filters, dimmable warm white surface LED light, stainless steel, for surface or flush installation, motorless\*\*

#### \*\*Must be installed and ordered with Gaggenau BLDC remote fan unit

#### Telescopic table ventilation 200 series



### AL 200 190 **Q** (Special order only\*)

Downdraft table ventilation 200 series, 90cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run-out function, air extraction up to 833m<sup>3</sup>/h, BLDC motor operating at 43dB/65dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters with grease drip tray, clear glass with Ambient lighting through the glass edges, for flush installation (requires additional installation accessory), Home Connect

#### AL 200 180 Q (Special order only\*)

Downdraft table ventilation 200 series, 90cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run-out function, air extraction up to 833m<sup>3</sup>/h, BLDC motor operating at 43dB/65dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters with grease drip tray, clear glass with Ambient lighting through the glass edges, for flush installation (requires additional installation accessory), Home Connect

#### Downdraft ventilation 400 series

Vario dov	ndraft ventilation 400 series, 15.5cm wide, 3 power levels plus 1 intensive mode	, grease filter	
	n indicator, dishwasher-safe filters with grease drip tray, stainless steel, for sur	-	
installati	on, motorless**, choice of control knob set must be ordered separately**, Home	e Connect	
-0	CKV 410 010 - set of one stainless steel control knob for VL 414		\$39
-0	CKV 410 000 - set of one black steel control knob for VL 414		\$39

#### Downdraft ventilation 200 series



#### VL 200 120

Vario downdraft ventilation 200 series, 15cm wide, 3 power levels plus 1 intensive mode, sensor controlled power adjustment and run out function, grease filter saturation indicator, dishwasher-safe filters with grease drip tray, black anodised aluminium control panel with illuminated knob, motorless\*\*

\*\*Must be installed and ordered with Gaggenau BLDC remote fan unit

		Price inc GST
Remote fan units 400 series and 2	00 series	
40	AR 401 142	\$2,999
	Remote fan unit 400 and 200 series, air extraction (outside wall installation), up to 1,200m³/h, BLDC motor technology, 1 x DN 200 air intake, suits AL 400, VL 414 and VL 200	
	AR 403 122	\$2,999
	Remote fan unit 400 and 200 series, air extraction (inside), up to 875m³/h, BLDC motor technology, 1 x DN 150 air intake, plinth installation (10cm high), suits AL 400, VL 414 and VL 200	
	AR 413 122	\$2,999
	Remote fan unit 400 and 200 series, air recirculation (inside), up to 900m³/h, BLDC motor technology, 1 x DN 150 air intake, plinth installation (10cm high), suits AL 400, VL 414 and VL 200	
	AR 410 110	\$2,999
	Remote fan unit 400 and 200 series for air recirculation (inside), up to 675m³/h, BLDC motor technology, 1 x DN 150 flat duct air intake, for installation option behind drawers, suits VL 414 and VL 200	

#### Wall mounted rangehood 200 series



### AW 240 191 **Q**

Wall mounted hood 200 series, 90cm, 3 power levels plus 1 intensive mode, touch control operation, air extraction up to 970m<sup>3</sup>/h, BLDC motor operating at 44dB/64dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filter, 3 dimmable LED lights, stainless steel with glass control panel in Gaggenau anthracite, Home Connect

#### Slide out rangehoods 200 series



#### AF 210 192

Slide out rangehood 200 series, 90cm, 3 power levels plus 1 intensive mode, air extraction up to 965m<sup>3</sup>/h, BLDC motor operating at 42dB/57dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filters, 3 dimmable LED lights, patented lowering frame\*, stainless steel



#### AF 210 162

Slide out rangehood 200 series, 60cm, 3 power levels plus 1 intensive mode, air extraction up to 953m<sup>3</sup>/h, BLDC motor operating at 41dB/57dB (min/max. normal mode), automatic sensor controlled power adjustment, grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, patented lowering frame\*, stainless steel

\*Patented lowering frame available as an accessory

#### Integrated rangehoods 200 series



#### AC 200 191

Integrated rangehood 200 series, 86cm wide, 3 power levels plus 1 intensive mode, air extraction up to 800m<sup>3</sup>/h, BLDC motor operating at 41dB/64dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, stainless steel and glass



#### AC 200 161

Integrated rangehood 200 series, 52cm wide, 3 power levels plus 1 intensive mode, air extraction up to 730m<sup>3</sup>/h, BLDC motor operating at 44dB/64dB (min/max. normal mode), grease filter saturation indicator, dishwasher-safe filters, 2 dimmable LED lights, stainless steel and glass

\$1,999

\$2,299

\$3,999

\$2,399

\$2,199

### VENTILATION ACCESSORIES

Ducting accessories 400	) and 200 series		Price inc GST
	AA 010 410	Air exhaust grill stainless steel colour for plinth installation, 90cm, optional to suit model AR 413 122	\$199
E	AD 850 050	Wall outlet, stainless steel DN 150 flat, weatherproof stainless steel louvres, integrated one-way flap	\$389
	AD 702 052	Telescopic wall duct connection piece DN 200 round, for use with wall outlet AD 700 051 or remote fan unit AR 401	\$699
	AD 750 054	Wall outlet connection for optimal temperature insulation, weatherproof stainless steel louvres, magnetic opening and closing, for round duct connection DN 150 to suit AR 403; for connection of flat duct DN 150 use AD 857 042, DN 150	\$499
$\bigcirc$	AD 704 040	Pipe adapter DN 200/150 round, metal zinc plated, reduce DN 200 connection to DN 150 connection. If used with AD 702 052 DN 200 and AR 403 / AR 413 DN 150 remote fan unit	\$349
	AD 751 010	Aluflex pipe round, DN 150	\$149
	AD 858 010 📕	Flat duct system flex pipe, metal, DN 150 flat, 1,000mm long	\$249
	AD 853 011 🔺	Flat duct system flex pipe, plastic, DN 150 flat, 1,000mm long	\$99
	AD 857 010	Flat duct, DN 150, length 1,000mm	\$129
	AD 857 015	Flat duct, DN 150, length 500mm	\$89
	AD 857 041	Flat duct adaptor round, DN 150	\$69
-	AD 857 042	Flat duct adaptor round 90°, DN 150	\$79
	AD 857 031	Flat duct bend 90° horizontal, DN 150	\$79
<b>*</b>	AD 857 034	Short flat duct bend 90 vertical S, DN 150	\$69
	AD 857 030	Flat duct bend 90° vertical, DN 150	\$69
	AD 857 033	Short flat duct bend 90° vertical, DN 150	\$59
	AD 857 040	Flat duct pipe connector, DN 150, for combination 2 flat ducts	\$59

							Price	inc GST
Telescopic table and d	owndraft ventil	ation accessories 400 and 200 series	AL 400 192/122	AL 200 180	AL 200 190	VL 414	VL 200	
Parameteria Vananceria	VA 200 090	Installation accessory for AL 200 190 and cooktop in a single cutout (flush installation)			•			\$599
PASTO STATES	VA 200 080	Installation accessory for AL 200 180 and cooktop in a single cutout (flush instalsation)		•				\$599
11	AA 200 900	Installation kit surface mounting for AL 200		•	•			\$99
A THE	AA 200 910	Installation kit for remote motor installation for AL 200		•	•			\$799
<b>P</b> o	AA 200 890	Air recirculation module for AL 200 190			•			\$699
0	AA 200 892	Regenerable air recirculation module for AL 200 190			•			\$1,599
n	AA 200 880	Air recirculation module for AL 200 180		•				\$699
0	AA 200 882	Air recirculation module for AL 200 180		•				\$1,499
800B	AD 704 050	Air collector box, flat duct DN 150 to connect AL 400	•					\$349
00	AD 754 049	Necessary connecting piece for 2 x DN 150 round duct, can be fitted on front or back side of AL 400	•					\$239
67	AD 854 050	Necessary connecting piece for 2 x DN 150 flat duct, can be fitted on the bottom side of AL 400 (comes in 2 pieces)	•					\$299
	AA 414 010	Air baffle for VL 414 installation next to gas appliances				•		\$149
	LS 041 001	Air baffle for VL 200 installation next to gas appliances					•	\$149
Wall mounted rangeho	od accessories	200 series						

			AW 240 191	
1	AD 200 322	Stainless steel chimney extension 100cm, suits AW 240	•	\$699
	AA 200 812	Recirculation module with charcoal filter, suits AW 240	•	\$499

### Slide out and integrated rangehood accessories 200 series

	0						
			AF 210 192	AF 210 162	AC 200 191	AC 200 161	
	AA 211 812	Patented air recirculation module (including 1 active charcoal filter)	•	•	•	•	\$299
	AA 210 492	Lowering frame for AF 210, 90cm	•				\$369
I	AA 210 460	Lowering frame for AF 210, 60cm		•			\$309
11	AA 210 491	Assembly kit for 90cm upper cabinet	•				\$129

#### New generation cooling

\$25,999



#### RVY 497 190 **Q**

Fully integrated fridge-freezer with ice maker, 576 litre total volume, large 6.8 TFT touch display (incl. sabbath mode), cooling (379 litre) compartment from +2°C to +8°C, fresh climate drawers with humidity control and ethylene absorber for extended food preservation from -1°C to +2°C including dedicated programs and individual adjustment of temperature and humidity for ideal storage conditions, full width chilled drawer, freezing compartment with freezer burn and oxidation protection (197 litre) from -24°C to -16°C, automatic ice maker with 3kg capacity, open-door assist for handleless furniture front (optional), LED lights with automatic brightness, no-frost technology, proximity sensor, air purification with 2 activated charcoal air filters, dark brushed stainless steel interior with solid anthracite aluminium elements, 5 star energy rating with 354 kWh per year, cabinet niche 213.4cm high / 89.4cm wide, Home Connect

#### New generation cooling special accessories

		R∨Y 497 190	
	Ethylene absorber starter kit, for placement in a fresh climate drawer	•	\$99
ACLETHRF10	Ethylene absorber refill kit, for placement in a fresh climate drawer	•	\$59
RVA 438 040 📕	Solid oak wood bottle support with magnetic connector	•	\$99
RA 430 100	Storage container with lid	•	\$129

#### New generation cooling installation accessories

New generation cooling installation accessories								
			RVY 497 190					
	RVA 421 922	Dark brushed stainless steel door panels, with handles (19mm)	•	\$1,599				
	RVA 428 922	Dark brushed stainless steel door panels, handleless (19mm)	•	\$1,299				
1.70	RVA 460 000 📕	Accessory for side-by-side installation. Necessary for side-by-side combination of new generation cooling appliances RVY 497	•	\$499				
	RVA 460 020	Backward compatibility accessory. Necessary for combining new generation RVY 497 with RY, RB, RC, RF or RW appliances of the Vario cooling 400 series	•	\$499				
	RVA 460 900 📕	Accessory for replacement side-by-side installation in an unmodified niche. Necessary if RVY 497 (89.4cm wide) is installed side-by-side into a niche which was formerly housing a combination including RY 492, RB 492 or RC 492 (90.8cm wide)	•	\$499				
	RVA 460 910 📕	Accessory for replacement in a single unmodified niche. Necessary if RVY 497 (89.4cm wide) is replacing a RY 492, RB 492 or RC 492 (90.8cm wide)	•	\$499				



### COOLING

#### Vario cooling 400 series

#### RY 492 505 - right hinged (reversible) Q 🔺

Vario fully integrated fridge-freezer combination 400 series with ice maker, 552 litre total volume, TFT touch display (incl. sabbath mode), cooling (386l) compartment from 0°C to +8°C, freezing/ice maker (166l) from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, cooling section with two doors and one fully extendable freezing drawer, stainless steel interior with solid anthracite aluminium elements, 3.5 star energy rating with 451 kWh per year, cabinet niche 213.4cm high / 91.4cm wide, Home Connect

#### RB 492 504 - right hinged (reversible) **Q**

Vario fully integrated fridge-freezer combination 400 series with ice maker, 555 litre total volume, TFT touch display (incl. sabbath mode), cooling (389 litre) compartment from 0°C to +8°C, freezing/ice maker (166 litre) from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, cooling section with one door and one fully extendable freezing drawer, stainless steel interior with solid anthracite aluminium elements, 5 star energy rating with 336 kWh per year, cabinet niche 213.4cm high / 91cm wide, Home Connect

#### RC 492 504 - right hinged (reversible) **Q**

Vario fully integrated refrigerator 400 series, 579 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4 star energy rating with 221 kWh per year, cabinet niche 213.4cm high / 91cm wide, Home Connect

#### RC 472 504 - right hinged (reversible) Q

Vario fully integrated refrigerator 400 series, 467 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4.5 star energy rating with 179 kWh per year, cabinet niche 213.4cm high / 76cm wide, Home Connect

RC 462 504 - right hinged (reversible) Q

Vario fully integrated refrigerator 400 series, 357 litre total volume, TFT touch display (incl. sabbath mode), cooling and fresh cooling compartments with different temperature zones from -1°C to +8°C and one fresh cooling drawer, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, dynamic cold air distribution, activated charcoal air filter, stainless steel interior with solid anthracite aluminium elements, 4 star energy rating with 173 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect

(Refer to pages 28-29 for accessories)

Q Home Connect.







Price inc GST

\$21,999

\$20,999

\$21,999

\$21,999

#### Price inc GST

\$19,999

\$19,999

Vario cooling 400 series



### RF 463 505 - left hinged (not reversible) Q

Vario fully integrated freezer 400 series with ice maker and water dispenser, 304 litre total volume, TFT touch display (incl. sabbath mode), temperature adjustable from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, integrated ice and water dispenser with fixed inlet water connection, dynamic cold air distribution, 4 glass shelves and 2 fully extendable drawers with transparent front, stainless steel interior with solid anthracite aluminium elements, 3 star energy rating with 313 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect

#### RF 461 306 - left hinged (reversible) Q

Vario fully integrated freezer 400 series with ice maker, 344 litre total volume, TFT touch display (incl. sabbath mode), temperature adjustable from -14°C to -24°C, open-door assist for handleless furniture front (optional), LED lights, no-frost technology, integrated ice maker with fixed inlet water connection, dynamic cold air distribution, 4 glass shelves and 2 fully extendable drawers with transparent front, stainless steel interior with solid anthracite aluminium elements, 4 star energy rating with 272 kWh per year, cabinet niche 213.4cm high / 61cm wide, Home Connect

#### Vario wine climate cabinets 400 series

#### RW 466 365 - right hinged (reversible) Q

Vario fully integrated wine climate cabinet 400 series, 371 litre total volume/99 bottles, TFT touch display (incl. sabbath mode), exact temperature control for 3 independent climate zones between 5°C to 20°C, LED lights with 5 lighting scenarios for individual wine presentation, UV-protection glass and low-vibration operation, humidity control, open-door assist for handleless furniture front (optional), dynamic cold air distribution, automatic defrosting with defrost water evaporation, activated charcoal air filter, stainless steel interior with fully expendable bottle trays in oak wood and solid anthracite aluminium elements, cabinet niche 213.4cm high / 61cm wide, Home Connect

#### RW 414 365 - right hinged (reversible) Q

Vario fully integrated wine climate cabinet 400 series, 272 litre total volume/70 bottles, TFT touch display (inc. sabbath mode), exact temperature control for 2 independent climate zones between 5°C to 20°C, LED lights with 5 lighting scenarios for individual wine presentation, UV-protection glass and low-vibration operation, humidity control, open-door assist for handleless furniture front (optional), dynamic cold air distribution, automatic defrosting with defrost water evaporation, activated charcoal air filter, stainless steel interior with fully expendable bottle trays in oak wood and solid anthracite aluminium elements, cabinet niche 213.4cm high / 45cm wide, Home Connect



XXX

#### \$19,999

\$17,999

### COOLING

#### Vario cooling 200 series

#### RC 289 500 - right hinged (reversible)

Vario fully integrated refrigerator 200 series, 289 litre total volume, digital display with touch keys, cooling compartment from +3°C to +8°C, including three fresh cooling drawers at close to 0°C, dynamic cold air distribution, LED lights, cushioned door opening system, fully extendable shelves and drawers set in aluminium profiles, no-frost technology, 4 star energy rating with 155 kWh per year, cabinet niche 177.2cm high / 55.8cm wide, Home Connect

#### RF 287 500 - left hinged (reversible) **Q**

Vario fully integrated freezer 200 series, 212 litre total volume, digital display with touch keys, temperature adjustable from -14°C to -24°C, dynamic cold air distribution, LED lights, cushioned door opening system, fully extendable shelves and drawers set in aluminium profiles, no-frost technology with fast freezing, 4.5 star energy rating with 195 kWh per year, cabinet niche 177.2cm high / 55.8cm wide, Home Connect



#### Price inc GST

\$5,999

### Price inc GST

\$9,999

\$7,999

# 

Wine climate cabinet 200 series

RW 282 263 - right hinged (reversible)

Vario 200 fully integrated wine cabinet 200 series, 259 litre total volume/80 bottle capacity, exact temperature control for 2 independent climate zones between 5°C to 20°C, automatic defrosting for optimum convenience, UV protection, humidity control, LED lighting, stainless steel with framed glass, cabinet niche 177.2cm high / 56cm wide

#### RW 404 264 - right hinged (reversible)

Under bench wine climate cabinet 200 series, 94 litre total volume/34 bottle capacity, exact temperature control for 2 independent climate zones between 5°C to 20°C, automatic defrosting for optimum convenience, UV protection, humidity control, LED lighting, lockable door, stainless steel with framed glass, cabinet niche 82cm high / 60cm wide

Contraction of the local division of the loc			
		and the second	

# COOLING ACCESSORIES

Vario coolin	g accessories 400 series									Prie	ce inc GST
	9 4000000000000000000000000000000000000		RB 492	RC 492	RC 472	RC 462	RF 461	RF 463	RW 466	RW 414	
	RA 421 611 - left hinge RA 421 612 - right hinge	Stainless steel door panel with handle (19mm)							•		\$1,699
	RA 421 111 - left hinge RA 421 112 - right hinge	Stainless steel door panel with handle (19mm)								•	\$1,499
	RA 421 911	Stainless steel door panel with handle (19mm)		•							\$1,999
	RA 421 910	Stainless steel door panels with handles (19mm)	•								\$1,999
	RA 421710	Stainless steel door panel with handle (19mm)			•						\$1,999
	RA 421 610	Stainless steel door panel with handle (19mm)				•	•				\$1,699
•	RA 422 610	Stainless steel door panel with handle (19mm, left hinge)						•			\$1,699
-	RA 428 910	Stainless steel door panels handleless (19mm)	•								\$1,299
й.	RA 428 911	Stainless steel door panel handleless (19mm)		•							\$1,499
and the	RA 428 710	Stainless steel door panel handleless (19mm)			•						\$1,499
	RA 428 610	Stainless steel door panel handleless (19mm)				•	•				\$1,699

										Price	e inc GST
Vario cooling accesso	ries 400 series		<b>DD</b> (00	<b>DO</b> (00	DO (70	<b>DO</b> ((A)	DE ///	DE (//7	D) ( ( ( (		
	RA 428 611	Stainless steel door panel frame handleless (19mm)	KB 492	RC 492	RC 472	RC 462	KF 461	KF 463	RW 466	KW 414	\$1,499
	RA 428 111	Stainless steel door panel frame handleless (19mm)								•	\$1,499
-	RA 428 810	Stainless steel door panel handleless (19mm)						•			\$1,499
11	RA 460 013	Side heating element required if humidity in installation niche may exceed 65%. Not required if appliances are installed more than 160mm apart from each other	•	•	•	•	•	•	•	•	\$999
$\checkmark$	RA 492 660	Removable shelf with oak wood frame for 61cm appliances							•		\$699
110	RA 460 000	Side by side installation (handle to handle)	•	•	•	•	(•)*	(•)*	(•)*	(•)*	\$399
	RA 425 110	Handle bar, stainless steel, long. With 3 mounts, length 1,131mm, drilling distance between each mount 554mm		•	•	•	•	•	•	•	\$479
	RA 425 910	Handle bar, stainless steel, short. For RB 492 models, with 2 mounts, length 810mm, drilling distance between each mount 787mm.	•								\$299
	RA 430 100	Storage container with lid	•	•	•	•					\$129

#### Dishwasher 400 series





#### DF 481 101 F Q

Fully integrated dishwasher 400 series, 86.5cm high, 13 place setting capacity, TFT display, 8 wash programs with aqua sensor and 4 options, 43dB, LED lights for perfect illumination, push-to-open door, remaining time projection, Zeolith drying technology, cutlery basket, flexible basket system with smooth running rails, 3 star energy rating, 5.5 star WELS rating (WELS D02813), 9.8 litres water consumption per wash, Home Connect

#### DF 481 101 **Q**

\$5,099

Fully integrated dishwasher 400 series, 86.5cm high, 13 place setting capacity, TFT display, 8 wash programs with aqua sensor and 4 options, 43dB, LED lights for perfect illumination, push-to-open door, remaining time projection, Zeolith drying technology, cutlery basket, flexible basket system with smooth running rails, 3 star energy rating, 5.5 star WELS rating (WELS D02812), 9.8 litres water consumption per wash, Home Connect

#### DF 480 101 **Q**

Fully integrated dishwasher 400 series, 81.5cm high, 13 place setting capacity, TFT display, 8 wash programs with aqua sensor and 4 options, 43dB, LED lights for perfect illumination, push-to-open door, remaining time projection, Zeolith drying technology, cutlery basket, flexible basket system with smooth running rails, 3 star energy rating, 5.5 star WELS rating (WELS D02811), 9.8 litres water consumption per wash, Home Connect

#### Dishwasher 200 series



#### DF 210 500 Q

Fully integrated dishwasher 200 series, 81.5cm high, 15 place setting capacity, TFT display, 6 wash programs with aqua sensor and 3 options, 40dB, Info Light, stainless steel handle as optional accessory, cutlery drawer, flexible basket system, 4 star energy rating, 5.5 star WELS rating (WELS D02545), 11 litres water consumption per wash, Home Connect

### DISHWASHING ACCESSORIES


Dishwasher accessories 400 and 200 series											
			DF 480/481	DF 210 500							
	DA 041160	Cutlery drawer for DF480/481 dishwashers	•		\$179						
	DA 045 061	3rd rack with smooth running rails. For small bowls, cups and cooking utensils. With removable knife shelf.	•		\$279						
	GH 045 010	Stainless steel bar handle, 450mm length	o	•	\$119						

O = optional due to push to open mechanism.

\$5,099

\$3,099

\$4,999



## THE DIFFERENCE IS GAGGENAU.

Gaggenau Auckland UnserHaus

65 Parnell Rise Parnell, Auckland 1052 New Zealand

0800 245 708 unserhaus.akl@bshg.com

Gaggenau is proudly manufactured and distributed by BSH Home Appliances Ltd. For general enquiries, please call 0800 245 701 or visit www.gaggenau.co.nz

The information for all products is current as at the date of publication. Whilst every care has been taken in the preparation of this publication, BSH does not warrant the accuracy or completeness of the information in this publication and BSH reserves the right to alter specifications and pricing without notice. To the extent permitted by law, BSH excludes all liability, including negligence, for any loss incurred in reliance on the contents of this publication. Please note that the appearance and/or inclusions of products may change from those displayed in these materials. The appliances are for household use only.