

PRODUCT OVERVIEW

BALTICS & FINLAND
APRIL 2025

GAGGENAU

THE DIFFERENCE IS GAGGENAU

Gaggenau products stand for quality, functionality, durability and lasting value.

This brochure gives you an overview of the entire product range and informs you about materials, colours, prices and accessories. All prices are recommended retail prices. Freight costs will be added.

Further information can be found on our website www.gaggenau.com. There you can read the latest news from the world of Gaggenau, download brochures and operating instructions. You can also find your nearest Gaggenau dealer to help you with planning and installation.

For further information, please contact Gaggenau:

Baltics: info.lt@gaggenau.com

Finland: info.fi@gaggenau.com

CONTENT

PACKAGE PROPOSALS	4
OVENS	10
Oven EB 333	10
Expressive series	11
Ovens 400 series	18
Ovens 200 series	22
COOKTOPS	28
Vario cooktops 400 series	28
Vario cooktops 200 series	30
The Essential Induction	34
Cooktops with integrated ventilation	36
Other cooktops	38
VENTILATION	42
Ventilation appliances 400 series	42
Ventilation appliances 200 series	44
COOLING	52
Expressive series	52
Vario cooling 400 series	53
Vario cooling 200 series	59
Other cooling appliances 200 series	60
Wine climate cabinets 200 series	61
DISHWASHERS	64
WASHING MACHINE, TUMBLE DRYER	66
HANDLES	66
TERMS OF SALE AND DELIVERY	67

PACKAGE PROPOSAL

GAGGENAU STANDARD

Rec. retail price 10.930 € for the following 4 products

The products in this package impress with their compact dimensions, easy handling and discreet design. They are equipped with features such as pyrolysis, flex-induction, extra fast and silent dishwashing programmes and fresh cooling. All products can be connected to the digital service network (Gaggenau Home Connect).



Oven

BOP 220* 3.510 €



- Pyrolytic system
- Available in 3 colours (Anthracite, Metallic and Silver)
- Temperature control 50-300 °C



Dishwasher

DF 260* 2.160 €



- 6 programmes with aqua sensor and 3 options
- Optimal protection for sensitive glassware by low temperature drying with zeolite
- Very quiet: 43 dB



Flex induction cooktop

CI 262* 2.570 €

- 60 cm wide, stainless steel frame or frameless
- 4 flex induction cooking areas 23 x 19 cm, linked together in pairs 23 x 38 cm, with automatic extension up to 30 x 30 cm
- Frying sensor function



Fridge-freezer combination

RB 280* 2.580 €

Installation accessory:

RA 260 000 55 €

Heavy duty hinge support
NOTE: 1 pc/door is needed.



- Three climate zones incl. one fresh cooling drawer with manually adjustable humidity
- Cushioned door closing system
- Volume cooling 209 litres, freezer 63 litres

SUGGESTED UPGRADES AND COMPLEMENTARY PRODUCTS

The oven can be upgraded and combined with a combi-steam oven and a combi-microwave oven in the same design and colour.



Oven

BOP 250* 4.740 €



Functions in addition to BOP 220:

- 4 additional heating methods
- Core temperature probe
- Temperature control 30-300 °C



Combi-steam oven

BSP 250* 6.890 €



- Hot air 30-230 °C, freely combinable with different humidity levels
- Core temperature probe



Combi-microwave oven

BMP 250* 5.020 €

- Single operation and combination of microwave, grill and oven
- 15 automatic programmes
- Option to save individual recipes

The cooktop can be replaced by one of two 80 cm wide options that provide a larger cooking surface; the one with integrated ventilation effectively removes odours and steam directly at the source.



Flex induction cooktop

CI 282* 3.370 €

- 80 cm wide, stainless steel frame or frameless
- 4 flex induction cooking areas 22.5 x 19 cm, linked together in pairs 22.5 x 38 cm, with automatic extension up to 30 x 30 cm
- Frying sensor function



Flex induction cooktop with integrated ventilation

CV 282* 5.230 €



- 80 cm wide, stainless steel frame or frameless
- 4 flex induction cooking areas 23 x 19 cm, linked together in pairs 23 x 38 cm
- Highly efficient ventilation system with air extraction or air recirculation

Remember installation accessories.

*Available in different models

PACKAGE PROPOSAL

GAGGENAU ADVANCED

Rec. retail price 25.650 € for the following 6 products

The products in this selection offer something out of the ordinary in terms of capacity, performance and design. They impress with features such as baking stone, large flex-induction and induction zones, low temperature drying and fresh cooling. All products can be connected to the digital service network (Gaggenau Home Connect).



Oven

GO 450* 6.240 €



- 15 heating methods 30-300 °C, incl. baking stone function, roaster function, air frying, dehydrating
- Rotisseries spit
- Invisible full surface grill behind enamel
- Pyrolytic system



Dishwasher

DF 270* 2.670 €



- Push-to-open-system
- 6 programmes with aqua sensor and 3 options
- Optimal protection for sensitive glassware by low temperature drying with zeolite
- Very quiet: 43 dB



Flex induction cooktop

CI 292 3.850 €

- 90 cm wide, frameless
- 4 flex induction cooking areas 23 x 20 cm, linked together 23 x 40 cm; 1 induction cooking zone Ø 21 cm, automatically switches to Ø 26/32 cm
- Frying sensor function



Table ventilation

AL 200 4.330 €

Installation accessories:
VA 200 090 290 €
 Installation kit for installation in a single worktop cut-out
AA 200 880 420 €
 Air recirculation module



- 90 cm wide, Gaggenau Black and glass
- Transparent ventilation screen, extendable
- Guided Air technology ensures high vapour catch rate across the whole cooktop
- Air extraction/air recirculation
- Perfect combination with 90 cm wide frameless induction cooktops for flush mounting in a single worktop cut-out, also in 400 series



Side-by-side combination

Vario freezer RF 287 3.540 €

Vario refrigerator RC 289 4.310 €



Freezer Refrigerator

- 3 climate zones incl. 3 fresh cooling drawers close to 0 °C (refrigerator)
- Solid aluminium elements in Gaggenau Light Bronze
- Opening assist for door:
 1. Push-to-open function for integration into handleless furniture front
 2. Door opening via voice assistant possible
- Warm white interior lighting
- Volume freezer 212 litres, refrigerator 289 litres

SUGGESTED UPGRADES AND COMPLEMENTARY PRODUCTS

The oven can be combined with a combi-steam oven and a fully automatic espresso machine in the same design with stainless steel behind smoked glass.



Combi-steam oven

GS 450* 9.390 €



- Hot air 30-230 °C, freely combinable with different humidity levels
- Sous-vide cooking with accurate temperature regulation
- Water tank for fresh and waste water
- Automatic cleaning



Espresso machine

GC 451 6.870 €

- Classic mode and Barista mode
- Aroma brewing technology including intelligent strength adjustment for full aroma
- Personalisation function with profiles and favourites
- Removable 2.4 l litre water tank

The cooktop can be replaced with one with integrated ventilation, which effectively removes odours and steam directly at the source.



Flex induction cooktop with integrated ventilation

CV 492 8.040 €



- 90 cm wide, frameless
- 4 flex induction cooking areas
23 x 20 cm, linked together in pairs
23 x 40 cm
- Highly efficient ventilation system with air extraction or air recirculation

Remember installation accessories.

The package is completed with a wine climate cabinet that has two separately regulated climate zones.



Wine climate cabinet

RW 404 5.690 €



- Two independently controllable climate zones
- Constant temperatures with exact control from +5 °C to +20 °C
- Capacity 34 bottles (0.75 l standard wine bottles)

*Available in different models

PACKAGE PROPOSAL

GAGGENAU EXCLUSIVE

Rec. retail price 87.050 € for the following 11 products

When only the best is good enough. Here we have gathered a selection of products that fulfil the highest standards of performance, functionality and design.



Oven

GO 470*	6.870 €
----------------	---------



- 19 heating methods 30-300 °C, incl. baking stone function, roaster function, air frying, dehydrating
- Rotisserie spit
- Invisible full surface grill behind enamel
- Pyrolytic system



Combi-steam oven + vacuuming drawer

Combi-steam oven GS 470*	10.530 €
Vacuuming drawer GV 451	4.670 €



- Hot air 30-230 °C, freely combinable with different humidity levels
- Sous-vide cooking with accurate temperature regulation
- Fixed inlet and outlet water connection
- Automatic cleaning
- Vacuuming for sous-vide cooking, fast marinating and flavouring in the vacuuming drawer



Espresso machine + warming drawer

Espresso machine GC 461	7.500 €
Warming drawer GW 451	2.080 €

- Classic mode and Barista mode
- Aroma brewing technology including intelligent strength adjustment for full aroma
- Personalisation function with profiles and favourites
- Fresh water connection
- Low temperature cooking, preheating and keeping crockery warm in the warming drawer



Full surface induction cooktop + Teppan Yaki

Induction cooktop CX 482	7.320 €
Teppan Yaki VP 414	4.630 €

Installation accessory:
VA 420 004 Connection strip for flush installation 190 €

- 80 cm wide, stainless steel frame + 38 cm
- Free placement of cookware in different shapes and sizes
- TFT touch display for an intuitive control of all functions
- Teppan Yaki with electronic temperature control up to 240 °C

PACKAGE PROPOSAL

GAGGENAU EXCLUSIVE



Table ventilation

AL 400 (SET2AL4301) 12.870 €

List of components: 1x AL 400 122, 2x AR 410 110, 1x AD 754 049, 2x AD 857 042, 2x AD 858 010, 1x AD 900 091



- 120 cm wide, stainless steel
- Extendable table ventilation, can be completely lowered into the worktop when not in use
- Air recirculation



Dishwasher

DF 481* 3.820 €



- 8 programmes with aqua sensor and 4 options
- Optimal protection for sensitive glassware by low temperature drying with zeolite
- Push-to-open system
- Perfectly illuminated interior
- Very quiet: 43 dB



Vario wine climate cabinet

RW 414* 11.270 €



- Fully integrated, with glass door
- Two independently controllable climate zones
- Constant temperatures with exact control from +5 °C to +20 °C
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Capacity 70 bottles (0.75 l standard bottles)



Vario fridge-freezer combination

RB 492* 15.300 €



- Stainless steel interior with solid anthracite aluminium elements
- Fresh cooling close to 0 °C
- Integrated ice maker
- Volume cooling 389 litres, freezer 166 litres

*Available in different models

Oven EB333



EB333111 11.490 €
Stainless steel

When ordering baking stone/heating element, use BA 058 135/058 115.



- Width 90 cm
- One-piece front-hinged door with 3 mm precision crafted stainless steel front door panel
- Cushioned door opening and closing system
- Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Diagonally positioned light sources for optimal interior lighting
- 83 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Special accessories EB333



BA090100 180 €

- Black rotary knobs for EB 333, set of 2



BA018105 670 €

- Pull-out system
- Fully extendable telescopic rails and enamelled cast iron frame




BA028115 150 €

- Baking tray, enamelled
- 30 mm deep



BA038105 150 €

- Wire rack, chromium-plated
- Without opening, with feet



BA058115 180 €

- Heating element for baking stone and Gastronorm roaster



BA058135 890 €

- Baking stone
- Incl. baking stone support and pizza paddle
- Not in combination with pull-out system

NOTE: Requires heating element BA 058 115.



BS020003 230 €

- Pizza paddle
- Can also be used as cutting board and for serving



GN340230 670 €

- Gastronorm roaster in cast aluminium
- GN 2/3, height 165 mm, non-stick
- Lower and upper part can also be used separately as casserole or pan, height 100 and 65 mm
- For roasting in oven with roasting function

For ovens with heating element BA 056 115 or BA 058 115 and pull-out system BA 016 or BA 018 (both to be ordered separately) and for Combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).

Ovens Expressive series



GO480120* right-hinged 9.640 €
Stainless steel behind smoked glass

GO481120* left-hinged 9.640 €
Stainless steel behind smoked glass

When ordering baking stone, use BA 058 134.



* Available from Q4/2025

- Width 76 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- 19 heating methods from 30 °C to 300 °C, incl. baking stone function, roaster function, air frying, dehydrating
- Rotisserie spit
- Automatic programmes and setting recommendations
- Timer functions: cooking time, cooking time end, count-up timer
- Three-point core temperature probe with cooking time estimation via Home Connect
- Invisible full surface grill behind enamel 4.5 kW
- Grill can be added briefly in hot air mode for additional browning
- Extra powerful bottom heating for baking stone and roaster function
- Pyrolytic system
- Heated air cleaning catalyser
- Net volume 125 litres



GO470120 right-hinged 6.870 €
Stainless steel behind smoked glass

GO471120 left-hinged 6.870 €
Stainless steel behind smoked glass

When ordering baking stone, use BA 056 134.



- Width 60 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- 19 heating methods from 30 °C to 300 °C, incl. baking stone function, roaster function, air frying, dehydrating
- Rotisserie spit
- Automatic programmes and setting recommendations
- Timer functions: cooking time, cooking time end, count-up timer
- Three-point core temperature probe with cooking time estimation via Home Connect
- Invisible full surface grill behind enamel 3.4 kW
- Grill can be added briefly in hot air mode for additional browning
- Extra powerful bottom heating for baking stone and roaster function
- Pyrolytic system
- Heated air cleaning catalyser
- Net volume 77 litres



GO450120 right-hinged 6.240 €
Stainless steel behind smoked glass

GO451120 left-hinged 6.240 €
Stainless steel behind smoked glass

When ordering baking stone, use BA 056 134.



- Width 60 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- 15 heating methods from 30 °C to 300 °C, incl. baking stone function, roaster function, air frying, dehydrating
- Automatic programmes and setting recommendations
- Timer functions: cooking time, cooking time end, count-up timer
- Three-point core temperature probe with cooking time estimation via Home Connect
- Invisible full surface grill behind enamel 3.4 kW
- Grill can be added briefly in hot air mode for additional browning
- Extra powerful bottom heating for baking stone and roaster function
- Pyrolytic system
- Heated air cleaning catalyser
- Net volume 77 litres

Combi-steam ovens Expressive series



GS480120 right-hinged 11.410 €
Stainless steel behind smoked glass

GS480120 left-hinged 11.410 €
Stainless steel behind smoked glass



- Width 76 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Fixed inlet and outlet water connection
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes and setting recommendations
- Connection for core temperature probe (oven temperature probe usable)
- External steam generation
- Automatic cleaning with perfect results, also for heavy soiling
- Net volume 50 litres



GS470120 right-hinged 10.530 €
Stainless steel behind smoked glass

GS471120 left-hinged 10.530 €
Stainless steel behind smoked glass



- Width 60 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Fixed inlet and outlet water connection
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes and setting recommendations
- Connection for core temperature probe (oven temperature probe usable)
- External steam generation
- Automatic cleaning with perfect results, also for heavy soiling
- Net volume 50 litres



GS450120 right-hinged 9.390 €
Stainless steel behind smoked glass

GS451120 left-hinged 9.390 €
Stainless steel behind smoked glass



- Width 60 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Water tank for fresh and waste water
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes and setting recommendations
- Connection for core temperature probe (oven temperature probe usable)
- External steam generation
- Automatic cleaning with perfect results, also for heavy soiling
- Net volume 50 litres

Combi-microwave ovens Expressive series



GM480120 right-hinged 8.760 €
Stainless steel behind smoked glass

GM481120 left-hinged 8.760 €
Stainless steel behind smoked glass



- Width 76 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Single operation and combination of microwave and oven
- Microwave operation with 6 output levels: max. 1000, 600, 450, 360, 180, 90 W
- Oven operation with 9 heating methods:
 - Hot air from 30 °C to 230 °C
 - Grill + circulated air from 30 °C to 230 °C
 - Warming up beverages, with max. microwave level
 - Warming up meals from 360 W to 600 W
 - Dehydrating from 30 °C to 80 °C
 - Low temperature cooking from 30 °C to 90 °C + microwave
 - Dough proving from 30 °C to 50 °C
 - Keeping warm, with special microwave level
 - Defrosting from 90 W to 360 W
- Hot air and grill + circulated air freely combinable with microwave output levels 450, 360, 180 and 90 W
- Automatic programmes and setting recommendations
- Cleaning aid programme
- Net volume 46 litres



GM450120 right-hinged 6.560 €
Stainless steel behind smoked glass

GM451120 left-hinged 6.560 €
Stainless steel behind smoked glass



- Width 60 cm
- Handleless full glass door with electronic door opening
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Single operation and combination of microwave and oven
- Microwave operation with 6 output levels: max. 1000, 600, 450, 360, 180, 90 W
- Oven operation with 9 heating methods:
 - Hot air from 30 °C to 230 °C
 - Grill + circulated air from 30 °C to 230 °C
 - Warming up beverages, with max. microwave level
 - Warming up meals from 360 W to 600 W
 - Dehydrating from 30 °C to 80 °C
 - Low temperature cooking from 30 °C to 90 °C + microwave
 - Dough proving from 30 °C to 50 °C
 - Keeping warm, with special microwave level
 - Defrosting from 90 W to 360 W
- Hot air and grill + circulated air freely combinable with microwave output levels 450, 360, 180 and 90 W
- Automatic programmes and setting recommendations
- Cleaning aid programme
- Net volume 46 litres

Fully automatic espresso machines Expressive series



GC461120 left-hinged	7.500 €
Stainless steel behind smoked glass Fixed connection for water supply	
GC451120 left-hinged	6.870 €
Stainless steel behind smoked glass Removable 2.4 litre water tank	

- Width 60 cm
- Full touch display with stainless steel control ring
- Light and display response upon user detection
- Dual operation modes: Classic mode and Barista mode
- Classic mode for easy beverage preparation with reduced settings for strength, quantity, aroma and milk ratio (the intelligent strength adjustment ensures that each beverage size is always prepared with the desired intensity)
- Barista mode for detailed and precise beverage preparation (all relevant brewing parameters such as water and coffee quantity, grinding level, contact time, brewing temperature and milk ratio can be customised according to personal preferences)
- Aroma brewing technology including intelligent strength adjustment for full aroma with every selected beverage size
- Electronic grinding level adjustment
- Electronic fill level control for milk, water and coffee to ensure a perfect result
- Personalisation function with profiles and favourites
- Customizable, dynamic lighting scenarios
- Fully automatic cleaning and descaling with cartridges

Vacuuming drawers Expressive series



GV451120	4.670 €
Stainless steel behind smoked glass	

- Width 60 cm, Height 14 cm
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- 3 vacuuming levels for vacuuming outside the chamber, max. 90%
- Automatic connection recognition for vacuuming outside the chamber
- Vacuuming for sous-vide cooking
- Fast marinating and flavouring
- Extended storage through vacuuming
- Vacuuming of vacuuming containers and liquids in bottles outside the chamber



GV051190	4.410 €
Fully integrated, without door panel	
Plan for furniture front from kitchen manufacturer.	

- Width 60 cm, Height 14 cm
- Cushioned closing system
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- 3 vacuuming levels for vacuuming outside the chamber, max. 90%
- Automatic connection recognition for vacuuming outside the chamber
- Vacuuming for sous-vide cooking
- Fast marinating and flavouring
- Extended storage through vacuuming
- Vacuuming of vacuuming containers and liquids in bottles outside the chamber

Culinary warming drawers Expressive series



GW483120 2.900 €
Stainless steel behind smoked glass

- Width 76 cm, Height 21,5 cm
- Handleless drawer
- Push-to-open system
- Bright interior light
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- Preheating of small beverage containers
- Warming ovenware
- Keeping meals warm.
- Low-temperature cooking
- Direct temperature control
- 16 additional programs via Home Connect
- Capacity: Dinner service for 10 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Net volume 47 litres



GW452120 2.210 €
Stainless steel behind smoked glass
Width 60 cm, Height 28 cm
Net volume 52 litres

GW453120 2.150 €
Stainless steel behind smoked glass
Width 60 cm, Height 21,5 cm
Net volume 37 litres

GW451120 2.080 €
Stainless steel behind smoked glass
Width 60 cm, Height 14 cm
Net volume 20 litres

- Handleless drawer
- Push-to-open system
- Bright interior light
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- Preheating of small beverage containers
- Warming ovenware
- Keeping meals warm.
- Low-temperature cooking
- Direct temperature control
- 16 additional programs via Home Connect
- Additional grid creates a second level and extends storage space
- Capacity: Dinner service for 12/8/6 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size



GW051190 1.830 €
Fully integrated, without door panel


Plan for furniture front from kitchen manufacturer.

- Width 60 cm, Height 14 cm
- Integrable in 14 cm high niche
- Cushioned closing system
- Bright interior light
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- Preheating of small beverage containers
- Warming ovenware
- Keeping meals warm
- Low-temperature cooking
- Direct temperature control
- 16 additional programs via Home Connect
- Capacity: Dinner service for 6 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Net volume 20 litres


Special accessories




BA026115	100 €
- Baking tray, enamelled - 15 mm deep	
For GO 48.	




BA026116	120 €
- Baking tray, enamelled - 30 mm deep	
For GO 47. / GO 45.	



BA026117	110 €
- Grill tray, enamelled - 38 mm deep	
For GO 47. / GO 45.	



BA020110	130 €
- Air frying tray - 30 mm deep	
For GO 4..	



BA038105	150 €
- Wire rack, chromium-plated - Without opening, with feet	
For GO 48.	



BA036106	120 €
- Wire rack, chromium-plated - Without opening, with feet	
For GO 47. / GO 45.	



BA058134	890 €
- Baking stone - Incl. baking stone support and pizza paddle - Not in combination with pull-out system	
For GO 48.	



BA056134	760 €
- Baking stone - Incl. baking stone support and pizza paddle - Not in combination with pull-out system	
For GO 47. / GO 45.	



BS020003	230 €
- Pizza paddle - Can also be used as cutting board and for serving	



BA046118	190 €
- Glass tray - 24 mm deep	
For GO 47. / GO 45. / GS 47. / GS 45.	



BA010050	130 €
- Core temperature probe	
For GO / GS / GM.	



BA010301	500 €
- Triple telescopic pull-out rack	
For combi-steam ovens.	



BA020361	160 €
- Cooking container, stainless steel, unperforated, 46 mm deep, 5.4 l	
For combi-steam ovens.	




BA020370	190 €
- Cooking container, stainless steel, perforated, 40 mm deep, 5 l	
For combi-steam ovens.	



BA020382	290 €
- Cooking container, unperforated - PFAS free non-stick coating - 46 mm deep, 5.4 l	
For combi-steam ovens.	



BA020391	320 €
- Insert, perforated - PFAS free non-stick coating - 40 mm deep, 5 l	
For combi-steam ovens.	



GN010330	120 €
- Adapter for gastronorm insert and roaster	



GN114230	130 €
- Gastronorm insert, stainless steel GN 2/3 - Unperforated, 40 mm deep, 3 l	



GN124230	150 €
- Gastronorm insert, stainless steel GN 2/3 - Perforated, 40 mm deep, 3 l	



GN114130	100 €
- Gastronorm insert, stainless steel GN 1/3 - Unperforated, 40 mm deep, 1.5 l	



GN124130	120 €
- Gastronorm insert, stainless steel GN 1/3 - Perforated, 40 mm deep, 1.5 l	



CLS10040	90 €
- Cleaning cartridges, set of 4	
- For combi-steam ovens.	

GA022120	65 €
- Cleaning cartridge	
For GC 4..	

GA022140	80 €
- Descaling cartridge	
For GC 4..	




GZ010011	65 €
- Extension for water inlet and outlet (2 m long)	

GA301010	260 €
- Adjustable intermediate shelf	
- For vertical combination	
- Incl. mounting brackets, cover and screws	
For GS 48. / GM 48.	

GA601010	190 €
- Adjustable intermediate shelf	
- For vertical combination	
- Incl. mounting brackets, cover and screws	
For GS 47. / GS 45. / GM 45. / GC	

GA301010 / GA601010



Ovens 400 series



BX480112 right-hinged 12.560 €
Stainless steel-backed full glass door

BX481112 left-hinged 12.560 €
Stainless steel-backed full glass door

When ordering baking stone/heating element, use BA 058 135/058 115.



- Width 76 cm
- Controls centered
- Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Core temperature probe with estimation of cooking time

- 60 W halogen light on the top
- 10 W halogen light on the side
- 2 x 110 litres net volume



BO480112 right-hinged 8.640 €
Stainless steel-backed full glass door

BO481112 left-hinged 8.640 €
Stainless steel-backed full glass door

When ordering baking stone/heating element, use BA 058 135/058 115.



- Width 76 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Automatic programmes
- Core temperature probe with estimation of cooking time

- 60 W halogen light on the top
- 2 x 10 W halogen light on the side
- 110 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BO470112 right-hinged 6.040 €
Stainless steel-backed full glass door

BO470102 right-hinged 6.040 €
Gaggenau Anthracite

BO471112 left-hinged 6.040 €
Stainless steel-backed full glass door

BO471102 left-hinged 6.040 €
Gaggenau Anthracite

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Pyrolytic system
- 17 heating methods, with core temperature probe, rotisserie spit and baking stone function
- Automatic programmes
- Core temperature probe with estimation of cooking time

- 60 W halogen light on the top
- 2 x 10 W halogen light on the side
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BO450112 right-hinged 5.290 €
Stainless steel-backed full glass door

BO451112 left-hinged 5.290 €
Stainless steel-backed full glass door

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Pyrolytic system
- 13 heating methods, with core temperature probe and baking stone function
- Automatic programmes
- Core temperature probe with estimation of cooking time

- 60 W halogen light on the top.
- 10 W halogen light on the side.
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BO420112 right-hinged 4.740 €
Stainless steel-backed full glass door

BO420102 right-hinged 4.740 €
Gaggenau Anthracite

BO421102 left-hinged 4.740 €
Stainless steel-backed full glass door

BO421112 left-hinged 4.740 €
Gaggenau Anthracite

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Pyrolytic system
- 9 heating methods, with baking stone function

- 60 W halogen light on the top.
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Combi-steam ovens 400 series



BS484112 right-hinged	10.080 €
Stainless steel-backed full glass door	
BS485112 left-hinged	10.080 €
Stainless steel-backed full glass door	



- Width 76 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Fixed inlet and outlet water connection
- Cleaning system, fully automatic
- 2 x LED light on the side
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Steam removal
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

**Controls at the top:**

BS470112 right-hinged	9.290 €
Stainless steel-backed full glass door	
BS470102 right-hinged	9.290 €
Gaggenau Anthracite	
BS471112 left-hinged	9.290 €
Stainless steel-backed full glass door	
BS471102 left-hinged	9.290 €
Gaggenau Anthracite	

Controls at the bottom:

BS474112 right-hinged	9.290 €
Stainless steel-backed full glass door	
BS474102 right-hinged	9.290 €
Gaggenau Anthracite	
BS475112 left-hinged	9.290 €
Stainless steel-backed full glass door	
BS475102 left-hinged	9.290 €
Gaggenau Anthracite	



- Width 60 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Fixed inlet and outlet water connection
- Cleaning system, fully automatic
- 2 LED light sources
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Steam removal
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

**Controls at the top:**

BS450111 right-hinged	8.490 €
Stainless steel-backed full glass door	
BS450101 right-hinged	8.490 €
Gaggenau Anthracite	
BS451111 left-hinged	8.490 €
Stainless steel-backed full glass door	
BS451101 left-hinged	8.490 €
Gaggenau Anthracite	

Controls at the bottom:

BS454111 right-hinged	8.490 €
Stainless steel-backed full glass door	
BS454101 right-hinged	8.490 €
Gaggenau Anthracite	
BS455111 left-hinged	8.490 €
Stainless steel-backed full glass door	
BS455101 left-hinged	8.490 €
Gaggenau Anthracite	



- Width 60 cm
- Handleless door / automatic door opening / door opening via voice assistant possible
- Water tank for fresh and waste water
- Cleaning system, fully automatic
- 2 LED light sources
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Combi-microwave ovens 400 series



BM484110 right-hinged	8.750 €
Stainless steel-backed full glass door	
BM485110 left-hinged	8.750 €
Stainless steel-backed full glass door	

- Width 76 cm
- Handleless door / automatic door opening
- Single operation and combination of microwave, grill and oven
- Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W
- Oven operation with 4 heating methods
 - Hot air 40 °C and from 100 °C to 250 °C
 - Full surface grill + hot air from 100 °C to 250 °C
 - Full surface grill + circulated air from 100 °C to 250 °C
 - Full surface grill with 3 levels of intensity, maximum output 2000 W
- Heating methods with microwave output levels 600, 360, 180 and 90 W freely combinable
- Hygienic stainless steel interior with glass ceramic base
- Interior back wall with catalytic coating
- Interior volume 36 litres



BM450110 right-hinged	5.570 €
Stainless steel-backed full glass door	
BM450100 right-hinged	5.570 €
Gaggenau Anthracite	
BM451110 left-hinged	5.570 €
Stainless steel-backed full glass door	
BM451100 left-hinged	5.570 €
Gaggenau Anthracite	

- Width 60 cm
- Handleless door / automatic door opening
- Single operation and combination of microwave, grill and oven
- Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W
- Oven operation with 4 heating methods
 - Hot air 40 °C and from 100 °C to 250 °C
 - Full surface grill + hot air from 100 °C to 250 °C
 - Full surface grill + circulated air from 100 °C to 250 °C
 - Full surface grill with 3 levels of intensity, maximum output 2000 W
- Heating methods with microwave output levels 600, 360, 180 and 90 W freely combinable
- Hygienic stainless steel interior with glass ceramic base
- Interior back wall with catalytic coating
- Interior volume 36 litres



BM454110 right-hinged	5.570 €
Stainless steel-backed full glass door	
BM454100 right-hinged	5.570 €
Gaggenau Anthracite	
BM455110 left-hinged	5.570 €
Stainless steel-backed full glass door	
BM455100 left-hinged	5.570 €
Gaggenau Anthracite	

- Width 60 cm
- Handleless door / automatic door opening
- Single operation and combination of microwave, grill and oven
- Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W
- Oven operation with 4 heating methods
 - Hot air 40 °C and from 100 °C to 250 °C
 - Full surface grill + hot air from 100 °C to 250 °C
 - Full surface grill + circulated air from 100 °C to 250 °C
 - Full surface grill with 3 levels of intensity, maximum output 2000 W
- Heating methods with microwave output levels 600, 360, 180 and 90 W freely combinable
- Hygienic stainless steel interior with glass ceramic base
- Interior back wall with catalytic coating
- Interior volume 36 litres

Fully automatic espresso machines 400 series



CM450112	5.830 €
Stainless steel-backed full glass door	
CM450102	5.830 €
Gaggenau Anthracite	
Extra coffee bean container, sparepart nr. 11015223.	

- Width 60 cm
- Handleless door / automatic door opening
- Removable 2.4 l litre water tank
- Continuous flow heater means no waiting time and constant brewing temperature
- Aroma brewing technology for a full aroma
- Single portion cleaning
- Automatic steam cleaning of the milk system after every beverage
- Removable bean container with aroma protecting lid for 500 g allows for an effortless exchange of different types of coffee beans
- Electronic fill level control for milk, water and coffee to ensure a perfect result
- Personalisation function, up to 8 beverages can be personalised and memorised
- Seven light settings
- Door hinge not reversible
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Vacuuming drawers 400 series



DV461110	4.200 €
Stainless steel-backed full glass door	
DV461100	4.200 €
Gaggenau Anthracite	

- Width 60 cm, Height 14 cm
- Handleless drawer
- Cushioned closing system
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- Vacuuming for sous-vide cooking
- Fast marinating and flavouring
- Extended storage through vacuuming
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- Capacity load max. 10 kg
- Built-in under worktop or in single niche
- Recessed grip at the front bottom of the drawer



DV061100	3.850 €
Fully integrated, without door panel	
Plan for furniture front from kitchen manufacturer.	

- Width 60 cm, Height 14 cm
- Cushioned closing system
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- Vacuuming for sous-vide cooking
- Fast marinating and flavouring
- Extended storage through vacuuming
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- Capacity load max. 10 kg
- Built-in under worktop or in single niche
- Attention: To open the fully integrated variant, a handle or a recessed grip is necessary

Warming drawers 400 series



WS482110	2.790 €
Stainless steel-backed full glass door	

- Width 76 cm, Height 21 cm
- Handleless drawer
- Cushioned closing system
- Bright interior light
- Hygienic stainless steel interior with glass bottom
- 4 power levels in the temperature range 40 °C to 80 °C (glass surface)
- Also for preparing and cooking meals, and for keeping meals warm
- Defrosting of meals/proving of yeast dough
- Preheating of small beverage containers
- Keeping meals warm/slow cooking meals.
- Net volume 38 litres
- Capacity: Dinner service for 10 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size



WS462112	2.110 €
Stainless steel-backed full glass door	
WS462102	2.110 €
Gaggenau Anthracite	

- Width 60 cm, Height 29 cm
- Handleless drawer
- Cushioned closing system
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- For slow cooking, dough proofing, herbs and fruits drying, chocolate melting and defrosting
- Personalisation function via Home Connect
- Net volume 54 litres
- Capacity: Dinner service for 12 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Home network integration for digital services (Home Connect) wireless via WiFi



WS461112	1.960 €
Stainless steel-backed full glass door	
WS461102	1.960 €
Gaggenau Anthracite	

- Width 60 cm, Height 29 cm
- Handleless drawer
- Cushioned closing system
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- For slow cooking, dough proofing, herbs and fruits drying, chocolate melting and defrosting
- Personalisation function via Home Connect
- Net volume 54 litres
- Capacity: Dinner service for 12 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Home network integration for digital services (Home Connect) wireless via WiFi



WS061102	1.670 €
Fully integrated, without door panel	
Plan for furniture front from kitchen manufacturer.	

- Width 60 cm, Height 14 cm
- Cushioned closing system
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- For slow cooking, dough proofing, herbs and fruits drying, chocolate melting and defrosting
- Net volume 20 litres
- Capacity: Dinner service for 6 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Home network integration for digital services (Home Connect) wireless via WiFi
- Attention: To open the fully integrated variant, a handle or a recessed grip is necessary

Ovens 200 series



BOP250102 right-hinged Gaggenau Anthracite	4.740 €
BOP250112 right-hinged Gaggenau Metallic	4.740 €
BOP250132 right-hinged Gaggenau Silver	4.740 €
BOP251102 left-hinged Gaggenau Anthracite	4.740 €
BOP251112 left-hinged Gaggenau Metallic	4.740 €
BOP251132 left-hinged Gaggenau Silver	4.740 €

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Flush installation
- Pyrolytic system
- 13 heating methods, with core temperature probe and baking stone function
- Automatic programmes
- Core temperature probe with estimation of cooking time
- 60 W halogen light on the top
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BOP220102 right-hinged Gaggenau Anthracite	3.510 €
BOP220112 right-hinged Gaggenau Metallic	3.510 €
BOP220132 right-hinged Gaggenau Silver	3.510 €
BOP221102 left-hinged Gaggenau Anthracite	3.510 €
BOP221112 left-hinged Gaggenau Metallic	3.510 €
BOP221132 left-hinged Gaggenau Silver	3.510 €

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Flush installation
- Pyrolytic system
- 9 heating methods, with baking stone function
- 60 W halogen light on the top
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BOP210102 right-hinged Gaggenau Anthracite	3.050 €
BOP210112 right-hinged Gaggenau Metallic	3.050 €
BOP210132 right-hinged Gaggenau Silver	3.050 €
BOP211102 left-hinged Gaggenau Anthracite	3.050 €
BOP211112 left-hinged Gaggenau Metallic	3.050 €
BOP211132 left-hinged Gaggenau Silver	3.050 €

When ordering baking stone/heating element, use BA 056 133/056 115.



- Width 60 cm
- Flush installation
- Pyrolytic system
- 9 heating methods, with baking stone function
- 60 W halogen light on the top
- 76 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Combi-steam ovens 200 series



BSP270101 right-hinged Gaggenau Anthracite	8.490 €
BSP270111 right-hinged Gaggenau Metallic	8.490 €
BSP270131 right-hinged Gaggenau Silver	8.490 €
BSP271101 left-hinged Gaggenau Anthracite	8.490 €
BSP271111 left-hinged Gaggenau Metallic	8.490 €
BSP271131 left-hinged Gaggenau Silver	8.490 €



- Width 60 cm
- Flush installation
- Fixed inlet and outlet water connection
- Cleaning system, fully automatic
- LED light on the side
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Steam removal
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BSP260101 right-hinged Gaggenau Anthracite	7.690 €
BSP260111 right-hinged Gaggenau Metallic	7.690 €
BSP260131 right-hinged Gaggenau Silver	7.690 €
BSP261101 left-hinged Gaggenau Anthracite	7.690 €
BSP261111 left-hinged Gaggenau Metallic	7.690 €
BSP261131 left-hinged Gaggenau Silver	7.690 €



- Width 60 cm
- Flush installation
- Fixed inlet and outlet water connection
- LED light on the side
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- Steam removal
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi



BSP250101 right-hinged Gaggenau Anthracite	6.890 €
BSP250111 right-hinged Gaggenau Metallic	6.890 €
BSP250131 right-hinged Gaggenau Silver	6.890 €
BSP251101 left-hinged Gaggenau Anthracite	6.890 €
BSP251111 left-hinged Gaggenau Metallic	6.890 €
BSP251131 left-hinged Gaggenau Silver	6.890 €



- Width 60 cm
- Flush installation
- Water tank for fresh and waste water
- LED light on the side
- Hot air 30 °C to 230 °C, freely combinable with humidity levels 0%, 30%, 60%, 80% or 100%
- Sous-vide cooking with accurate temperature regulation
- Full surface grill behind glass ceramic, combinable with circulated air up to 230 °C and steam
- Automatic programmes
- Core temperature probe with estimation of cooking time
- 50 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Steam ovens 200 series



BSP220101 right-hinged Gaggenau Anthracite	5.290 €
BSP220111 right-hinged Gaggenau Metallic	5.290 €
BSP220131 right-hinged Gaggenau Silver	5.290 €
BSP221101 left-hinged Gaggenau Anthracite	5.290 €
BSP221111 left-hinged Gaggenau Metallic	5.290 €
BSP221131 left-hinged Gaggenau Silver	5.290 €



- Width 60 cm
- Flush installation
- Water tank
- LED light on the side
- Steaming without pressure with 100% humidity from 30 °C to 100 °C
- Sous-vide cooking with accurate temperature regulation
- 59 litres net volume
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Combi-microwave ovens 200 series



BMP250100 right-hinged Gaggenau Anthracite	5.020 €
BMP250110 right-hinged Gaggenau Metallic	5.020 €
BMP250130 right-hinged Gaggenau Silver	5.020 €
BMP251100 left-hinged Gaggenau Anthracite	5.020 €
BMP251110 left-hinged Gaggenau Metallic	5.020 €
BMP251130 left-hinged Gaggenau Silver	5.020 €



- Width 60 cm
- Flush installation
- Single operation and combination of microwave, grill and oven
- Microwave operation with 5 output levels: 1000, 600, 360, 180, 90 W
- Oven operation with 4 heating methods:
 - Hot air 40 °C and from 100 °C to 250 °C
 - Full surface grill + hot air from 100 °C to 250 °C
 - Full surface grill + circulated air from 100 °C to 250 °C
 - Full surface grill with 3 levels of intensity, maximum output 2000 W
- Heating methods with microwave output levels 600, 360, 180 and 90 W freely combinable
- Hygienic stainless steel interior with glass ceramic base
- Interior back wall with catalytic coating
- Interior volume 36 litres

Microwave ovens 200 series



BMP224100 right-hinged Gaggenau Anthracite	1.860 €
BMP224110 right-hinged Gaggenau Metallic	1.860 €
BMP224130 right-hinged Gaggenau Silver	1.860 €
BMP225100 left-hinged Gaggenau Anthracite	1.860 €
BMP225110 left-hinged Gaggenau Metallic	1.860 €
BMP225130 left-hinged Gaggenau Silver	1.860 €



- Width 60 cm
- Flush installation
- Handleless door / automatic door opening
- Single operation and combination of microwave and grill
- Microwave operation with 5 output levels: 900, 600, 360, 180, 90 W
- Full surface grill with 3 levels of intensity, maximum output 1300 W
- Full surface grill with microwave output levels 360, 180 and 90 W combinable
- Hygienic stainless steel interior with glass ceramic base
- Interior volume 21 litres

Fully automatic espresso machines 200 series



CMP250102 Gaggenau Anthracite	5.320 €
CMP250112 Gaggenau Metallic	5.320 €
CMP250132 Gaggenau Silver	5.320 €

Extra coffee bean container, sparepart nr. 11015223.

- Width 60 cm
- Handleless door / cushioned door closing system
- Removable 2.4 l litre water tank.
- Continuous flow heater means no waiting time and constant brewing temperature
- Aroma brewing technology for a full aroma
- Single portion cleaning
- Automatic steam cleaning of the milk system after every beverage.
- Removable bean container with aroma protecting lid for 500 g allows for an effortless exchange of different types of coffee beans
- Electronic fill level control for milk, water and coffee to ensure a perfect result
- Personalisation function, up to 8 beverages can be personalised and memorised
- Seven light settings
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Vacuuming drawers 200 series



DVP221100 Gaggenau Anthracite	4.020 €
DVP221110 Gaggenau Metallic	4.020 €
DVP221130 Gaggenau Silver	4.020 €

- Width 60 cm, Height 14 cm
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel vacuuming chamber, applicable height up to 80 mm
- Vacuuming for sous-vide cooking
- Fast marinating and flavouring
- Extended storage through vacuuming
- 3 vacuuming levels for vacuuming in the chamber, max. 99%
- Capacity load max. 10 kg
- Built-in under worktop or in single niche

Culinary warming drawers 200 series



WSP222102 Gaggenau Anthracite	1.960 €
WSP222112 Gaggenau Metallic	1.960 €
WSP222132 Gaggenau Silver	1.960 €

- Width 60 cm, Height 29 cm
- Flush installation
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- For slow cooking, dough proofing, herbs and fruits drying, chocolate melting and defrosting
- Net volume 54 litres
- Capacity: Dinner service for 12 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Home network integration for digital services (Home Connect) wireless via WiFi



WSP221102 Gaggenau Anthracite	1.820 €
WSP221112 Gaggenau Metallic	1.820 €
WSP221132 Gaggenau Silver	1.820 €

- Width 60 cm, Height 14 cm
- Flush installation
- Handleless drawer
- Push-to-open system
- Hygienic stainless steel interior with glass bottom
- Direct temperature selection in the range 30 °C to 80 °C
- For slow cooking, dough proofing, herbs and fruits drying, chocolate melting and defrosting
- Net volume 20 litres
- Capacity: Dinner service for 6 people including Ø 27 cm plates and soup bowls, additional bowls and a serving dish depending on size
- Home network integration for digital services (Home Connect) wireless via WiFi


Special accessories



BA018105	670 €
<ul style="list-style-type: none"> - Pull-out system - Fully extendable telescopic rails and enameled cast iron frame 	
For BX 48. / BO 48.	



BA016105	520 €
<ul style="list-style-type: none"> - Pull-out system - Fully extendable telescopic rails and enameled cast iron frame 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22.	



BA216102	440 €
<ul style="list-style-type: none"> - Quadruple telescopic pull-out rack 	
For BOP 21.	



BA028115	150 €
<ul style="list-style-type: none"> - Baking tray, enameled - 30 mm deep 	
For BX 48. / BO 48.	



BA026115	100 €
<ul style="list-style-type: none"> - Baking tray, enameled - 15 mm deep 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22.	



BA226112	100 €
<ul style="list-style-type: none"> - Baking tray, enameled - 24 mm deep 	
For BOP 21.	



BA038105	150 €
<ul style="list-style-type: none"> - Wire rack, chromium-plated - Without opening, with feet 	
For BX 48. / BO 48.	



BA036105	100 €
<ul style="list-style-type: none"> - Wire rack, chromium-plated - Without opening, with feet 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22.	



BA036102	100 €
<ul style="list-style-type: none"> - Wire rack, chromium-plated - Without opening, with feet 	
For BOP 21.	




BA046117	190 €
<ul style="list-style-type: none"> - Glass tray - 24 mm deep 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22. / BOP 21.	



BA226105	100 €
<ul style="list-style-type: none"> - Grill tray, enameled - 30 mm deep 	
For BOP 25. / BOP 22.	



BA226102	100 €
<ul style="list-style-type: none"> - Grill tray, enameled - 37 mm deep 	
For BOP 21.	



BA058115	180 €
<ul style="list-style-type: none"> - Heating element for baking stone and Gastronorm roaster 	
For BX 48. / BO 48.	



BA056115	190 €
<ul style="list-style-type: none"> - Heating element for baking stone and Gastronorm roaster 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22. / BOP 21.	



BA056133	390 €
<ul style="list-style-type: none"> - Baking stone - Incl. baking stone support and pizza paddle - Not in combination with pull-out system 	
For BO 47. / BO 45. / BO 42. / BOP 25. / BOP 22.	
NOTE: Requires heating element BA 056 115.	



BA056130	390 €
<ul style="list-style-type: none"> - Baking stone - Incl. baking stone support and pizza paddle - Not in combination with pull-out system 	
For BOP 21.	
NOTE: Requires heating element BA 056 115.	




BS020003	230 €
<ul style="list-style-type: none"> - Pizza paddle - Can also be used as cutting board and for serving 	



GN340230	670 €
<ul style="list-style-type: none"> - Gastronorm roaster in cast aluminium - GN 2/3, height 165 mm, non-stick - Lower and upper part can also be used separately as casserole or pan, height 100 and 65 mm - For roasting in oven with roasting function 	

For ovens with heating element BA 056 115 or BA 058 115 and pull-out system BA 016 or BA 018 (both to be ordered separately) and for Combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).



BA010301	500 €
- Triple telescopic pull-out rack	
For combi-steam ovens.	




BA020361	160 €
- Cooking container, stainless steel, unperforated, 46 mm deep, 5.4 l	
For combi-steam ovens.	



BA020370	190 €
- Cooking container, stainless steel, perforated, 40 mm deep, 5 l	
For combi-steam ovens.	



BA020381	280 €
- Cooking container, non-stick coating, unperforated, 46 mm deep, 5.4 l	
For combi-steam ovens.	



BA020390	310 €
- Cooking container, non-stick coating, perforated, 40 mm deep, 5 l	
For combi-steam ovens.	



GN010330	120 €
- Adapter for gastronorm insert and roaster	



GN114230	130 €
- Gastronorm insert, stainless steel GN 2/3	
- Unperforated, 40 mm deep, 3 l	



GN124230	150 €
- Gastronorm insert, stainless steel GN 2/3	
- Perforated, 40 mm deep, 3 l	



GN114130	100 €
- Gastronorm insert, stainless steel GN 1/3	
- Unperforated, 40 mm deep, 1.5 l	



GN124130	120 €
- Gastronorm insert, stainless steel GN 1/3	
- Perforated, 40 mm deep, 1.5 l	



BA220360	130 €
- Cooking container, stainless steel, unperforated, 35 mm deep, 5 l	
For BSP 22.	



BA220370	170 €
- Cooking container, stainless steel, perforated, 35 mm deep, 5 l	
For BSP 22.	



CLS10040	90 €
- Cleaning cartridges, set of 4	
- For combi-steam ovens.	



GF111100	320 €
- Water descaling system	
- Descaling system, recommended to be installed if water hardness exceeds 7 °dH or carbon hardness 5 °dH	
- For first installation	
- Filter head with integrated non-return valve and filter	



GF121110	170 €
- Filter cartridge	



GZ010011	65 €
- Extension for water inlet and outlet (2 m long)	



GH031010	75 €
- Handle bar with 2 mounts, match to BOP, stainless steel, length 30.5 cm, height 49 mm, drilling distance 282 mm	

Vario cooktops 400 series



VI492105 Frameless Width 90 cm	6.340 € ¹
VI492115 Stainless steel frame Bredd 90 cm	6.580 € ¹

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKI 450 010), unless the order specifies black knobs (CKI 450 000).

- Vario flex induction cooktop 400 series
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Cooktop-based ventilation control (with suitable hood)
- Flex function for combining the rectangular cooking areas
- Ideal for the original wok pan with round bottom, with wok ring
- 2 flex induction cooking areas 23x20/23x19² cm (2200 W, with booster 3700 W), linked together 23x40/23x38² cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 23x20/23x19² cm (2200 W, with booster 3700 W), linked together 23x40/23x38² cm (3300 W, with booster 3700 W)
- 1 induction cooking zone Ø 21 cm (2200 W, with booster 3700 W), automatically switches to Ø 26 cm (2600 W, with booster 3700 W) and to Ø 32 cm (3300 W, with booster 3700 W)
- Home network integration for digital services (Home Connect) wireless via WiFi

² Value applies to the model with frame.



VI482105 Frameless Width 80 cm	5.620 € ¹
VI482115 Stainless steel frame Width 80 cm	5.860 € ¹

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKI 440 010), unless the order specifies black knobs (CKI 440 000).

- Vario flex induction cooktop 400 series
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Cooktop-based ventilation control (with suitable hood)
- Flex function for combining the rectangular cooking areas
- 2 flex induction cooking areas 23x20/23x19² cm (2200 W, with booster 3700 W), linked together 23x40/23x38² cm (3300 W, with booster 3700 W), with automatic extension up to 32x30 cm (3300 W, with booster 3700 W)
- Home network integration for digital services (Home Connect) wireless via WiFi

² Value applies to the model with frame.



VI462105 Frameless Width 60 cm	4.660 € ¹
VI462115 Stainless steel frame Width 60 cm	4.900 € ¹

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKI 440 010), unless the order specifies black knobs (CKI 440 000).

- Vario flex induction cooktop 400 series
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Cooktop-based ventilation control (with suitable hood)
- Flex function for combining the rectangular cooking areas
- 2 flex induction cooking areas 23x20/23x19² cm (2200 W, with booster 3700 W), linked together 23x40/23x38² cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)
- Home network integration for digital services (Home Connect) wireless via WiFi

² Value applies to the model with frame.



VI422105 Frameless Width 38 cm	3.540 € ¹
VI422115 Stainless steel frame Width 38 cm	4.180 € ¹

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKI 420 010), unless the order specifies black knobs (CKI 420 000).

- Vario flex induction cooktop 400 series
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Cooktop-based ventilation control (with suitable hood)
- Flex function for rectangular cooking areas
- 2 flex induction cooking areas 24x20/24x19² cm (2200 W, with booster 3700 W), linked together 24x40/24x38² cm (3300 W, with booster 3700 W)
- Home network integration for digital services (Home Connect) wireless via WiFi

² Value applies to the model with frame.



VI414105 Frameless Width 38 cm	4.100 € ¹
VI414115 Stainless steel frame Width 38 cm	4.740 € ¹

¹ The price applies to the set of cooktop and knob. As default, the order is placed with stainless steel knob (CKI 410 010), unless the order specifies black knob (CKI 410 000).

- Vario induction cooktop 400 series
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Cooktop-based ventilation control (with suitable hood)
- 32 cm cooking zone with booster function
- Ideal for the original wok pan with round bottom, with wok ring
- 1 induction cooking zone Ø 21 cm (2200 W, with booster 3700 W), automatically switches to Ø 26 cm (2600 W, with booster 3700 W) and to Ø 32 cm (3300 W, with booster 3700 W)
- Home network integration for digital services (Home Connect) wireless via WiFi



VG491115F 7.390 €¹
Stainless steel
Width 90 cm
Liquid gas 28-37 mbar

VG491215 7.450 €¹
Stainless steel
Width 90 cm
Natural gas 20 mbar

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKG 450 010), unless the order specifies black knobs (CKG 450 000).

- Vario gas cooktop 400 series
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Five multi-ring burners, up to 18 kW
- Full electronic control in 12 output levels for exact power level adjustment plus simmer function
- Simmer function for cooking on a very low output level
- Solid smooth-surface cast pan supports
- 1 multi-ring wok burner (300 W-6000 W), suitable for pots up to max. Ø 32 cm
- 2 two-ring high output burners (165 W-4000 W), suitable for pots up to max. Ø 28 cm
- 2 two-ring standard burners (165 W-2000 W), suitable for pots up to max. Ø 24 cm
- Brass burner rings



VG425115F 3.920 €¹
Stainless steel
Width 38 cm
Liquid gas 28-37 mbar

VG425215 3.950 €¹
Stainless steel
Width 38 cm
Natural gas 20 mbar

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKG 420 010), unless the order specifies black knobs (CKG 420 000).

- Vario gas cooktop 400 series
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Multi-ring burner with up to 4 kW
- Full electronic power level regulation on 12 levels
- Simmer function for cooking on a very low output level
- 1 two-ring high output burner (165 W-4000 W), suitable for pots up to max. Ø 28 cm
- 1 two-ring standard output burner (165 W-2000 W), suitable for pots up to max. Ø 24 cm
- Brass burner rings



VG415115F 4.170 €¹
Stainless steel
Width 38 cm
Liquid gas 28-37 mbar

VG415215 4.210 €¹
Stainless steel
Width 38 cm
Natural gas 20 mbar

¹ The price applies to the set of cooktop and knob. As default, the order is placed with stainless steel knob (CKG 410 010), unless the order specifies black knob (CKG 410 000).

- Vario gas wok 400 series
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Multi-ring burner with up to 5.8 KW
- Full electronic power level regulation on 12 levels
- Simmer function for cooking on a very low output level
- 1 multi-ring wok burner (300 W-5800 W), suitable for pots up to max. Ø 32 cm
- Brass burner rings



VP414115 4.630 €¹
Stainless steel
Width 38 cm

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKP 420 010), unless the order specifies black knobs (CKP 420 000).

- Vario Teppan Yaki 400 series
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Cooking directly on the hard-chromed metal surface, without any pots or pans
- Electronic temperature control from 120 °C to 240 °C.
- Optimum heat distribution
- Two zones, each 1500 W, can be operated together as a complete surface or each half separately.
- Keeping warm setting
- Always easy to clean



VR414115 4.100 €¹
Stainless steel
Width 38 cm

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with stainless steel knobs (CKR 420 010), unless the order specifies black knobs (CKR 420 000).

- Vario electric grill 400 series
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Electronic control in 12 output levels.
- Two zones can be operated together or separately
- Cast pan, half size, for simultaneous frying and grilling on two separate surfaces
- Open cast grill

Vario cooktops 200 series



VI262120 2.700 €
Black aluminium control panel
Width 60 cm

- Vario flex induction cooktop 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Flex function for rectangular cooking areas
- Frying sensor function
- 2 flex induction cooking areas 23x19 cm (2200 W, with booster 3700 W), linked together 23x38 cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 23x19 cm (2200 W, with booster 3700 W), linked together 23x38 cm (3300 W, with booster 3700 W)



VI242120 2.130 €
Black aluminium control panel
Width 38 cm

- Vario flex induction cooktop 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Flex function for rectangular cooking areas
- Frying sensor function
- 2 flex induction cooking areas 24x19 cm (2200 W, with booster 3700 W), linked together 24x38 cm (3300 W, with booster 3700 W)



VI232121 1.940 €
Black aluminium control panel
Width 28 cm

- Vario flex induction cooktop 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Flex function for rectangular cooking areas
- Frying sensor function
- 2 flex induction cooking areas 21x19 cm (2200 W, with booster 3700 W), linked together 21x38 cm (3300 W, with booster 3700 W)



VG264120F 2.700 €
Black aluminium control panel
Width 60 cm
Liquid gas 28-37 mbar

VG264220 2.700 €
Black aluminium control panel
Width 60 cm
Natural gas 20 mbar

- Vario gas cooktop 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- 2 high output burners (560 W-3000 W), suitable for pots up to max. Ø 22 cm
- 2 standard burners (380 W-1900 W), suitable for pots up to max. Ø 20 cm
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size
- Up to 9.8 kW on 4 burners



VG232120F 1.580 €
Black aluminium control panel
Width 28 cm
Liquid gas 28-37 mbar

VG232220 1.580 €
Black aluminium control panel
Width 28 cm
Natural gas 20 mbar

- Vario gas cooktop 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- 1 high output burner (560 W-3000 W), suitable for pots up to max. Ø 22 cm
- 1 standard burner (380 W-1900 W), suitable for pots up to max. Ø 20 cm
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size
- Total output up to 4.9 kW



VG231120F 1.750 €
Black aluminium control panel
Width 28 cm
Liquid gas 28-37 mbar

VG231220 1.750 €
Black aluminium control panel
Width 28 cm
Natural gas 20 mbar

- Vario gas cooktop 200 series
- Control knob with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Multi-ring burner of solid, heat-resistant brass as used in professional kitchen
- 1 multi-ring wok burner (300 W-6000 W), suitable for pots up to max. Ø 30 cm
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size
- Total output up to 5.8 kW



VP230120 3.160 €
Black aluminium control panel
Width 28 cm

- Vario Teppan Yaki 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Cooking directly on the metal surface, without any pots or pans
- Electronic temperature control from 140 °C to 240 °C
- Keeping warm setting
- Cleaning stage
- Heating element with 1800 W



VR230120 2.480 €
Black aluminium control panel
Width 28 cm

- Vario electric grill 200 series
- Control knobs with illuminated ring
- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Open cast grill, lava stones
- 2 zones, separately controlled
- 9 switching levels
- Join function

Special accessories



CA414110F	180 €
- Socket, stainless steel	
- EU Type F/220-240 V/16 A	



CA414100F	180 €
- Black socket	
- EU Type F/220-240 V/16 A	



LV030000	55 €
- Lava stones for refilling	



VA420004	190 €
- Connection strip for combination with other Vario appliances of the 400 series for flush installation	



VA420010	190 €
- Connection strip for combination with other Vario appliances of the 400 series for surface installation	



VA440010	380 €
- Stainless steel appliance cover with mounting strip	



VD200020	570 €
- Black appliance cover Vario 200 series	



VV200010	260 €
- Stainless steel connection strip for combination with further Vario cooktops of the 200 series	



VV200020	260 €
- Black connection strip for combination with other Vario appliances of the 200 series	



WP400001	510 €
- Wok pan made of multiple-layer material	
- With round bottom and handle, Ø 36 cm, 6 litres, height 10 cm	
For VI 49. / VI 41. / VG 49. / VG 41. / VG 23. / CG 49. / VG 29.	



WZ400000	290 €
- Wok attachment for wok pan	
Only for VI 414, VI 492.	

The Essential Induction



CU428100 3.170 €

¹ The price applies to the set of cooktop and knob. As default, the order is placed with stainless steel knob (CKU 410 010), unless the order specifies black knob (CKU 410 000).

- Integrated induction module 400 series
- Use of cookware directly on the worktop in combination with 12 mm Dekton worktop
- 1 induction cooking zone Ø 28 cm (2200 W, with booster 2700 W)
- Keep warm function
- Cooking zone center light for operation and residual heat indication directly on the surface
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Can be combined perfectly with other integrated induction modules of the 400 series
- Only operates with enhanced surface protector




CU421100 2.900 €

¹ The price applies to the set of cooktop and knob. As default, the order is placed with stainless steel knob (CKU 410 010), unless the order specifies black knob (CKU 410 000).

- Integrated induction module 400 series
- Use of cookware directly on the worktop in combination with 12 mm Dekton worktop
- 1 induction cooking zone Ø 21 cm (2000 W, with booster 2300 W)
- Keep warm function
- Cooking zone center light for operation and residual heat indication directly on the surface
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Can be combined perfectly with other integrated induction modules of the 400 series
- Only operates with enhanced surface protector

Combination of 2 modules Ø 21 cm




- This combination consists of:
- 2 x CU 421 100 (incl. knob, see above)
 - 1 x CA 420 000
 - 1 x SP 419 000
 - 1 x SP 415 000
 - 1 x SP 410 000

Package price 6.270 €

For this combination, the AC 250 roof ventilation and the AA 010 811/AA 012 811 accessories are recommended.
Package price 4.570 €

Combination of 2 modules Ø 21 cm and 1 module Ø 28 cm



- This combination consists of:
- 1 x CU 428 100 (incl. knob, see above)
 - 2 x CU 421 100 (incl. knob, see above)
 - 1 x CA 420 000
 - 1 x SP 400 000

Package price 9.560 €

For this combination, the AC 250 roof ventilation and the AA 010 811/AA 012 811 accessories are recommended.
Package price 4.570 €

Special accessories

CA420000 (Finland)	160 €
CA420000AU (Baltics)	160 €
- Installation kit for integrated induction	
- One installation kit needed per kitchen	



SP424001	130 €
- Enhanced surface protector	
- For pots and pans Ø 24-28 cm	
- For CU 428	



SP419001	120 €
- Enhanced surface protector	
- For pots and pans Ø 19-23 cm	
- For CU 428, CU 421	



SP415001	100 €
- Enhanced surface protector	
- For pots and pans Ø 15-18 cm	
- For CU 428, CU 421	



SP410001	90 €
- Enhanced surface protector	
- For pots and pans Ø 10-14 cm	
- For CU 421	



SP400001	430 €
- Set of 4 enhanced surface protectors	
- For pots and pans Ø 10-28 cm	
- For CU 428, CU 421	

Cooktops with integrated ventilation 400 series



CV492105M 8.040 €¹
Frameless, matt finish
Width 90 cm



CV492105 7.850 €¹
Frameless
Width 90 cm

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with black knobs (CKI 440 000), unless the order specifies stainless steel knobs (CKI 440 010).

Remember to order necessary installation accessories CA 084 010, CA 082 071/ CA 082 061 or CA 082 011.



- Frameless for flush installation
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Flex function for combining the rectangular cooking areas
- 2 flex induction cooking areas 24x20 cm (2200 W, with booster 3700 W), linked together 24x40 cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 24x20 cm (2200 W, with booster 3700 W), linked together 24x40 cm (3300 W, with booster 3700 W)
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Energy-saving, low-noise fan
- Air extraction or air recirculation system
- Integrated activated charcoal filter easily removeable from above for air recirculation system
- Ventilation efficiency class A
- Home network integration for digital services (Home Connect) wireless via WiFi



CV482105 7.440 €¹
Frameless
Width 80 cm

¹ The price applies to the set of cooktop and knobs. As default, the order is placed with black knobs (CKI 440 000), unless the order specifies stainless steel knobs (CKI 440 010).

Remember to order necessary installation accessories CA 084 010, CA 082 071/ CA 082 061 or CA 082 011.



- Frameless for flush installation
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Flex function for combining the rectangular cooking areas
- 2 flex induction cooking areas 24x20 cm (2200 W, with booster 3700 W), linked together 24x40 cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 24x20 cm (2200 W, with booster 3700 W), linked together 24x40 cm (3300 W, with booster 3700 W)
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Energy-saving, low-noise fan
- Air extraction or air recirculation system
- Integrated activated charcoal filter easily removeable from above for air recirculation system
- Ventilation efficiency class A
- Home network integration for digital services (Home Connect) wireless via WiFi

Cooktops with integrated ventilation 200 series



CV282101M 5.230 €
Frameless, matt finish
Width 80 cm



CV282101 5.040 €
Frameless
Width 80 cm

CV282111 5.040 €
Stainless steel frame
Width 80 cm


Remember to order necessary installation accessories CA 084 010, CA 082 071/ CA 082 061 or CA 082 011.




- Twist-Pad control with removable magnetic knob
- Flex function for combining the rectangular cooking areas
- 2 flex induction cooking areas 24x20/23x19¹ cm (2200 W, with booster 3700 W), linked together 24x40/23x38¹ cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 24x20/23x19¹ cm (2200 W, with booster 3700 W), linked together 24x40/23x38¹ cm (3300 W, with booster 3700 W)
- Highly efficient ventilation system integrated in the cooktop
- Fully automatic ventilation system functions
- Energy-saving, low-noise fan
- Air extraction or air recirculation system
- Integrated activated charcoal filter easily removeable from above for air recirculation system
- Ventilation efficiency class A
- Home network integration for digital services (Home Connect) wireless via WiFi

¹ Value applies to the model with frame.


Special accessories



CA082071	450 €
- Kit ducted air recirculation (worktop depth 70 cm) consisting of 4 activated charcoal filters with highly efficient odour reduction and allergen deactivation, flat duct bends, flat duct, flat duct connecting pieces and diffuser	



CA282112	170 €
- 4 activated charcoal filters with highly efficient odour reduction and allergen deactivation	




CA084010	80 €
- 4 acoustic filters for air extraction mode	



CA082061	450 €
- Kit ducted air recirculation (worktop depth 60 cm) consisting of 4 activated charcoal filters with highly efficient odour reduction and allergen deactivation, extra short flat duct bend, flat duct, flat duct bend, flat duct connecting pieces and diffuser	



AD857033	45 €
- Short flat bend 90 ° for installation in 65 cm deep worktops for exhaust and ducted recirculation	



CA082011	250 €
- Kit unducted air recirculation consisting of 4 activated charcoal filters with highly efficient odour reduction and allergen deactivation and telescopic connector	



AD857034	45 €
- Short flat bend 90 ° for installation in 60 cm deep worktops for exhaust and ducted recirculation	

Gas cooktops 400 series



CG49211F 6.780 €
Stainless steel
Width 100 cm
Liquid gas 28–37 mbar

CG492211 6.780 €
Stainless steel
Width 100 cm
Natural gas 20 mbar

Remember to order the necessary frame set CA 429 410. It can be sent in advance to the manufacturer of the stainless steel or granite worktop for fitting.

- Five multi-ring burners, up to 17.8 kW
- Full electronic control in 12 output levels for exact power level adjustment plus simmer function
- Simmer function for cooking on a very low output level
- Solid smooth-surface cast pan supports on the same level as the worktop
- Solid stainless steel control knob
- 1 multi-ring wok burner (300 W–5800 W), suitable for pots up to max. Ø 32 cm
- 2 two-ring high output burners (165 W–4000 W), suitable for pots up to max. Ø 28 cm
- 2 two-ring standard burners (165 W–2000 W), suitable for pots up to max. Ø 24 cm
- Brass burner rings

Gas cooktops 200 series



VG295150F 4.400 €
Stainless steel
Width 90 cm
Liquid gas 28–37 mbar

VG295250 4.400 €
Stainless steel
Width 90 cm
Natural gas 20 mbar

- Wok burner with up to 5.8 kW
- Control panel for comfortable and secure operation
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size
- Multi-ring burner of solid, heat-resistant brass as used in professional kitchen
- 1 multi-ring wok burner (300 W–5800 W), suitable for pots up to max. Ø 32 cm
- 2 two-ring high output burners (170 W–4000 W), suitable for pots up to max. Ø 28 cm
- 2 two-ring standard burners (170 W–2000 W), suitable for pots up to max. Ø 24 cm
- Up to 17.8 kW on 5 burners
- Electric ignition



CG291210 1.720 €
Stainless steel
Width 90 cm

Nozzles for liquid gas 28–30/37 mbar included.

- Natural gas 20 mbar
- Nozzles for liquid gas 28–30/37 mbar included
- The cooktop can be surface-mounted
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size
- Multi-ring burner with up to 5 kW
- 1 two-ring wok burner (300 W–5000 W)
- 1 high output burner (500 W–3000 W), suitable for pots up to max. Ø 26 cm
- 2 standard burners (350 W–1750 W), suitable for pots up to max. Ø 20 cm
- 1 economy burner (330 W–1000 W), suitable for pots up to max. Ø 14 cm
- Three-part cast pan support with continuous pot surface
- Enamelled burner cover

Induction cooktops 400 series




CX492101
Frameless
Width 90 cm

7.990 €

CX492111
Stainless steel frame
Width 90 cm

7.990 €

- Full surface induction
- Up to 6 items of cookware can be placed simultaneously on the cooktop
- TFT touch display for an intuitive control of all functions
- Dynamic cooking-function
- Teppan Yaki-function
- Max. power output for big cookware of up to 5.5 kW
- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi



CX482101
Frameless
Width 80 cm

7.320 €

CX482111
Stainless steel frame
Width 80 cm

7.320 €

- Full surface induction
- Up to 5 items of cookware can be placed simultaneously on the cooktop
- TFT touch display for an intuitive control of all functions
- Dynamic cooking-function
- Teppan Yaki-function
- Max. power output for big cookware of up to 5.5 kW
- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi

Induction cooktops 200 series



CI292102
Frameless
Width 90 cm

3.850 €

CI292112
Stainless steel frame
Width 90 cm

3.850 €

Additional Twist-Pad black CA 230 100, in stainless steel spare part 636317.

- Twist-Pad control with removable magnetic knob
- Frying sensor function for temperature control in pans
- 2 flex induction cooking areas 23x20/23x19¹ cm (2200 W, with booster 3700 W), linked together 23x40/23x38¹ cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 23x20/23x19¹ cm (2200 W, with booster 3700 W), linked together 23x40/23x38¹ cm (3300 W, with booster 3700 W)
- 1 induction cooking zone Ø 21 cm (2200 W, with booster 3700 W), automatically switches to Ø 26 cm (2600 W, with booster 3700 W) and to Ø 32 cm (3300 W, with booster 3700 W)
- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi

¹ Value applies to the model with frame.



CI283103
Frameless
Width 80 cm

3.050 €

CI283113
Stainless steel frame
Width 80 cm

3.050 €

Additional Twist-Pad black CA 230 100, in stainless steel spare part 636317.

- Twist-Pad control with removable magnetic knob
- Frying sensor function for temperature control in pans
- 2 flex induction cooking areas 21x20/21x19¹ cm (2200 W, with booster 3700 W), linked together 21x40/21x38¹ cm (3300 W, with booster 3700 W)
- 1 induction cooking zone Ø 24 cm (2200 W, with booster 3700 W)
- 1 induction cooking zone Ø 18 cm (1800 W, with booster 3100 W)
- 1 induction cooking zone Ø 15 cm (1400 W, with booster 2200 W)
- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi
- Total connected load 7.4 kW

¹ Value applies to the model with frame.



CI282102
Frameless
Width 80 cm

3.370 €

CI282112
Stainless steel frame
Width 80 cm

3.370 €

Additional Twist-Pad black CA 230 100, in stainless steel spare part 636317.

- Twist-Pad control with removable magnetic knob
- Frying sensor function for temperature control in pans
- 2 flex induction cooking areas 23x20/22,5x19¹ cm (2200 W, with booster 3700 W), linked together 23x40/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 23x20/22,5x19¹ cm (2200 W, with booster 3700 W), linked together 23x40/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)
- 1 induction cooking zone Ø 24 cm (2200 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)
- 1 induction cooking zone Ø 18 cm (1800 W, with booster 3100 W)
- 1 induction cooking zone Ø 15 cm (1400 W, with booster 2200 W)
- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi

¹ Value applies to the model with frame.



CI272103 2.730 €
Frameless
Width 70 cm

CI272113 2.730 €
Stainless steel frame
Width 70 cm

Additional Twist-Pad black CA 230 100, in stainless steel spare part 636317.

- Twist-Pad control with removable magnetic knob
- Frying sensor function for temperature control in pans
- 2 flex induction cooking areas 23x19/22,5x19¹ cm (2200 W, with booster 3700 W), linked together 23x38/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)
- 2 flex induction cooking areas 23x19/22,5x19¹ cm (2200 W, with

booster 3700 W), linked together 23x38/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)

- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi

¹ Value applies to the model with frame.



CI262105 2.570 €
Frameless
Width 60 cm

CI262115 2.570 €
Stainless steel frame
Width 60 cm

Additional Twist-Pad black CA 230 100, in stainless steel spare part 636317.

- Flex induction cooktop 200 series
- Twist-Pad control with removable magnetic knob
- Frying sensor function for temperature control in pans
- 2 flex induction cooking areas 23x19/22,5x19¹ cm (2200 W, with booster 3700 W), linked together 23x38/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)

- 2 flex induction cooking areas 23x19/22,5x19¹ cm (2200 W, with booster 3700 W), linked together 23x38/22,5x38¹ cm (3300 W, with booster 3700 W), with automatic extension up to 30x30 cm (3300 W, with booster 3700 W)

- Cooktop-based ventilation control (with suitable hood)
- Home network integration for digital services (Home Connect) wireless via WiFi

¹ Value applies to the model with frame.



CI261115 2.210 €
Stainless steel frame
Width 60 cm

- Sensor control with direct selection of output level
- Free positioning of cookware inside combined cooking areas
- 2 flex induction cooking areas 22.5x19 cm (2200 W, with booster 3700 W), linked together 22.5x38 cm (3300 W, with booster 3700 W)

- 1 induction cooking zone Ø 21 cm (2500 W, with booster 3700 W)

- 1 induction cooking zone Ø 15 cm (1600 W, with booster 2200 W)

- Cooktop-based ventilation control (with suitable hood)

- Home network integration for digital services (Home Connect) wireless via WiFi

Glass ceramic cooktop 200 series



CE291101 2.580 €
Frameless
Width 90 cm

CE291111 2.630 €
Stainless steel frame
Width 90 cm

- 2 Super-Quick cooking zones Ø 18 cm (1800 W); together they convert to 18 x 41.5 cm (4400 W) roasting zone.
- 1 Super-Quick cooking zone Ø 12 cm (750 W), converts to Ø 21 cm (2100 W, with booster 2600 W) cooking zone
- 1 Super-Quick cooking zone Ø 14.5 cm (1050 W), converts to Ø 21 cm (2200 W) or Ø 27 cm (3080 W) cooking zone

- 1 Super-Quick cooking zone Ø 14.5 cm (1200 W, with booster 1600 W)

- Frying sensor function

- Sensor control with direct selection of output level



CE261114 1.720 €
Stainless steel frame
Width 60 cm

- Sensor control with direct selection of output level
- 1 Super-Quick cooking zone Ø 17 cm (1800 W), switches to 17 x 26,5 cm (2600 W) roasting zone.
- 1 Super-Quick cooking zone Ø 14.5 cm (1200 W), converts to Ø 21 cm (2100 W, with booster function 2600 W) cooking zone

- 1 Super-Quick zone Ø 18 cm (2000 W)

- 1 Super-Quick zone Ø 14.5 cm (1200 W)

Special accessories



CA429410	510 €
- Frame set including decorative frame (to be welded in) and holding frame	



GN232110	840 €
- Teppan Yaki made of multi ply material	
- GN 1/1	
- For full surface induction hobs	



CA055300	370 €
- Flex pan large	
- Non-stick	
- Ovenproof up to 220 °C	
- Dimensions: 45x26 cm (top including handles) / 35x22 cm (bottom)	
- For flex induction cooktops	



CA050300	590 €
- Flex pan set, 3 pcs	
- Non-stick	
- Ovenproof without glass lid up to 220 °C	
- Dimensions medium: 30x22 cm (top including handles) / 20x19 cm (bottom)	
- Dimensions small, with glass lid: 30x11 cm (top including handles) / 20x7.5 cm (bottom)	
- For flex induction cooktops	



CA051301	270 €
- Teppan Yaki made of multi ply material	
- Ovenproof up to 220 °C	
- For flex induction cooktops	



CA052300	360 €
- Griddle plate in cast aluminium	
- Non-stick	
- For flex induction cooktops	



CA060300	220 €
- Cooking sensor for temperature regulation within pots	
- For induction cooktops with cooking sensor function	



CA230100	180 €
- Twist-Pad: magnetic knob for induction cooktops 200 series	
- Stainless steel knob with black coating	

Ceiling ventilation 400 series



AC402181 2.590 €
Stainless steel

Motor, fittings, control and light modules are ordered separately based on individual solution.



- Filter module
- Discreet integration into the architecture of the kitchen
- Flexible by dimension, performance and ventilation mode
- Room ventilation
- Motorless, can be combined with Gaggenau BLDC remote fan units
- Highly efficient patented rim extraction
- Planned and easy to clean underside with covered filters
- See Models and Dimensions for recommended combinations of roof ventilation and external motors and their dimensions

Accessories ceiling ventilation



AC482181 1.750 €

- Control module of ceiling ventilation with light
- Individual integration of light elements into the configuration of the ceiling ventilation
- 7-key infrared remote control, backup keys for operation also on the control module
- 3 electronically controlled power levels and 1 intensive mode
- Interval ventilation, 6 min
- Run-on function, 6 min
- Grease filter saturation indicator



AC472181 810 €

- Light module of ceiling ventilation
- For completing control module with light
- Individual integration of light elements into the configuration of the ceiling ventilation

Table ventilation 400 series



AL400122 8.330 €
Width 120 cm
Air recirculation

AL400192 6.890 €
Width 90 cm
Air extraction/air recirculation

Motor and fittings are ordered separately.



- Extendable table ventilation, can be completely lowered into the worktop when not in use
- Motorless, can be combined with Gaggenau BLDC remote fan units
- Precision crafting of 3 mm stainless steel
- Dimmable, neutral white surface LED light for ideal illumination of the whole cooktop
- For surface mounting with a visible edge or for flush mounting
- 3 electronically controlled power levels and 1 intensive mode

Vario downdraft ventilation 400 series



VL414115 3.300 €¹
Width 15.5 cm

¹ The price applies to the set of cooktop and knob. As default, the order is placed with stainless steel knob (CKV 410 010), unless the order specifies black knob (CKV 410 000).

Motor and fittings are ordered separately.



- Motorless
- Air extraction/air recirculation
- For surface-mounted installation with visible edge or for flush mounting
- Solid stainless steel knob, also selectable with black robust finishing, for precise control and personalisation
- Precision crafting of 3 mm stainless steel
- Can be combined perfectly with other Vario appliances of the 400 series
- Highly efficient ventilation system with low noise level, especially with external motor unit AR 410 110
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapours
- For each VL one remote fan unit is recommended
- Air exhaust bend included in delivery
- Home network integration for digital services (Home Connect) either via cable connection LAN (recommended) or wireless via WiFi

Wall-mounted hoods 400 series



AW442120 4.240 €
Width 120 cm

Motor, air duct and fittings are ordered separately.



- Professional hood combined with classic Gaggenau design
- Air extraction/air recirculation
- Motorless, can be combined with Gaggenau BLDC remote fan units
- Highly efficient extraction of cooking vapours due to large vapour collection area
- Angled baffle filter with high grease absorption
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapours

Ventilation set number AL 400 – air recirculation



SET2AL4301	12.870 €
-------------------	----------

- Configuration for table ventilation AL 400 122 with 2 remote fan units AR 410 110 (air recirculation), connection at the front

- List of components:
1x AL 400 122, 2x AR 410 110,
1x AD 754 049, 2x AD 857 042,
2x AD 858 010, 1x AD 900 091



SET2AL4107	12.780 €
-------------------	----------

- Configuration for table ventilation AL 400 122 with 2 remote fan units AR 413 122 (recirculation), connection at the front

- List of components:
1x AL 400 122, 2x AR 413 122,
1x AD 754 049, 2x AD 857 042,
1x AD 858 010, 2x AD 857 041,
1x AD 900 091



SET1AL4107	9.520 €
-------------------	---------

- Configuration for table ventilation AL 400 192 with remote fan unit AR 413 122 (air recirculation), connection at the front

- List of components
1x AL 400 192, 1x AR 413 122,
1x AD 754 049, 2x AD 857 042,
1x AD 858 010, 1x AD 704 050,
1x AD 900 091



SET1AL4105	9.590 €
-------------------	---------

- Configuration for table ventilation AL 400 192 with remote fan unit AR 413 122 (air recirculation), connection at the bottom

- List of components:
1x AL 400 192, 1x AR 413 122,
1x AD 854 050, 1x AD 858 010,
1x AD 704 050

Ventilation set number VL 414 – air recirculation



SET3VL4511 Stainless steel knob	5.700 €
---	---------

SET3VL4521 Black knob	5.790 €
---------------------------------	---------

- Configuration for table ventilation VL 414 with remote fan unit AR 410 110 (air recirculation), installation with extension and metal duct

- List of components:
1x VL 414 115, 1x CKV 410 ...,
1x AR 410 110, 1x AD 851 041,
1x AD 854 000, 1x AD 854 030,
1x AD 410 040, 1x AD 990 091



SET1VL4712 Stainless steel knob	5.380 €
---	---------

SET1VL4722 Black knob	5.470 €
---------------------------------	---------

- Configuration for table ventilation VL 414 with remote fan unit AR 413 122 (air recirculation), direct installation

- List of components:
1x VL 414 115, 1x CKV 410 ...,
1x AR 413 122, 1x AD 410 040,
1x AD 857 015, 1x AD 857 040,
1x AD 857 041, 1x AD 990 091



SET2VL4711 Stainless steel knob	5.440 €
---	---------

SET2VL4721 Black knob	5.530 €
---------------------------------	---------

- Configuration for downdraft ventilation VL 414 with stainless steel knob and remote fan unit AR 410 110 (air recirculation), installation with extension

- List of components:
1x VL 414 115, 1x CKV 410 ...,
1x AR 410 110, 1x AD 851 041,
1x AD 857 040, 1x AD 857 030,
1x AD 410 040



SET1VL4711 Stainless steel knob	5.200 €
---	---------

SET1VL4721 Black knob	5.290 €
---------------------------------	---------

- Configuration for downdraft ventilation VL 414 with stainless steel knob and remote fan unit AR 410 110 (air recirculation), direct installation

- List of components:
1x VL 414 115, 1x CKV 410 ...,
1x AR 410 110, 1x AD 410 040

Ceiling ventilation 200 series



AC250121	3.600 €
Width 120 cm	
Including built-in motor unit.	



- Gaggenau Light Bronze
- Air extraction/air recirculation
- Massive aluminium anodized Gaggenau Light Bronze filter cover
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapours
- Remote control is included in delivery
- For air recirculation an external air recirculation module is required
- Home network integration for digital services (Home Connect) wireless via WiFi

Table ventilation 200 series



AL200190	4.330 €
Width 90 cm	
AL200180	4.010 €
Width 80 cm	

Incl. motor unit, but remember installation set VA 200 090/VA 200 080 and ev. recirculation module AA 200 890/AA 200 880 or AA 200 892/AA 200 882 for the 90 cm/80 cm wide model.



- Gaggenau Black anodized aluminium frame
- Air extraction/air recirculation
- Extendable table ventilation, can be completely lowered into the worktop when not in use
- Perfect cooking and ventilation combination with frameless induction cooktops 90 cm wide for flush mounting in a single worktop cut-out
- Transparent ventilation screen for discreet integration in the kitchen space
- Ambient lighting through the glass edges
- Guided Air technology ensures high vapour catch rate across the whole cooktop
- Cooktop-based ventilation control (with suitable cooktop)
- Automatic function with sensor-controlled run-on function.
- 3 electronically controlled power levels and 1 intensive mode
- Activated charcoal filter saturation indicator
- Home network integration for digital services (Home Connect) wireless via WiFi

Vario downdraft ventilation 200 series



VL200120	1.720 €
Width 15 cm	
Motor and fittings are ordered separately.	



- Can be combined with the cooktops of the Vario 200 series to a harmonic unity
- Highly efficient ventilation system at the cooktop integrated in the worktop
- 3 electronically controlled power levels and 1 intensive mode
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapours
- Silent system with motor AR 410 110
- For each VL one remote fan unit is recommended

Island hood 200 series



AI240191 3.870 €
Width 90 cm

Including built-in motor unit.



- Stainless steel with glass control panel Gaggenau Anthracite
- Glass cover fitting to oven 200 series
- Highly efficient vapour collection by moved slightly inwards filters
- Cooktop-based ventilation control (with suitable cooktop)
- Air extraction/air recirculation
- Home network integration for digital services (Home Connect) wireless via WiFi

Wall-mounted hood 200 series



AW240191 2.780 €
Width 90 cm

Including built-in motor unit.



- Stainless steel with glass control panel Gaggenau Anthracite
- Glass cover fitting to oven 200 series
- Highly efficient vapour collection by moved slightly inwards filters
- Cooktop-based ventilation control (with suitable cooktop)
- Air extraction/air recirculation
- Home network integration for digital services (Home Connect) wireless via WiFi

Flat kitchen hood 200 series



AF210192 2.030 €
Width 90 cm

AF210162 1.490 €
Width 60 cm

Including built-in motor unit.



- Stainless steel handle bar
- Air extraction/air recirculation
- Unobtrusive flat kitchen hood design thanks to integrated glass panel in the steam screen
- Especially quiet operation thanks to integrated sound insulation
- Steam screen extends by touching the handle bar
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapours
- Dimmable, neutral white LED light for ideal illumination of the whole cooktop
- The patented lowering frame allows the flat kitchen hood to disappear completely into the upper cabinet

Canopy extractor 200 series



AC200191 1.580 €
Width 86 cm

AC200161 1.400 €
Width 52 cm

Including built-in motor unit.



- Stainless steel and glass
- Air extraction/air recirculation
- Can be integrated invisibly in upper cabinet
- Dimmable, neutral white LED light for ideal illumination of the whole cooktop
- Remote control is available as a special accessory

Ventilation set number VL 200 - air recirculation



SET1VL2101	3.890 €
------------	---------

- Configuration for downdraft ventilation VL 200 with remote fan unit AR 413 122 (air recirculation), flat duct

- List of components:
1x VL 200 120, 1x AR 413 122, 1x AD 410 040, 1x AD 857 015, 1x AD 857 040, 1x AD 857 041, 1x AD 990 091



SET1VL2301	3.710 €
------------	---------

- Configuration for downdraft ventilation VL 200 with remote fan unit AR 410 110 (air recirculation), flat duct

- List of components:
1x VL 200 120, 1x AR 410 110, 1x AD 410 040



SET1VL2303	4.210 €
------------	---------

- Configuration for downdraft ventilation VL 200 with remote fan unit AR 410 110 (air recirculation), flat duct metal

- List of components:
1x VL 200 120, 1x AR 410 110, 1x AD 851 041, 1x AD 854 040, 1x AD 854 030, 1x AD 410 040, 1x AD 990 091









SET2VL2701	3.950 €
------------	---------

- Configuration for downdraft ventilation VL200 with remote fan unit AR 410 110 (air recirculation), installation with extension

- List of components:
1x VL 200 120, 1x AR 410 110, 1x AD 851 041, 1x AD 857 040, 1x AD 857 030, 1x AD 410 040

Remote fan units

	AR400142 1.970 €	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with motorless appliances 400 series - Inside installation - Air extraction - Air output according to EN 61591 - max. 880 m³/h - 3 electronically controlled power levels and one intensive mode - Efficient BLDC technology - Metal housing, zinc-plated - Pipe connection pieces on intake side: 1 x NW 150 round, 4 x NW 150 round - Installation in a separate room allows for a reduced noise level in the kitchen
	AR400143 1.430 €	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with motorless appliances 400 series - Installation in the chimney of AW 442 - Air extraction/air recirculation - Air output according to EN 61591 - max. 1065 m³/h - 3 electronically controlled power levels and one intensive mode - Efficient BLDC technology - Metal housing, zinc-plated - Pipe connection pieces on output side: 1x NW 150 round
	AR401142 2.320 €	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with motorless appliances 400 series - Outside wall mounting - Air extraction - Air output according to EN 61591 - max. 1200 m³/h - 3 electronically controlled power levels and one intensive mode - Efficient BLDC technology - Stainless steel - Including sound insulation to minimise the noise level - Pipe connection pieces on intake side: 1x NW 200 round - Retaining bracket for installation on an outside wall enclosed
	AR403122 1.430 €	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with motorless appliances 400 series - Compact and space-saving installation in a 10 cm high plinth - Air extraction - Air output according to EN 61591 - max. 965 m³/h - 3 electronically controlled power levels and one intensive mode - Efficient BLDC technology - Metal housing, zinc-plated - Pipe connection pieces on output side: 1x NW 150 flat duct - Retaining bracket for installation on the ceiling or side of a cupboard enclosed
	AR410110 1.880 € First charcoal filter is included.	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with Vario downdraft ventilation 400 and 200 series - Installation in the cupboard - Air recirculation - Air output according to EN 61591 - max. 675 m³/h - 3 electronically controlled power levels and 1 intensive mode - Efficient BLDC technology - Metal housing, zinc-plated - Particularly quiet due to patented noise insulation
	AR413122 1.880 € First charcoal filter is included.	<ul style="list-style-type: none"> - Powerful remote fan unit to combine with motorless appliances 400 series - Compact and space-saving installation in a 10 cm high plinth - Air recirculation - Air output according to EN 61591 - max. 900 m³/h - 3 electronically controlled power levels and one intensive mode - Efficient BLDC technology - Metal housing, zinc-plated. - Retaining bracket for installation on the ceiling or side of a cupboard enclosed


Special accessories



AD854048	310 €
<ul style="list-style-type: none"> - Air collector box DN 150 flat duct - Metal zinc plated with plastic - 2 x DN 150 flat duct air intake - 1 x DN 150 flat duct air outlet 	



AA010811	970 €
Stainless steel	
AA012811	970 €
White	
<ul style="list-style-type: none"> - Air recirculation module including 1 activated charcoal filter with highly efficient odour reduction and allergen deactivation - For air recirculation 	



AA200122	1.460 €
<ul style="list-style-type: none"> - 3 regenerable activated charcoal filters with highly efficient odour reduction for air recirculation - Extended change interval of the activated charcoal filter: regenerable every 4th month in the oven at 200 °C, up to 30 times - Can be combined with ceiling ventilation AC 230 	



AD754049	130 €
<ul style="list-style-type: none"> - Connecting piece for AL 400 - Metal zinc coated - DN 150 cylindrical 	




AD854050	130 €
<ul style="list-style-type: none"> - Connecting piece for AL 400 - Metal zinc coated - 2 x DN 150 flat duct air intake 	



AA010410	270 €
<ul style="list-style-type: none"> - Air exhaust grille recirculation mode - Stainless steel coloured, 90 cm, including installation fittings, height adjustable 	



AA409431	230 €
Width 120 cm	
AA409401	180 €
Width 90 cm	
<ul style="list-style-type: none"> - Furniture support for table ventilation AL 400 - Recommended as bearer for the worktop, instead of a cabinet frame 	



AD704050	210 €
<ul style="list-style-type: none"> - Air collector box for AL 400 - Metal zinc coated - DN: 150 flat 	




VA200090	290 €
<ul style="list-style-type: none"> - Installation kit for installation in a single worktop cut-out - Combinable with the table ventilation AL 200 190 - Consists of a connection strip and furniture supports that ensure cabinet stability - Adjustable for cabinet widths from 90 cm, 100 cm or 120 cm 	



VA200080	290 €
<ul style="list-style-type: none"> - Installation kit for installation in a single worktop cut-out - Combinable with the table ventilation AL 200 180 - Consists of a connection strip and furniture supports that ensure cabinet stability - Adjustable for cabinet widths from 90 cm, 100 cm or 120 cm 	



AA200900	75 €
<ul style="list-style-type: none"> - Kit for surface mounted installation AL 200 - Gaggenau Black - Including 2 trims, each 5 mm width - For the 80 cm and 90 cm variant 	



AA200910	340 €
<ul style="list-style-type: none"> - Installation kit for fan unit at a distance (3 m maximum) - Combinable with the table ventilation AL 200 	



AA200892	1.480 €
<ul style="list-style-type: none"> - Regenerable air recirculation module including activated charcoal filters with highly efficient odour reduction - Extended change interval of the activated charcoal filter: regenerable in the oven at 200 °C, every 4th month, up to 30 times - Easy removal of the air recirculation module from the top of the table ventilation for regenerating - Combinable with the table ventilation AL 200 190 	



AA200882	1.480 €
<ul style="list-style-type: none"> - Regenerable air recirculation module including activated charcoal filters with highly efficient odour reduction - Extended change interval of the activated charcoal filter: regenerable in the oven at 200 °C, every 4th month, up to 30 times - Easy removal of the air recirculation module from the top of the table ventilation for regenerating - Combinable with the table ventilation AL 200 180 	


AA200890 420 €

- Air recirculation module including activated charcoal filters with highly efficient odour reduction and allergen deactivation
- Highly efficient odour reduction for cooking applications with complex odour molecules (e.g. fish and seafood)
- The filter retains an extremely high amount of airborne pollen and deactivates allergens
- Easy removal of the air recirculation module from the top of the table ventilation
- Combinable with the table ventilation AL 200 190


AA200880 420 €


- Air recirculation module including activated charcoal filters with highly efficient odour reduction and allergen deactivation
- Highly efficient odour reduction for cooking applications with complex odour molecules (e.g. fish and seafood)
- The filter retains an extremely high amount of airborne pollen and deactivates allergens
- Easy removal of the air recirculation module from the top of the table ventilation
- Combinable with the table ventilation AL 200 180


AD410040 110 €


- Flexibel connecting piece for VL 200/ VL 414
- DN: 150 flat


AD851041 160 €

- Connecting piece VL 414 / VL 200 for extension with flat duct DN 150 for extra deep worktop


AA414010 85 €

- Ventilation moulding for VL 414 next to gas appliance


LS041001 75 €

- Ventilation moulding for VL 200 next to gas appliance

AD442122 520 €

Length 860 mm

AD442112 430 €

Length 620 mm

- Stainless steel chimney for air recirculation

Air recirculation module AA 442 810 is ordered separately.

AD442022 430 €

Length 860 mm


AD442012 340 €

Length 620 mm

- Stainless steel chimney for air recirculation


AA442810 540 €

- Air recirculation module inclusive 2 activated charcoal filters with high efficient odour reduction due to increased surface
- Can be combined with wall-mounted hood AW 442
- For installation on the inner chimney


AA442110 300 €

- 2 activated charcoal filter with high efficient odour reduction due to increased surface
- For air recirculation module AA 442 810


AD200326 700 €

Length 1100 mm

- Stainless steel chimney extension


AD223346 130 €

- Extension for mounting kit 500 mm for island chimney hood
- Total height of the channel 1100-1500 mm
- Total height of the appliance depends on the design line


AA200816 730 €


- Air recirculation module
- Highly efficient odour reduction for cooking applications with complex odour molecules (e.g. fish and seafood)
- Can be combined with island hoods

First charcoal filter is included.


AA200812 580 €

- Air recirculation module
- Highly efficient odour reduction for cooking applications with complex odour molecules (e.g. fish and seafood)
- Can be combined with wall-mounted hoods

First charcoal filter is included.


AA210492 320 €

- Lowering frame for 90 cm flat kitchen hood
- The patented lowering frame allows the flat kitchen hood to disappear completely into the upper cabinet
- For assembly in the upper cabinet

Required cavity depth of upper cabinet 335 mm.


AA210460 270 €

- Lowering frame for 60 cm flat kitchen hood
- The patented lowering frame allows the flat kitchen hood to disappear completely into the upper cabinet
- For assembly in the upper cabinet

Required cavity depth of upper cabinet 335 mm.


AA210491 90 €


- Assembly kit for 90 cm upper cabinet
- Can be combined with the 90 cm wide flat kitchen hood 200 series in combination with a 90 cm upper cabinet
- If the lowering frame AA 210 492 is used, the assembly kit is not needed


AA211812 420 €

- Air recirculation module
- Highly efficient odour reduction for cooking applications with complex odour molecules (e.g. fish and seafood)
- Can be combined with flat kitchen hood series 200 / canopy extractor series 200


AD702052 210 €


- Telescopic wall-duct
- Wall breakthrough ø 210 mm
- Integrated one-way flap
- For use with wall outlet AD 700 051 or remote fan unit AR 401
- Connection piece DN 200 cylindrical


AD750054 690 €


- Wall outlet with telescopic duct
- Stainless steel/plastic
- DN 150 cylindrical
- Optimal temperature insulation
- Hermetically sealed by an optimized built-in heat retention system.
- Flat stainless steel cover with minimal effect to the aesthetics of the building exterior facade.


AD850050 270 €


- Wall outlet
- Stainless steel
- DN 150 flat rectangular
- Weatherproof stainless steel louvers
- Integrated one-way flap


AD857010 75 €

- Flat duct
- Plastic, low flammability
- DN: 150 flat
- Length 1000 mm
- Easy to cut
- Easy to connect via the flat duct connecting piece


AD857015 45 €

- Flat duct
- Plastic, low flammability
- DN: 150 flat
- Length 500 mm
- Easy to cut
- Easy to connect via the flat duct connecting piece


AD854010 230 €

- Flat duct
- Metal
- DN: 150 flat
- Length 1000 mm
- The seal is pre-assembled on each side
- Suitable for flat duct elbows
- If it is necessary to remove the seal, the connection must be fixed and sealed with aluminium tape
- To connect two flat ducts, a connection piece for one flat duct is required


AD857040 35 €

- Flat duct pipe connector
- Plastic, low flammability
- DN: 150 flat
- Connector sleeve to connect other plastic flat ducts together
- Integrated sealings for full airtightness without necessity for any adhesive tape
- Easy to connect via time saving click mechanism


AD854040 95 €

- Flat duct pipe connector
- Metal
- DN: 150 flat
- To connect 2 flat ducts
- Central reinforcement


AD857030 45 €


- Flat duct bend 90° vertical
- Plastic, low flammability
- DN: 150 flat
- Vertical 90° bow with large radius for ductings behind the backpanel/furniture (from on 70 cm worktop depth)
- Aerodynamically optimised for minimised pressure losses and maximised flow rate
- Easy to connect via the flat duct connecting piece



AD854030	120 €
<ul style="list-style-type: none"> - Flat duct bend 90° vertical - Metal - DN: 150 flat - Maximum efficiency due to air guided fins in the duct bend 	



AD857031	60 €
<ul style="list-style-type: none"> - Flat duct bend 90° horizontal - Plastic, low flammability - DN: 150 flat - Aerodynamically optimised for minimised pressure losses and maximised flow rate - Easy to connect via the flat duct connecting piece 	




AD854031	120 €
<ul style="list-style-type: none"> - Flat duct bend 90° horizontal - Metal - DN: 150 flat - Maximum efficiency due to air guided fins in the duct bend 	



AD854000	200 €
<ul style="list-style-type: none"> - Flat duct bend connecting piece - Metal - DN: 150 flat - To connect 2 flat ducts - Sealing is pre-assembled on each side - If the removal of the seal is necessary, the connection must be fastened and sealed with aluminium adhesive tape 	



AD858010	240 €
<ul style="list-style-type: none"> - Flat duct system flex pipe - Metal - DN: 150 flat - Length 1000 mm - Sealing is pre-assembled on each side - Flat duct flex pipe can be shortened - Useful for bends (<90°) or for parallel offsetting - If the removal of the seal is necessary, the connection must be fastened and sealed with aluminium adhesive tape 	



AD857042	75 €
<ul style="list-style-type: none"> - Flat duct adapter round 90° - Plastic, low flammability - DN 150 flat / round - Transition from flat duct to round duct 	



AD854032	110 €
<ul style="list-style-type: none"> - Flat duct adapter round 90° - Metal - DN 150 flat / round - Transition from flat duct to round duct - Maximum efficiency due to air guided fins in the duct bend 	



AD857041	75 €
<ul style="list-style-type: none"> - Flat duct adapter round - Plastic, low flammability - DN 150 flat / round - Transition from flat duct to round duct 	



AD854041	110 €
<ul style="list-style-type: none"> - Flat duct adapter round - Metal - DN 150 flat / round - Transition from flat duct to round duct. - Round duct connecting piece is fitted with a seal 	



AD751010	150 €
<ul style="list-style-type: none"> - Flexible duct cylindrical - Aluminium - Length 1000-3000 mm - DN 150 round - Recommended only for non-linear or non-rectangular ductings or cylindrical wall or ceiling ducts. 2 hose clamps included 	




AD752010	50 €
<ul style="list-style-type: none"> - Cylindrical duct - Plastic - Length 1000 mm - DN 150 round - For the connection of hoods directly beneath the wall outlet 	



AD754090	25 €
<ul style="list-style-type: none"> - Pipe connection piece for cylindrical duct Ø 150 - Plastic 	



AD704040	120 €
<ul style="list-style-type: none"> - Pipe adapter DN 200/150 round - Reduce DN 200 connection to DN 150 connection - Metal zinc coated - Can be combined with telescopic wall-duct DN 200 and pipe connector DN 150 	



AD990091	20 €
<ul style="list-style-type: none"> - Adhesive tape for duct components - Aluminium - 10 m/roll - Useful for all connections of plastic and metal duct components 	

Expressive series



RVY497190	16.410 €
Without door panel Niche width 90 cm Niche height 213,4 cm	
Choose dark brushed stainless steel door panels RVA 421 ... with handles or RVA 428 ... handleless, alternatively furniture front from kitchen producer.	
Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.	




- Fridge-freezer combination Expressive series
- Cooling section with two doors and one fully extendable freezer drawer
- Dark brushed stainless steel interior, refined with solid anthracite aluminium elements
- Warm white and glare-free LED light concept for optimal food presentation in all compartments
- Professional freshness system with 2 fresh climate drawers and 1 chilled drawer
- Spacious, fully extendable freezer compartment including 2 additional interior drawers
- Integrated ice maker with fixed water connection
- Volume cooling 379 litres
- Volume freezer 197 litres

Special accessories



RVA460910	170 €
- Accessory for replacement in single unmodified niche	
- Required if a RVY 497 (89,4 cm wide) is replacing a RY 492, RB 492 or RC 492 (90,8 cm wide)	



RVA460900	260 €
- Accessory for replacement of a side-by-side installation in unmodified niche	
- Required if a RVY 497 (89,4 cm wide) is installed side-by-side into a niche which was formerly housing a combination including a RY 492, RB 492 or RC 492 (90,8 cm wide)	



RVA460020	330 €
- Accessory for side-by-side installation	
- Required if a RVY 497 is installed side-by-side with a RY, RB, RC, RF or RW of the Vario cooling 400 series	



RVA460000	45 €
- Accessory for side-by-side installation	



RVA423141	50 €
- 2 side trims, 3 mm	



RVA421922	2.620 €
With handle	
RVA428922	2.620 €
Without handle	
- Door panels, dark brushed stainless steel	
- Thickness 19 mm	



RVA438040	170 €
- Solid oak bottle support with magnetic connector	



RVA450220	30 €
- 2 activated charcoal air filters	

Vario cooling serie 400



RB492305 15.300 €
 Without door panel
 Niche width 91.4 cm
 Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.



- Vario fridge-freezer combination 400 series
- Cooling section with one door and one fully extendable freezing drawer
- Stainless steel interior with solid anthracite aluminium elements
- One fresh cooling drawer close to 0 °C with manually adjustable temperature and one fresh cooling drawer with manually adjustable humidity
- Integrated ice maker with fixed inlet water connection
- Volume cooling 389 litres
- Volume freezer 166 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RB472305 14.290 €
 Without door panel
 Niche width 76.2 cm
 Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.



- Vario fridge-freezer combination 400 series
- Cooling section with one door and one fully extendable freezing drawer
- Stainless steel interior with solid anthracite aluminium elements
- One fresh cooling drawer close to 0 °C with manually adjustable temperature and one fresh cooling drawer with manually adjustable humidity
- Integrated ice maker with fixed inlet water connection
- Volume cooling 316 litres
- Volume freezer 136 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC492305 14.630 €
 Without door panel
 Niche width 91.4 cm
 Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.



- Vario refrigerator 400 series
- Stainless steel interior with solid anthracite aluminium elements
- One fresh cooling drawer 0 °C with temperature control from -1 °C to +3 °C and one fresh cooling drawer with manually adjustable humidity
- Volume cooling 494 litres
- Volume fresh cooling 85 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC472305 13.450 €
 Without door panel
 Niche width 76.2 cm
 Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.



- Vario refrigerator 400 series
- Stainless steel interior with solid anthracite aluminium elements
- One fresh cooling drawer 0 °C with temperature control from -1 °C to +3 °C and one fresh cooling drawer with manually adjustable humidity
- Volume cooling 398 litres
- Volume fresh cooling 69 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC462305 12.110 €
 Without door panel
 Niche width 61 cm
 Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.



- Vario refrigerator 400 series
- Stainless steel interior with solid anthracite aluminium elements
- One fresh cooling drawer 0 °C with temperature control from -1 °C to +3 °C and one fresh cooling drawer with manually adjustable humidity
- Volume cooling 305 litres
- Volume fresh cooling 52 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF47130614.320 €

Without door panel
Niche width 76.2 cm
Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.

A
t
G

E

- Vario freezer 400 series
- Stainless steel interior with solid anthracite aluminium elements
- Integrated ice maker with fixed inlet water connection
- Volume 445 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF46130612.670 €

Without door panel
Niche width 61 cm
Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.

A
t
G

E

- Vario freezer 400 series
- Stainless steel interior with solid anthracite aluminium elements
- Integrated ice maker with fixed inlet water connection
- Volume 344 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF41130610.950 €

Without door panel
Niche width 45.7 cm
Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

Water pressure reducer ACLPRERE10 is included. Water pressure 2-10 bar if the reducer is installed.

A
t
G

E

- Vario freezer 400 series
- Stainless steel interior with solid anthracite aluminium elements
- Integrated ice maker with fixed inlet water connection
- Volume 240 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF41030410.080 €

Without door panel
Niche width 45.7 cm
Niche height 213.4 cm

Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

A
t
G

E

- Vario freezer 400 series
- Stainless steel interior with solid anthracite aluminium elements
- Volume 240 litres
- Home network integration for digital services (Home Connect) wireless via WiFi

Wine climate cabinets 400 series



RW466305 12.780 €
Fully integrated, with solid door
Niche width 61 cm
Niche height 213.4 cm

Variant for solid furniture door without glass. Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

1x bottle support RA 498 640 is included, free of charge.



- Vario wine climate cabinet 400 series
- Stainless steel interior
- Three independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Capacity 99 bottles (0.75 l standard bottles).
- Home network integration for digital services (Home Connect) wireless via WiFi



RW466365 13.290 €
Fully integrated, with glass door
Niche width 61 cm
Niche height 213.4 cm

Variant for furniture front with glass. Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

1x bottle support RA 498 640 is included, free of charge.



- Vario wine climate cabinet 400 series
- Stainless steel interior
- Three independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Capacity 99 bottles (0.75 l standard bottles).
- Home network integration for digital services (Home Connect) wireless via WiFi



RW414305 10.760 €
Fully integrated, with solid door
Niche width 45,7 cm
Niche height 213.4 cm

Variant for solid furniture door without glass. Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

1x bottle support RA 498 140 is included, free of charge.



- Vario wine climate cabinet 400 series
- Stainless steel interior
- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Capacity 70 bottles (0.75 l standard bottles).
- Home network integration for digital services (Home Connect) wireless via WiFi



RW414365 11.270 €
Fully integrated, with glass door
Niche width 45,7 cm
Niche height 213.4 cm

Variant for furniture front with glass. Choose stainless steel door panels RA 421 ... with handles or RA 428 ... handleless, alternatively furniture front from kitchen producer.

1x bottle support RA 498 140 is included, free of charge.



- Vario wine climate cabinet 400 series
- Stainless steel interior
- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Fully extendable bottle trays in oak wood and solid aluminium in anthracite
- Capacity 70 bottles (0.75 l standard bottles).
- Home network integration for digital services (Home Connect) wireless via WiFi

Special accessories



RA421910 With handle	2.180 €
RA428910 Without handle	2.180 €
- Stainless steel door panel for RB 492 - Panel thickness 19 mm	



RA421610 With handle	1.310 €
RA428610 Without handle	1.310 €
- Stainless steel door panel for 61 cm wide appliances - Panel thickness 19 mm	



RA421911 With handle	1.960 €
RA428911 Without handle	1.960 €
- Stainless steel door panel for 91.4 cm wide appliances - Panel thickness 19 mm	



RA421612 With handle, right-hinged	1.310 €
RA421611 With handle, left-hinged	1.310 €
RA428611 Without handle	1.310 €
- Stainless steel door panel frame for 61 cm wide appliances - Panel thickness 19 mm	



RA421712 With handle	1.920 €
RA428712 Without handle	1.920 €
- Stainless steel door panel for RB 472 - Panel thickness 19 mm	



RA421110 With handle	880 €
RA428110 Without handle	880 €
- Stainless steel door panel for 45.7 cm wide appliances - Panel thickness 19 mm	



RA421710 With handle	1.730 €
RA428710 Without handle	1.730 €
- Stainless steel door panel for 76.2 cm wide appliances - Panel thickness 19 mm	



RA421112 With handle, right-hinged	880 €
RA421111 With handle, left-hinged	880 €
RA428111 Without handle	880 €
- Stainless steel door panel frame for 45.7 cm wide appliances - Panel thickness 19 mm	



RA464913 470 €

- Ventilation grille stainless steel
- For RB 492



RA464911 450 €

- Ventilation grille stainless steel
- For 91.4 cm wide appliances



RA464713 420 €

- Ventilation grille stainless steel
- For RB 472



RA464714 420 €

- Ventilation grille stainless steel
- For RF 471 ..4 and RF 471 ..5



RA464711 400 €

- Ventilation grille stainless steel
- For 76.2 cm wide appliances



RA464617 360 €

- Ventilation grille stainless steel
- For RF 463 ..4 and RF 463 ..6



RA464618 360 €

- Ventilation grille stainless steel
- For RF 463 ..5 and RF 463 ..7



RA464616 360 €

- Ventilation grille stainless steel
- For RF 461 ..4 and RF 461 ..5



RA464611 360 €

- Ventilation grille stainless steel
- For 61 cm wide appliances



RA464113 300 €

- Ventilation grille stainless steel
- For RF 411 ..4 and RF 411 ..5



RA464111 280 €

- Ventilation grille stainless steel
- For 45.7 cm wide appliances




RA423340 55 €

- Side trims, 2 pieces, for RB



RA423140 55 €

- Side trims, long



RA460013 510 €

- Additional side heating element 230 V
- Required if appliances are installed with a distance greater than 16 mm and less than 160 mm next to each other and for all built-in situations in a very humid environment



RA460000 220 €

- Accessory for side-by-side installation
- Not required if appliances are installed more than 160 mm apart from each other (included in delivery for RF and RW)



RA460030 180 €

- Connecting element for vertically split fronts (for fridge-freezer combination)



RA460020 180 €

- Connecting element for vertically split appliance fronts (for a flush front)



ACLPRERE10 109 €

- Water pressure reducer



RA450012 140 €

- Activated charcoal filter for water filter system
- For RVY, RB, RF
- For RF 4.1 ..4 and RF 463 ..4/5 starting FD 9007



RA448220 85 €

- Ice storage container, small
- For installation with a door opening angle of 90° the delivered ice storage container must be exchanged for the small ice storage container. This must be done prior to fixing the door



RA430100 60 €

- Storage container with transparent lid, anthracite




RA425110	260 €
<ul style="list-style-type: none">- Stainless steel handle bar for RB/RC/RF/RW 4., RW 282- With 3 mounts, length 1131 mm- Drilling distance between each mount 554 mm	



RA425910	220 €
<ul style="list-style-type: none">- Stainless steel handle bar for RVY 497, RB 492, RW 222- With 2 mounts, length 810 mm- Drilling distance between the mounts 787 mm	



RA425710	210 €
<ul style="list-style-type: none">- Handle bar for RB 472- With 2 mounts, length 658 mm- Drilling distance between the mounts 637 mm	



RA491661	380 €
<ul style="list-style-type: none">- Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminium in anthracite- For 61 cm wide appliances	




RA491161	380 €
<ul style="list-style-type: none">- Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminium in anthracite- For 45.7 cm wide appliances	




RA498640	170 €
<ul style="list-style-type: none">- Bottle support in oak wood for convenient storage of bottles on the division plate- For 61 cm wide appliances	



RA498140	140 €
<ul style="list-style-type: none">- Bottle support in oak wood for convenient storage of bottles on the division plate- For 45.7 cm wide appliances	



RA492660	430 €
<ul style="list-style-type: none">- Removable shelf with oak wood frame- Suitable for decanters and open bottles- For 61 cm wide appliances	




RA492160	380 €
<ul style="list-style-type: none">- Removable shelf with oak wood frame- Suitable for decanters and open bottles- For 45.7 cm wide appliances	



RA493060	95 €
<ul style="list-style-type: none">- Presenter in oak wood and aluminium in anthracite for single bottle display	



RA420010	260 €
<ul style="list-style-type: none">- Door lock for RW 414, RW 464 and RW 466	



RA430000	35 €
<ul style="list-style-type: none">- Screw shole cover set, 8 pieces	

Vario cooling 200 series



RB289300 4.400 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Vario fridge-freezer combination 200 series
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- 4 climate zones incl. 2 fresh cooling drawers close to 0 °C
- Cushioned door closing system allowing a soft and controlled door closure
- Height-adjustable, extendable safety glass shelves, set in solid aluminium profiles
- Solid maple bottle supports with magnetic connector
- Automatic defrosting with defrost water evaporation
- Volume cooling 101 litres
- Volume fresh cooling 55 litres
- Volume freezer 67 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RT289370 4.310 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Vario fridge-freezer combination 200 series
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- 4 climate zones incl. 3 fresh cooling drawers close to 0 °C
- Cushioned door closing system allowing a soft and controlled door closure
- Opening assist for door:
 1. Push-to-open function for integration into handleless furniture front
 2. Door opening via voice assistant possible
- Extendable shelves and drawers
- Solid maple bottle supports with magnetic connector
- Automatic defrosting with defrost water evaporation
- Volume cooling 171 litres
- Volume fresh cooling 83 litres
- Volume freezer 15 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC289370 4.310 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Vario refrigerator 200 series
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- 3 climate zones incl. 3 fresh cooling drawers close to 0 °C
- Combines with freezer RF 287 (side-by-side integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Opening assist for door:
 1. Push-to-open function for integration into handleless furniture front
 2. Door opening via voice assistant possible
- Extendable shelves and drawers
- Solid maple bottle supports with magnetic connector
- Automatic defrosting with defrost water evaporation
- Volume cooling 206 litres
- Volume fresh cooling 83 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF287370 3.540 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Vario freezer 200 series
- Interior with precision-fitted, solid aluminium elements in Gaggenau Light Bronze
- Combines with freezer RC 289 (side-by-side integration)
- Combines with wine climate cabinet RW 282 (side-by-side integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Opening assist for door:
 1. Push-to-open function for integration into handleless furniture front
 2. Door opening via voice assistant possible
- Safety glass shelves, set in solid aluminium profiles
- Dynamic cold air distribution
- No-frost technology with fast freezing
- Volume 212 litres
- Home network integration for digital services (Home Connect) wireless via WiFi

Cooling appliances 200 series



RY29S350 5.130 €
 Anthracite
 Niche width 91 cm
 Niche height 183 cm

Water pressure reducer ACLPRE10 is included. Water pressure 2-10 bar if the reducer is installed.



- Freestanding fridge-freezer combination 200 series
- Front doors and drawer in anthracite stainless steel
- Dark anthracite coloured top and side panels outside
- 3 climate zones incl. fresh cooling 0 °C.
- 2 fresh cooling drawers 0 °C with 5 preset temperature settings between -2°C and +4°C
- 3 symmetrically split glass shelves, height adjustable
- Integrated ice maker with fixed inlet water connection
- Internal water dispenser for chilled water
- 5 preset light scenarios
- Volume cooling 335 litres
- Volume fresh cooling 67 litres
- Volume freezer 171 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RB282306 4.010 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Fridge-freezer combination 200 series
- Four climate zones incl. two fresh cooling drawers close to 0 °C
- 1 extendable fresh cooling drawer close to 0 °C, illuminated
- Height adjustable safety glass shelves
- Door racks with aluminium profiles
- Cushioned door closing system allowing a soft and controlled door closure
- Volume cooling 101 litres
- Volume fresh cooling 55 litres
- Volume freezer 67 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RB280330 2.580 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Fridge-freezer combination 200 series
- Three climate zones incl. one fresh cooling drawer with manually adjustable humidity
- Height adjustable safety glass shelves
- Door racks with aluminium profiles
- Cushioned door closing system allowing a soft and controlled door closure
- Volume cooling 209 litres
- Volume freezer 63 litres



RT282306 3.370 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Fridge-freezer combination 200 series
- Four climate zones incl. three fresh cooling drawers close to 0 °C
- Height adjustable safety glass shelves
- Door racks with aluminium profiles
- Cushioned door closing system allowing a soft and controlled door closure
- Automatic defrosting with defrost water evaporation
- Volume cooling 171 litres
- Volume fresh cooling 83 litres
- Volume freezer 15 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC282306 3.370 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Refrigerator 200 series
- Three climate zones incl. three fresh cooling drawers close to 0 °C
- Height adjustable safety glass shelves
- Door racks with aluminium profiles
- Combines with freezer RF 282 (side-by-side integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Automatic defrosting with defrost water evaporation
- Volume cooling 206 litres
- Volume fresh cooling 83 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF282306 2.690 €
 Fully integrated
 Niche width 56 cm
 Niche height 177.5 cm



- Freezer 200 series
- Flexible interior configuration: all drawers and safety glass shelves can be removed
- Combines with fridge RC 282 (side-by-side integration)
- Combines with wine climate cabinet RW 282 (side-by-side integration)
- Cushioned door closing system allowing a soft and controlled door closure
- Volume 212 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RC202180
Fully integrated
Niche width 60 cm
Niche height 82 cm

2.070 €



- Refrigerator 200 series
- Interior with solid elements in light satin aluminium
- Height-adjustable safety glass shelves with aluminium profile
- Warm white and glare-free LED light
- Drawer with solid aluminium handle, close to 0 °C
- Cushioned door closing system allowing a soft and controlled door closure
- Volume 134 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RT202180
Fully integrated
Niche width 60 cm
Niche height 82 cm

2.070 €



- Fridge-freezer combination 200 series
- Interior with solid elements in light satin aluminium
- Height-adjustable safety glass shelf with aluminium profile
- Warm white and glare-free LED light
- Drawer with solid aluminium handle, close to 0 °C
- Cushioned door closing system allowing a soft and controlled door closure
- Volume refrigerator compartments 93 litres
- Volume freezer 17 litres
- Home network integration for digital services (Home Connect) wireless via WiFi



RF202180
Fully integrated
Niche width 60 cm
Niche height 82 cm

1.980 €



- Freezer 200 series
- Interior with solid elements in light satin aluminium
- Drawers with solid aluminium handles
- No-frost technology with fast freezing
- Cushioned door closing system allowing a soft and controlled door closure
- Automatic defrosting
- Volume 85 litres
- Home network integration for digital services (Home Connect) wireless via WiFi

Wine climate cabinets 200 series



RW282263
Fully integrated, with glass door
Niche width 56 cm
Niche height 177.2 cm

8.250 €



- Wine climate cabinet 200 series
- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Extendable bottle trays in beech and aluminium
- Presentation light option
- Low-vibration operation
- Capacity 80 bottles (0.75 l standard wine bottles)



RW222263
Fully integrated, with glass door
Niche width 56 cm
Niche height 122 cm

7.010 €



- Wine climate cabinet 200 series
- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Extendable bottle trays in beech and aluminium
- Presentation light option
- Low-vibration operation
- Capacity 48 bottles (0.75 standard wine bottles)



RW404264
Under-counter, stainless steel-framed glass door
Niche width 60 cm
Niche height 82 cm

5.690 €



- Wine climate cabinet 200 series
- Two independently controllable climate zones
- Consistent temperatures with exact control from +5 °C to +20 °C
- Humidity control
- Extendable bottle trays in beech and aluminium
- Lockable door
- Capacity 34 bottles (0.75 l standard wine bottles)

Special accessories



RA260000	55 €
- Heavy duty hinge support for a maximum door weight of 27 kg	




RA238030	170 €
- Solid maple bottle support with magnetic connector, oiled for R. 289	



RA221311	840 €
- Stainless steel door panel with handle for RW 282	
- Panel thickness 19 mm	



RA221211	650 €
- Stainless steel door panel with handle for RW 222	
- Panel thickness 19 mm	



RA097600	330 €
- Accessory for side-by-side installation of two under-counter wine climate cabinets	



RA050220	55 €
- Replacement activated charcoal air filter for RW 2.2 and RW 404	

Dishwashers 400 series



DF481101 Height 86.5 cm	3.820 €
DF480101 Height 81.5 cm	3.770 €



- Fully integrated
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
- 8 programmes with aqua sensor and 4 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive Plus for adjusting cleaning areas in the lower basket
- Drying assistant for optional door opening at the end of the programme
- Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket
- Perfectly illuminated interior
- Push-to-open system for perfect integration into handleless furniture fronts
- Remaining time projection onto the kitchen floor
- Very quiet: 43 dB
- Home network integration for digital services (Home Connect) wireless via WiFi



DF481101F Height 86.5 cm	3.820 €
DF480101F Height 81.5 cm	3.770 €

F = Special model for installation in tall cabinets or for kitchens with extra low plinth height (down to 50 mm).



- Fully integrated
- Flexible hinge for reduced plinth height as of 50 mm
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
- 8 programmes with aqua sensor and 4 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive Plus for adjusting cleaning areas in the lower basket
- Drying assistant for optional door opening at the end of the programme
- Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket
- Perfectly illuminated interior
- Push-to-open system for perfect integration into handleless furniture fronts
- Lateral Info-Light
- Very quiet: 43 dB
- Home network integration for digital services (Home Connect) wireless via WiFi

Dishwashers 200 series



DF271101 Height 86.5 cm	2.710 €
DF270101 Height 81.5 cm	2.670 €



- Fully integrated
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
- 6 programmes with aqua sensor and 3 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive for particularly thorough cleaning in the lower basket
- Drying assistant for optional door opening at the end of the programme
- Flexible basket system with smooth running rails on all levels
- Bright interior light
- Push-to-open system for perfect integration into handleless furniture fronts
- Remaining time projection onto the kitchen floor
- Very quiet: 43 dB
- Home network integration for digital services (Home Connect) wireless via WiFi



DF271101F Height 86.5 cm	2.710 €
DF270101F Height 81.5 cm	2.670 €

F = Special model for installation in tall cabinets or for kitchens with extra low plinth height (down to 50 mm).



- Fully integrated
- Flexible hinge for reduced plinth height as of 50 mm
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
- 6 programmes with aqua sensor and 3 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive for particularly thorough cleaning in the lower basket
- Drying assistant for optional door opening at the end of the programme
- Flexible basket system with smooth running rails on all levels
- Bright interior light
- Push-to-open system for perfect integration into handleless furniture fronts
- Lateral Info-Light
- Very quiet: 43 dB
- Home network integration for digital services (Home Connect) wireless via WiFi



DF261101 2.200 €
Height 86.5 cm

DF260101 2.160 €
Height 81.5 cm



- Fully integrated
- Optimal protection for sensitive glassware by low temperature drying with zeolite, elaborated basket design and intelligent water softening
- 6 programmes with aqua sensor and 3 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive for particularly thorough cleaning in the lower basket
- Drying assistant for optional door opening at the end of the programme
- Flexible basket system
- Bright interior light
- Remaining time projection onto the kitchen floor
- Very quiet: 43 dB
- Home network integration for digital services (Home Connect) wireless via WiFi




DF210100 1.830 €
Height 81.5 cm



- Fully integrated
- 6 programmes with aqua sensor and 3 options, such as Power for cleaning and drying dishes from 57 minutes and Intensive for particularly thorough cleaning in the lower basket
- Flexible basket system
- Bright interior light
- Very quiet: 44 dB
- Home network integration for digital services (Home Connect) wireless via WiFi

Special accessories



DA020011 80 €
For 81.5 cm high models

- Stainless steel trim kit for 81.5 cm high dishwashers
- Set of 2, for left and right.
- To cover the gap between appliance and adjacent furniture and for better fixation of the appliance in the niche
- The white frame is replaced by a stainless steel trim kit

For DF 210 (DA 020 011), other dishwashers have it included.



DA042030 65 €

- Silvercare cartridge for all dishwashers
- Made of aluminium to protect silverware from corrosion
- Easy use of cartridge in the cutlery basket



DA043000 35 €

- Holder for long-stemmed glasses
- Offers safe positioning for up to four long-stemmed glasses during the dishwashing process and ensures an optimal cleaning result
- For positioning in the lower basket



GH045010 80 €

- Handle bar with 2 mounts, stainless steel, length 45 cm, height 49 mm, drilling distance 427 mm



GZ010011 65 €

- Extension for water inlet and outlet (2 m long)



DA041160 240 €

- Cutlery drawer with smooth running rails
- 3rd level above the upper basket
- For large pieces of cutlery, cooking utensils and espresso cups
- 13 place setting capacity with all 3 levels
- For DF 48. and DF 27.




DA041061 200 €

- Cutlery drawer incl. pull-out rails
- 3rd level above the upper basket
- For large pieces of cutlery, cooking utensils and espresso cups
- 14 place setting capacity with all 3 levels
- For DF 26. and DF 21.



DA045061 240 €

- 3rd loading level above the upper basket
- With smooth running rails
- For 86.5 cm high dishwashers
- For small bowls, cups and cooking utensiles
- Movable knife shelf
- For DF 48. and DF 27.



DA045060 170 €

- 3rd loading level above the upper basket
- For 86.5 cm high dishwashers
- For small bowls, cups and cooking utensiles
- Movable knife shelf
- For DF 26. and DF 21.

Washing machine




WM260166 2.770 €
White



- Free-standing, slide-under or stackable
- Intelligent dosage system iDos for liquid detergent and softener for a perfect washing result
- 10 kg drum with interior lighting
- Top-up function
- Dynamic Wash System: innovative washing technology for increased cleaning performance
- Automatic programmes: Perfect washing results at the touch of a button
- Anti-stain automatic
- Innovative BLDC motor technology for more performance, higher durability as well as less energy consumption and noise
- Combines perfectly with dryer WT 260 166

Tumble dryer with heat pump



WT260165¹ 2.640 €
White

¹The model is available until May.



WT260166² 2.770 €
White

²The model is available from June.



- Free-standing, slide-under or stackable
- Capacity from 1 to 9 kg
- Twin rotary compressor for reduced energy consumption
- Self-cleaning condenser for automatic fluff removal
- Very silent drying with only 58 dB
- Smart Dry automatically selects the right dryer program based on the last washing program
- Combines perfectly with washing machine WM 260 166

Accessories



WMZPW20W 349 €

- Pedestal / platform with drawer for washing machines
- The pedestal increases the height of the appliance for convenient operation
- Includes a drawer for space-saving storage
- Dimensions: 400 x 600 x 570 mm



WTZPW20D 349 €

- Pedestal / platform with drawer for tumble dryers
- The pedestal increases the height of the appliance for convenient operation
- Includes a drawer for space-saving storage
- Dimensions: 400 x 600 x 570 mm



WA027500 160 €

- Stacking kit for safe alignment of tumble dryers on top of washing machines
- Allows you to stack tumble dryer on top of full-sized washing machine (depth >55 cm)
- Includes useful pull-out shelf for loading and unloading
- Dimensions: 42 x 595 x 574 mm



WMZ20600 99 €

- Basket for drying delicate wool fabrics, sports shoes & plush toys
- For use in combination with a time-controlled warm drying program or with a special basket program
- Dimensions: 360 x 310 x 310 mm



WMZ2381 49 €

- Extension for cold water inlet (2 m) with Aquastop
- Diameter inside 10 mm, outside 15 mm

Handles



GH090010 150 €
90 cm/877 mm

GH080010 140 €
80 cm/777 mm

GH070010 120 €
70 cm/677 mm

GH060010 100 €
60 cm/577 mm

GH050010 85 €
50 cm/477 mm

GH045010 80 €
45 cm/427 mm

GH030010 50 €
30 cm/277 mm

GH020010 35 €
20 cm/177 mm

- Handle bar with 2 mounts, stainless steel
- Height 49 mm



GH140010 240 €
140 cm/688.5 mm

GH110010 190 €
110 cm/538.5 mm

- Handle bar with 3 mounts, stainless steel
- Height 49 mm

The BSH Home Appliances terms of delivery and sale
are digitally available and can be downloaded here:

Estonia



Finland



Latvia



Lithuania



© 2025 Gaggenau Home Appliances

Technical specifications and product range are subject
to change. Colour deviations may occur.



Print product with financial
climate contribution
ClimatePartner.com/20752-2502-1002

The difference is Gaggenau