

## Product fiche concerning the "COMMISSION DELEGATED REGULATION (EU) No 65/2014"

Trade mark: Gaggenau

Model Identifier: CV482105

Annual Energy Consumption: 56.9 kWh/annum

Energy Efficiency class: A

Fluid Dynamic Efficiency: 29.7

Fluid Dynamic Efficiency class: A

Lighting Efficiency: - lux/Watt

Lighting Efficiency class: -

Grease Filtering Efficiency: 94 %

Grease Filtering Efficiency class: B

Air flow at minimum / maximum speed in normal use: 359.0 m³/h / 532 m³/h

Air flow at intensive or boost setting: 636 m<sup>3</sup>/h

Airborne acoustical A-weighted sound power emissions at minimum / maximum speed in normal use: 61 dB / 70 dB

Airborne acoustical A-weighted sound power emissions at intensive or boost setting: 74 dB

Power Consumption in off mode: - W

Power Consumption in standby mode: 0.25 W



## Information for domestic range hoods (EU) No. 66/2014

Model Identifier: CV482105

Annual Energy Consumption: 56.9 kWh/annum

Time increase factor: 0.9

Fluid Dynamic Efficiency: 29.7

Energy Efficiency Index: 51.4

Measured air flow rate at best efficiency point : 370 m³/h

Measured air pressure at best efficiency point : 497 Pa

Maximum air flow: 662 m3/h

Measured electric power input at best efficiency point: 173.7 W

Nominal power of the lighting system : - W

Average illumination of the lighting system on the cooking surface : - lux

Measured power consumption in standby mode: 0.25 W

Measured power consumption off mode: - W

Sound power level: 70 dB

Short title or reference to the measurement and calculation methods used to establish compliance with the above requirements: EN 61591, EN 60704-2-13, EN 50564



## Product information concerning the "COMMISSION DELEGATED REGULATION (EU) No 66/2014"

Number of cooking zones and cooking areas: 2						
Energy consumption for the hob: 185 Wh/kg Wh/kg						
AIB	A	В	С	D	E	F
Heating technology	Induction heating	Induction heating				
Dimension: For circular cooking zones or area: diameter of useful surface area per electric heated cooking zone, rounded to the nearest 5 mm	40,0 X 24,0	40,0 X 24,0				
Energy consumption per cooking zone or area calculated per kg	185.0	185.0				
Information according EN 60350-2						