

Color Variants

RW464361

fully integrated, with glass door Niche width 61 cm, Niche height 213.4

Optional accessories

RA093630

Presenters in aluminium for single bottle display (set of 3) for RW 464 RA491631

Fully extendable bottle tray in beech and aluminium

RA492630

Fully extendable shelves in aluminium

Required installation accessories

RA460011

Additional side heating element

Installation Accessories

RA420010 Door lock

RA421611

RA421612

RA425110

Handle bar, stainless steel, long

RA460040

Finger protection for extra long furniture fronts

RW464361

Vario wine climate cabinet 400 series

fully integrated, with glass door

Niche width 61 cm, Niche height 213.4

climate zones Consistant temperatures with exact control from +5 °C to +20 °C **Humidity control** Stainless steel interior Fully extendable bottle trays in beech and aluminium

Two independantly controllable

Presentation light option Low-vibration operation Capacity 98 bottles

Aluminium profiles of bottle trays and presenters for single bottle display can be labeled with Stabilo All 8046 pencil.

Handling

Electronic temperature control with digital display.

Dynamic cold air distribution. Automatic defrosting with defrost water evaporation.

Antimicrobial activated charcoal air filter.

UV-protection.

Energy-saving vacation mode. Open-door and malfunction alarm.

Features

Net volume 390 litres. Capacity 98 bottles (based on 0.75/I standard bottles).

10 fully extendable bottle trays, up to 4 of which for storage of magnum bottles.

Space for max. 14 bottle trays or shelves in aluminium.
Interior lighting with 2 ceiling spots

in each climate zone, can be used as presentation light.

Product rating

Energy efficiency class B. Energy consumption 237 kwh/year. Noise level 42 dB (re 1 pW).

Planning notes

Flat hinge.

Door hinge right, reversible.

Door opening angle of 115°, fixable at 90°

Max. door panel weight 67 kg. The main socket needs to be planned outside of the niche.

No transport/operation above 1.500 m sea level.

Connection

Total connected load 0.131 kW. Connecting cable 3.0 m, pluggable.

Characteristics

Construction type

Built-in

Door panel options

Not possible

Height (mm) 2125

Width of the product (mm) 603

Depth of the product

Required niche size for installation (HxWxD)

2134.0 x 610 x 610

Net weight (kg)

155.000

Connection rating (W)

Current (A)

Interior ventilator

Voltage (V)

220-240

Frequency (Hz)

Approval certificates

CE, VDE

Length of electrical supply cord (cm) 300

Plug type

Gardy plug w/ earthing

Energy consumption (kWh/d) winecooler

0.65

Energy consumption per Year (kWh/a) winecooler

236.5

Total unit gross capacity (I) 445

Number of compressors

Number of independent cooling

systems

Reversible Door Hinge

Yes

Interior light switch

EAN code

4242006219901

Consumption and connection features

Gaggenau

Product name / Commercial code RW464361

Product category

Energy efficiency class (2010/30/EC)

Energy consumption annual (kWh/ annum) - NEW (2010/30/EC) 237.00

Capacity in 0.75l (bordeaux bottles)

Climate class

Noise level (dB(A) re 1 pW)

created on 2019-04-30

Page 1




RW464361


Vario wine climate cabinet 400 series


fully integrated, with glass door


Niche width 61 cm, Niche height 213.4 cm


created on 2019-04-30 Page 2












Base detail



RW464361 Vario wine climate cabinet 400 series fully integrated, with glass door Niche width 61 cm, Niche height 213.4

created on 2019-04-30 Page 3

