

Color Variants BOP210101 Full glass door in Gaggenau Anthracite Width 60 cm BOP210111 Full glass door in Gaggenau Metallic Width 60 cm BOP210131 Full glass door in Gaggenau Silver Width 60 cm

Included accessories

1 x enamel baking tray. suit. pyrolitic clean. 1 x grill shelf. 1 x grill tub.

Optional accessories BA036102 Wire rack, chromium-plated BA046115 Glass trav BA056115 Heating element for baking stone and Gastronorm roaster BA056130 Baking stone. BA216102 Quadruple telescopic pull-out rack BA226102 Grill tray, enamelled BA226112 Baking tray, enamelled BS020002 Pizza paddle, set of 2

Product Variants BOP211101 Oven 200 series Full glass door in Gaggenau Anthracite Width 60 cm Left-hinged

BOP210101 Oven 200 series Full glass door in Gaggenau Anthracite Width 60 cm **Right-hinged**

Flush installation 9 heating methods, with baking stone function TFT touch display Panel-free appliance with surface control module Electronic temperature control from 50 °C to 300 °C Net volume 76 litres

Heating methods

Hot air. Eco hot air. Top + bottom heat. Top heat. Bottom heat. Hot air + bottom heat. Full surface grill + circulated air. Full surface grill. Baking stone function.

Handling

Rotary knob and TFT touch display operation. Clear text display. Option to save individual recipes. Information key with use indicators. Side-opening door opens up to 110° angle

Features

Baking stone socket. Actual temperature display Rapid heating. Timer functions: cooking time, cooking time end, timer, stopwatch, long-term timer. 60 W halogen light on the top. Chromium-plated side shelf supports with 4 tray levels.

Safety

Thermally insulated door with triple glazing. Child lock Safety shut-off. Cooled housing with temperature protection.

Cleaning

Gaggenau enamel. Heated catalyser to clean the oven air.

Planning notes

Door hinge not reversible. The door panel surface of the appliance extends 21 mm from the furniture cavity. The outer edge of the door handle extends 72 mm from the furniture cavity. Necessary lateral gap between appliance door and furniture panel of min. 5 mm. Consider the overhang, incl. the door handle, when planning to open drawers next to the appliance. When planning a corner solution, pay attention to the 110° door opening angle. For installation underneath cooktops: Distance between the underside of the cooktop and the top edge of the oven cavity: min. 15 mm. The planning notes for the cooktops (particularly regarding ventilation, gas/electric connection) must be taken into account. To achieve the 550 mm installation depth, the connection cable needs to follow the slanted edge on the corner of the housing. The mains socket needs to be planned outside of the built-in niche.

Connection

Characteristics Color / Material Front Anthracite Built-in / Free-standing Built-in Integrated Cleaning system

No

Required niche size for installation (HxWxD) 590-590 x 560-560 x 550 Dimensions of the product (mm) 595 x 590 x 547 Dimensions of the packed product (HxWxD) (mm) 780 x 760 x 680

Control Panel Material without panel Door Material Glass

Net weight (kg) 50.661 Usable volume of cavity (I)

76 Cooking method

Baking stone function, Bottom heat, Conventional heat, Full width grill, Hot Air, Hot air and 1/1 bottom heating, Hot Air-Eco, Hot air grilling, Top heat First cavity material

Enamelled Number of interior lights

Approval certificates Australia Standards, CE, Eurasian, G-Mark, Ukraine, VDE

Length electrical supply cord (cm) Interior Lights - cavity 1

Pull-out system

Clock function Alarm, Off, On, timer

Included accessories cavity 1 1 x enamel baking tray, suit. pyrolitic clean, 1 x grill shelf, 1 x grill tub

Bake Element Wattages cavity 1 (W) Broil Element Wattages cavity 1 (W) 3000

Convection Element Wattages cavity 1 (W) 2100

Microwave wattage cavity 1 (W) Drawer wattage (W)

Consumption and connection features Energy efficiency class - NEW (2010/30/EC)

Energy consumption per cycle conventional - NEW (2010/30/EC) 1.25 Energy consumption gas oven per cycle conventional - NEW (2010/30/EC) Energy consumption per cycle forced air convection - NEW (2010/30/EC) 0.83 Energy consumption gas oven per cycle forced air convection - NEW (2010/30/ EC) Energy efficiency index (2010/30/EC) Connection Rating (W) 3700 Current (A) 16 Voltage (V) 220-240 Frequency (Hz) 50: 60 Plug type fixed connection, no plug Connecting cable type Universal Product Code 825225914358 Color / Material Front Anthracite Alternative colors available BOP210111, BOP210131

Energy input Electric

Approval certificates Australia Standards, CE, Eurasian, G- Energy efficiency class A at a range of energy efficiency classes from A+++ to D.

Total connected load 3.7 kW. Plan a connection cable.

BOP210101 Oven 200 series Full glass door in Gaggenau Anthracite Width 60 cm Right-hinged 2019-09-24 Page 2

