



Color Variants

VR230114
Stainless steel control panel
Width 28 cm

Included accessories

1 x stainless steel appliance cover.
1 x grease drip tray.
1 x cast iron grill.
1 x lava stones.
1 x cleaning brush.

Optional accessories

AM060000
Cast roaster
LV030000
Lava stones for refilling

Installation Accessories

VV200014
Stainless steel connection strip
for combination with other Vario
appliances of the 200 series

VR230114

Vario electric grill 200 series

Stainless steel control panel

Width 28 cm

Can be combined with the cooktops
of the Vario 200 series to a harmonic
unity

Generous control panel for
comfortable and secure operation
2 zones, separately controlled
Open cast grill, lava stones

Handling

9 switching levels.

Features

2 separately controllable swing-out
grilling elements (1500 W).
Cast grill.
Stainless steel lavastone container and
grease collecting insert, dishwasher-
safe.

Planning notes

Appliance can be snapped into the
worktop from above.
A minimum clearance of at least 200
mm from adjacent heat-sensitive
furniture or contact surfaces must be
observed or thermal insulation fitted.
Appliance weight: approx. 15 kg.

Connection

Total connected load 3.0 kW.
Connecting cable 1.7 m without plug.

Characteristics

Product name/family

Vario/Domino barbecue grill

Built-in / Free-standing

Built-in

Energy input

Electric

Type of control

mechanical

Grill grating material

Cast iron

Required niche size for installation

(HxWxD)

100 x 268 x 490

Width of the product (mm)

288

Dimensions of the product (mm)

100 x 288 x 523

Dimensions of the packed product

(HxWxD) (mm)

207 x 408 x 605

Net weight (kg)

15.106

Gross weight (kg)

16.4

Residual heat indicator

without

Location of control panel

Basic surface material

Cast iron

Color of surface

Stainless steel, Stainless steel

Color of frame

Stainless steel

Approval certificates

Australia Standards, CE, Eurasian, G-
Mark, Ukraine, VDE

Length electrical supply cord (cm)

170

Consumption and connection features

Electrical connection rating (W)

3000

Gas connection rating (W)

Current (A)

16; 13

Voltage (V)


230

Frequency (Hz)

50; 60

2019-10-29

Page 1



Mounting rail
(rear and front)

